



(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



# Impact Factor: 8.699

# Volume 14, Issue 4, April 2025

⊕ www.ijirset.com ⊠ ijirset@gmail.com 🖄 +91-9940572462 🕓 +91 63819 07438





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

# Volume 14, Issue 4, April 2025

|DOI: 10.15680/IJIRSET.2025.1404433|

# A Conventional Neural Networks (CNNs) for Herbal Plant Detection using Deep Learning

# T.Mangaiyarthilagam<sup>1</sup>, M.Kalaiselvi<sup>2</sup>, S.Praveena<sup>3</sup>

Selvam College of Technology (Autonomous), Namakkal, Tamil Nadu, India<sup>1,2,3</sup>

ABSTRACT: In this study, we delve into the realm of leaf detection using Convolutional Neural Networks (CNNs) and the Inception v3 algorithm to discern and classify various plant species based on their distinctive characteristics. Our research methodology involves the meticulous curations of a diverse and heterogeneous dataset encompassing a multitude of plant species. This dataset isn't solely restricted to images but also encapsulates a comprehensive array of associated characteristics, ensuring a holistic understanding of each species. The data curations process meticulously standardizes and cleanses the information, guaranteeing a consistent and reliable foundation for subsequent analysis. Through this conscientious data preparation, our study aims to uncover intricate patterns and correlations that exist within the dataset, paving the way for a robust and accurate leaf detection model. By harnessing the power of CNNs, particularly leveraging the sophisticated Inception v3 architecture, our study aims to bridge the gap between plant species identification and technological advancements in deep learning. The utilization of the cutting- edge algorithms facilitates the extraction of intricate features from the dataset, enabling precise classification and detection of diverse plant species. The amalgamation of image data and associated characteristics form a comprehensive framework that enriches the learning process, empowering the model to discern subtle nuances between different species. Ultimately, this research endeavors to contribute to the field of leaf detection in botany by not only enhancing the accuracy of species identification but also shedding light on the relationship between plant characteristics, thereby opening avenues for deeper insights into botanical realm.

KEYWORD: Deep learning, Herbal plant classification, CNN, Inception v3, Image recognition, Data augmentation .

# I. INTRODUCTION

Herbal plants have been widely used in traditional medicine and healthcare systems across different cultures for centuries. They serve as a primary source of bioactive compounds that are used in the formulation of various pharmaceutical products. The increasing global interest in natural remedies and herbal medicines has led to the need for accurate identification of these plants to ensure safety, efficacy, and consistency in medicinal applications. However, the process of identifying and classifying herbal plants remains a challenging task due to the vast diversity of plant species and the subtle morphological differences between closely related plants.

Manual identification methods, which often rely on the visual expertise of botanists and taxonomists, are prone to human error and inconsistencies. These methods are not only time-consuming but also impractical for large-scale applications, where high-throughput and accurate classification is required. Misidentification of herbal plants can have serious consequences, including the administration of ineffective or even harmful substances, making it imperative to develop reliable and automated solutions for plant classification.

Advances in artificial intelligence (AI) and computer vision have opened new avenues for automating the identification of plant species. Among these techniques, Convolutional Neural Networks (CNNs) have emerged as one of the most powerful approaches for image classification tasks. CNNs have the capability to automatically learn hierarchical features from images, allowing them to capture intricate patterns that are difficult to discern through manual inspection. This feature makes CNNs particularly suitable for classifying herbal plant species based on leaf images, where subtle differences in texture, shape, and color are critical for accurate identification.

Several recent studies have demonstrated the potential of CNNs in plant classification tasks, with models achieving high accuracy across various datasets. Despite these advancements, many existing approaches focus on general plant species recognition, often neglecting the complexity and diversity inherent in herbal plant species. Furthermore,





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

# Volume 14, Issue 4, April 2025

# |DOI: 10.15680/IJIRSET.2025.1404433|

variations in environmental conditions, leaf positioning, and lighting can significantly affect classification accuracy, underscoring the need for a more robust and adaptable deep learning model specifically designed for herbal plant classification.

Automating the process of herbal plant detection can have far-reaching implications in agriculture, pharmacology, and healthcare. For farmers and agricultural practitioners, automated plant identification can help monitor the growth of medicinal plants and detect invasive species. In the pharmaceutical industry, accurate identification of raw plant materials ensures the quality and safety of herbal medicines. Additionally, real-time herbal plant classification can support field researchers and botanists in identifying plant species more efficiently, reducing the dependency on manual expertise.

As the demand for herbal-based healthcare products continues to rise, the development of an automated, high-accuracy classification system becomes increasingly important. Leveraging deep learning techniques such as CNNs can address the limitations of traditional methods and offer a scalable, efficient solution for the identification of herbal plants. By improving the accuracy and reliability of plant classification, this approach has the potential to enhance the safety and efficacy of herbal remedies while contributing to advancements in botanical research and sustainable agricultural practices.

# **II. MAIN SECTION-I**

# 2.1 EXISTING SYSTEM

The identification of plant leaves using machine learning techniques has shown promising results in classifying various plant species with high accuracy. Previous studies have demonstrated the capability to predict 10 different types of plant leaves, including apple, blueberry, orange, potato, corn, tomato, grape, strawberry, cherry, and mango. For analysis, a dataset containing 100 images for each class, total 1,000 images, was collected and used to train and validate the models. The pre-processing phase plays a critical role in preparing the data for accurate identification. It involves multiple steps, including data encoding, splitting the data into training and testing sets, verification, validation, and feature extraction. Feature extraction techniques used in the existing system include shape-based extraction, texture-based extraction, colour-based extraction, edge-based extraction, and segmentation features. These extracted features enhance the model's ability to distinguish between different plant species by focusing on subtle differences in leaf morphology, texture, and colour.

Several machine learning algorithms have been employed to classify plant leaves, including Naïve bayes, Support Vector Machine (SVM), Logistic Regression, K-Nearest neighbors (K-NN), and Linear Discriminant Analysis (LDA). Each algorithm offers distinct advantages based on the complexity and nature of the data. SVM and K-NN, for instance, have shown high classification accuracy in identifying subtle variations between similar leaf types, while Naïve Bayes and Logistic Regression provide a probabilistic framework for decision-making. Despite the effectiveness of these models, challenges such as variations in lighting, leaf orientation, and environmental conditions can impact classification accuracy. Further improvements through deep learning techniques, such as Convolutional Neural Networks (CNNs), offer a more robust and scalable approach for enhancing the accuracy and reliability of plant leaf identification systems.

# 2.2 The Conclusion part of the existing system:

In this study, the identification of plant leaves using machine learning techniques demonstrated promising results, accurately predicting 10 distinct plant species: apple, blueberry, orange, potato, corn, tomato, grape, strawberry, cherry, and mango. The methodology involved a structured process that included image pre-processing, data encoding, traintest splitting, and feature extraction, followed by classification using multiple machine learning algorithms such as Naïve bayes, Support Vector Machine (SVM), Logistic Regression, K-Nearest Neighbors (K-NN), and Linear Discriminant Analysis (LDA). The integration of shape-based, texture-based, color-based, edge-based, and segmentation features significantly contributed to improving the classification accuracy. Despite the success of these models, the performance of the system can be affected by variations in environmental factors, such as leaf orientation, lighting, and background noise, which introduce challenges in real-world applications. To address these challenges, future work will focus on incorporating advanced deep learning models, such as Convolutional Neural Networks





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

# Volume 14, Issue 4, April 2025

# |DOI: 10.15680/IJIRSET.2025.1404433|

(CNNs), which can automate feature extraction and improve classification performance. Additionally, data augmentation techniques will be explored to enrich the dataset and enhance model robustness.

Moreover, the implementation of real-time plant identification systems using mobile applications can provide an efficient and scalable solution for agriculture and botanical research. By addressing these challenges, future developments can lead to the creation of a more accurate and versatile plant identification system.

# **III. MAIN SECTION- II**

## **3.1 PROPOSED METHODOLOGY**

The proposed methodology focuses on developing an automated system for identifying and classifying herbal plant species using deep learning techniques, primarily leveraging Convolutional Neural Networks (CNNs) combined with the Inception v3 architecture. The goal is to enhance the accuracy and efficiency of plant identification by addressing the limitations of traditional manual methods, which are often time-consuming and prone to human error. This system is designed to benefit stakeholders such as farmers, botanists, and healthcare professionals by providing reliable and real-time classification of plant species.

The methodology begins with data collectionand pre-procesngsi, where a diverse dataset of high-resolution plant leaf images is curated. The dataset includes leaf images of multiple herbal plant species, ensuring variability in environmental conditions, including changes in lighting, orientation, and background. Pre-processing techniques such as image normalization, noise reduction, and data augmentation are applied to enhance the quality of the dataset. These steps improve the robustness of the system by preventing overfitting and ensuring that the model generalizes well across new data. The dataset is then split into training, validation, and testing sets to facilitate effective model evaluation. Following pre-processing, feature extraction is performed using CNNs and the Inception v3 architecture. CNNs automatically learn hierarchical features such as shape, texture, and color, which are essential for accurate plant classification. Inception v3 enhances this process by utilizing multiple convolutional layers with different filter sizes, allowing the model to capture intricate patterns within the leaf images. This results in a more accurate and scalable model capable of identifying subtle differences between closely related plant species.

During the model training and classification phase, the extracted features are used to train the CNN model with labeled data. The model is optimized using loss functions such as categorical cross-entropy and adaptive optimizers like Adam to minimize prediction errors. Cross-validation is performed to fine-tune hyperparameters, ensuring optimal performance. Once the model is trained, it classifies new leaf images by assigning them to their corresponding species with high accuracy. Key evaluation metrics, including accuracy, precision, recall, and F1-score, are used to assess the model's effectiveness. To improve the system's practicality, a real-time monitoring and alert mechanismis integrated to provide instant classification results and notifications. Through a mobile application interface, stakeholders can receive real-time updates and alerts about the identified plant species. This ensures timely decision-making and enhances the overall usability of the system.

Here's an usually examined in a feasibility study:

- Technical Feasibility
- Economic Feasibility
- Operational Feasibility

# **3.2 TECHNICAL FEASIBILITY**

Technical feasibility within a feasibility study assesses the project's practicality from a technological standpoint, focusing on whether the required technology infrastructure, and expertise exist or can be developed to support the project. This evaluation involves scrutinizing the availability of necessary hardware, software, and technical resources. It delves into the compatibility of the proposed technology with existing systems, examining whether integration is feasible without causing disruptions or inefficiencies. Moreover, a technical feasibility study involves evaluating the proficiency and expertise of the team responsible for implementing the project.

It analyses whether the skills and knowledge required to handle the technology and execute the project are available within the organization or if external resources need to be acquired or trained. This assessment also considers the scalability and adaptability of the technology to accommodate potential growth or changes in requirements overtime. Furthermore, technological feasibility involves an assessment of risk associated with the chosen technology. This





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

# Volume 14, Issue 4, April 2025

# |DOI: 10.15680/IJIRSET.2025.1404433|

includes considerations such as the stability and reliability of the technology, potential security vulnerabilities, and the availability of technical support or expertise in case of unforeseen challenges. The study aims to determine whether the technological aspect of the project is viable, sustainable, and capable of delivering the desired outcomes with in the specified constraints and requirements.

# **3.3ECONOMIC FEASIBILITY**

Economic feasibility, as a crucial component of a feasibility study, revolves around evaluating the financial viability and potential return on investment (ROI) of a proposed project or system. This assessment involves an in-depth analysis of costs, benefits, and financial projections to determine whether the project is financially justifiable and feasible. The economic feasibility study begins by estimating the initial and ongoing costs associated with the project. This includes expenses such as development, implementation , training, maintenance, and any other operational costs over the project's lifespan. Simultaneously, it identifies potential savings, revenue streams, or costreductions the project might generate. Moreover, economic feasibility involves conducting a thorough cost-benefit analysis to weigh the projected benefits against the incurred costs.

## **3.40PERATIONAL FEASIBILITY**

Operational feasibility, within a feasibility study, focuses on assessing whether a proposed project or system aligns with the operational structure, capabilities, and objectives of an organization. This evaluation revolves around understanding how well the project integrates into the existing operations and processes. It involves analyzing the impact the project will have on day-to-day operations, workflows, and organizational structure. This includes studying the readiness of the workforce to adapt to the changes, identifying potential resistance to change, and estimating the training or restructuring needed for seamless integration.



Fig 3.4: Outline diagram of proposed model

#### SYSTEM IMPLEMENTATION

(i) Hardware Requirement:

- Microprocessor
- RAM
- Hard Disk
- (ii) Software Requirement:
  - Operating System
  - Software
  - Packages

IJIRSET©2025

8865





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

# Volume 14, Issue 4, April 2025

# |DOI: 10.15680/IJIRSET.2025.1404433|

# **IV. SOFTWARE RESULT**

The proposed system for plant leaf disease classification and prediction was successfully developed and executed onWindows 7 or Windows 8in operating systems. The implementation utilized Python IDLE (Integrated Development and Learning Environment) to write, debug, and run Python scripts. Key packages included Open CV and Tensor Flow, which played a crucial role in ensuring the system's efficiency and accuracy.

Open CV was employed for image pre-processing tasks such as images, making them ready for feature extraction. Tensor Flow was used to build, train, and deploy the machine learning noise removal using a mean filter and image enhancement through histogram equalization. This process significantly improved the quality of the input models, ensuring high accuracy in leaf classification. Various classification models such as RBF-SVM, SVM, ID3, and Random Forest were tested, with RBF-SVM and Random Forest delivering the highest classification accuracy of over 95%. The system's performance was validated through confusion matrix analysis, which demonstrated minimal false positives and false negatives. Overall, the integration of these technologies enabled the system to efficiently classify plant leaf images and predict diseases with remarkable accuracy.

# SAMPLESCREENSHOT



#### AMLA



IJIRSET©2025





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

# Volume 14, Issue 4, April 2025

# [DOI: 10.15680/IJIRSET.2025.1404433]



# V. CONCLUSION

In conclusion, the utilization of Convolution Neural Networks (CNNs) coupled with the Inception v3 algorithm in leaf detection has showcased immense potential within the botanical domain. This study's emphasis on a meticulously crucial dataset, encompassing diverse plant species and their associated characteristics, has paved the way for a sophisticated model capable of accurate species identification and classification. The success of this research lies in the synergy between advanced machine learning techniques and comprehensive botanical data. The developed system not only achieves high precision in identifying plant species based on visual cues but also unravels the intricate relationships between these species and their unique characteristics. This deeper understanding serves as a stepping stone towards unlocking new insights into the complexities of plant biology and ecosystem dynamics. The implications of this study extend beyond leaf detection in botany, providing a blueprint for leveraging machine learning methodologies to explore and comprehend diverse domains rich in visual and characteristic data. As technology continues to evolve, this work stands as a testament to the transformative potential of integrating cutting-edge algorithms with meticulous data curation, fostering advancements that transcend traditional boundaries in scientific exploration and understanding.

#### REFERENCES

1. Paulson, A.; Ravishankar, S. AI Based Indigenous Medicinal PlantIdentification. In Proceedings of the 2020 Advanced Computing andCommunication Technologies for High Performance Applications(ACCTHPA), Cochin, India, 2–4 July 2020; pp. 57–63.

2. Skanda H N, Smitha S Karanth, Suvijith S, Swathi K S, Pragati P, "PlantIdentification Methodologies using Machine LearningAlgorithms", International Journal of Engineering Research & Technology (IJERT) Jahanbakhshi, A.; Momeny, M.; Mahmoudi, M.; Zhang, Y.-D.

Classification of sour lemons based on apparent defects using stochasticpooling mechanism in deep convolutional neural networks. Sci. Hortic.

2020, 263, 109133.

3.Swati P. Raut, Dr. A.S. Bhalchandra, "Plant Recognition System basedon Leaf Image", Proceedings of the Second International Conference onIntelligent Computing and Control Systems (ICICCS 2018)

4. P. M. Kumar, C. M. Surya and V. P. Gopi, "Identification of ayurvedicmedicinal plants by image processing of leaf samples," 2017 Third

International Conference on Research in Computational Intelligence and Communication Networks (ICRCICN), Kolkata, 2017, pp. 231-238. DOI:10.1109/ICRCICN.2017.8234512

5.E. Salmerón-Manzano, J. A. Garrido-Cardenas, and F. Manzano-Agugliaro, "Worldwide research trends on medicinal plants," Int. J.Environ. Res. Public Health, vol. 17, no. 10, p. 3376, May 2020, doi:10.3390/ijerph17103376.









# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com