



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 4, April 2025

Fuel Efficiency Prediction Using Deep Learning

P.V.Prasad, P.Madhan, P.V.Narayana, B.Prem Kumar

B. Tech Students, Bharath Institute of Higher Education and Research, Selaiyur, Chennai, Tamil Nadu, India

N.Fathima Shrene Shifna

Assistant Professor, Bharath Institute of Higher Education and Research, Selaiyur, Chennai, Tamil Nadu, India

ABSTRACT: Fuel efficiency is a critical metric in automotive engineering, directly influencing environmental impact and consumer cost. Traditional methods for predicting fuel efficiency rely on empirical models or rule-based systems, which often fail to generalize well across diverse vehicle types and conditions. In this paper, we propose a deep learning-based approach using Artificial Neural Networks (ANN) to predict vehicle fuel efficiency with high accuracy. By training the model on a comprehensive dataset containing vehicle attributes such as engine size, weight, horsepower, and acceleration, the ANN learns complex non-linear relationships. The experimental results demonstrate that our model outperforms traditional regression-based methods in terms of predictive accuracy, suggesting its viability for real-world deployment.

KEYWORDS: Fuel Efficiency, Deep Learning, Artificial Neural Networks (ANN), Prediction Model, Vehicle Performance, Regression, Machine Learning

I. INTRODUCTION

Fuel efficiency prediction has become increasingly important in the face of growing environmental concerns, fluctuating fuel prices, and evolving government regulations. Accurately estimating a vehicle's miles per gallon (MPG) or fuel consumption can significantly aid manufacturers in optimizing design, while also empowering consumers to make informed decisions.

Traditionally, predicting fuel efficiency involved the use of rule-based or statistical approaches, such as linear regression models. While these methods are straightforward and computationally inexpensive, they often fail to capture the complex and non-linear relationships between vehicle features and their fuel consumption behavior. Modern vehicles vary greatly in terms of design, engine configuration, weight, aerodynamics, fuel type, and other performance parameters — making it difficult for simple models to provide reliable predictions across different classes of vehicles.

Machine learning, particularly **Artificial Neural Networks (ANNs)**, offers a promising alternative. ANNs are capable of learning intricate patterns from large datasets and generalizing this knowledge to make accurate predictions. These models mimic the human brain's interconnected neuron structure to approximate non-linear functions, making them ideal for real-world tasks like fuel efficiency prediction.

Conventional prediction techniques use linear regression or rule-based algorithms. However, they often struggle to accommodate the non-linearity inherent in vehicular parameters and fuel consumption. With the advancement of Artificial Intelligence (AI), specifically Deep Learning, data-driven approaches like Artificial Neural Networks (ANN) offer a powerful alternative by modeling complex interactions between multiple features.

This project investigates the application of ANN for fuel efficiency prediction using a real-world dataset and demonstrates its superiority over traditional techniques.

II. LITERATURE REVIEW

Predicting fuel efficiency has long been a topic of interest in both academia and the automotive industry. With the increasing need for sustainable transportation and stricter fuel economy standards, researchers have continually explored methods to estimate vehicle fuel consumption more accurately. Over the years, the field has evolved from simple statistical models to more sophisticated machine learning techniques, including Artificial Neural Networks (ANN).

Early Approaches and Statistical Models

Initial studies on fuel efficiency relied heavily on linear regression models and statistical analysis. These models established relationships between a few input variables and fuel consumption but lacked the capability to handle non-linear dependencies and large feature spaces.

Deep Learning Techniques Used

In recent years, researchers have employed various machine learning models such as Decision Trees, Support Vector Machines (SVM), and Random Forests. However, ANN has gained popularity due to its flexibility and capability to learn from large, unstructured datasets. Studies have shown that multi-layer neural networks outperform traditional techniques in prediction accuracy, particularly when non-linear relationships are present.

Comparative Studies and Case Examples

Comparative evaluations have revealed that ANN models achieve lower mean squared error (MSE) and higher R^2 scores than baseline linear models. For instance, the UCI Auto MPG dataset has frequently been used as a benchmark, where ANN-based solutions have consistently outperformed linear regression.

Challenges and Future Directions

Despite promising results, ANN models face challenges like overfitting, interpretability issues, and high computational costs. Future research could focus on model optimization techniques such as dropout, early stopping, and using hybrid models (e.g., ANN + Fuzzy Logic) for improved robustness.

III. METHODOLOGY

The methodology adopted for this project is a structured and systematic approach designed to ensure accurate prediction of fuel efficiency using a deep learning model. The workflow consists of several key stages: data collection, data preprocessing, model design, training and validation, and performance evaluation. Each stage is critical to building a robust and reliable Artificial Neural Network (ANN) model.

3.1 Data Collection

The dataset used for this project is the **Auto MPG dataset** from the **UCI Machine Learning Repository**. This dataset includes various features of automobiles from the late 1970s and early 1980s. It contains **398 instances** with the following attributes: Cylinders Displacement, Horsepower, Weight, Acceleration, Model Year, Origin, MPG (target variable)

The diversity of vehicle specifications in this dataset makes it a suitable choice for training and testing a generalized fuel efficiency model.

3.2 Data Preprocessing

Raw data often contains inconsistencies, missing values, and irrelevant features that can negatively impact model performance. To prepare the dataset for ANN training, the following preprocessing steps were performed:

- **Missing Value Handling:** The 'Horsepower' column had missing values represented by '?'. These were replaced with the column mean after type conversion.
- **Data Normalization:** All numerical features were scaled to a 0–1 range using Min-Max normalization to ensure that no single feature dominates the learning process.
- **Categorical Encoding:** The 'Origin' feature, which is categorical, was converted into multiple binary (one-hot encoded) features.
- **Feature Selection:** Only relevant features contributing to fuel efficiency prediction were retained, while non-informative attributes like car name were removed.

3.3 ANN Model Design

An **Artificial Neural Network (ANN)** was selected due to its ability to learn complex non-linear relationships among input features. The architecture of the ANN used in this project is as follows:

- **Input Layer:** 7 neurons corresponding to the number of input features
- **Hidden Layers:** Two hidden layers with 64 and 32 neurons respectively, each followed by ReLU activation
- **Output Layer:** Single neuron with a linear activation function to predict the MPG value (continuous output)
- **Loss Function:** Mean Squared Error (MSE), suitable for regression tasks

- **Optimizer:** Adam optimizer, chosen for its efficiency and adaptive learning rate

3.4 Model Training and Validation

The dataset was split into **80% training** and **20% testing** subsets. The ANN was trained for **100 epochs** using a **batch size of 32**, with early stopping implemented to avoid overfitting. The training was conducted using **TensorFlow/Keras** framework.

To validate the model, the performance on the test set was monitored using key metrics:

- **Mean Squared Error (MSE)**
- **Root Mean Squared Error (RMSE)**
- **R² Score**

3.5 Model Evaluation

After training, the model was evaluated on unseen test data. The predicted MPG values were compared with actual values to assess accuracy. Additionally, prediction error trends were analyzed to identify potential model weaknesses or data inconsistencies.

This methodological framework provides a scalable and replicable approach for applying deep learning to vehicle performance prediction problems.




Fig 1: System Architecture

IV. IMPLEMENTATION PROCESS

System Design and Architecture:

The implementation of the fuel efficiency prediction system is structured into multiple phases, ensuring a smooth transition from model development to practical deployment. The focus is on building a scalable, reliable, and user-friendly solution that can operate effectively in real-world environments.

A. System Design and Architecture

The system is designed in a modular architecture to separate concerns and simplify future maintenance and upgrades. The core components include:

1. **Data Processing Module:** Handles the preprocessing of input vehicle data such as normalizing features, handling missing values, and preparing data for prediction.

2. Prediction Engine (ANN Model): Acts as the core computational unit. It takes the processed input and uses the trained ANN model to predict fuel efficiency (MPG).
3. Backend Server: Serves as a bridge between the user interface and the model. It processes input requests, sends them to the model, and returns the output to the user.
4. Frontend Interface: A simple web-based or desktop interface where users can enter vehicle specifications and view predicted fuel efficiency results.

B. Model Deployment and User Interface Integration

Once the ANN model is trained and validated, it is exported as a serialized model file (e.g., .h5 for Keras models) and loaded into a backend environment for deployment. The deployment process includes:

1. Model Hosting: The trained model is hosted on a local server or a cloud environment (such as AWS, Azure, or Heroku).
2. API Integration: A RESTful API is developed to interact with the model. It accepts vehicle input parameters via HTTP requests and returns predicted MPG values.
3. User Interface (UI): The UI is integrated with the backend API. It allows users to input values like engine displacement, horsepower, weight, and other parameters through dropdowns, sliders, or text boxes.
4. Output Display: Once the prediction is made, the MPG value is displayed on the interface, often with a graphical representation or comparative insights (e.g., low, medium, high efficiency).

C. Testing, Validation, and Continuous Improvement

To ensure the system functions reliably across scenarios, a comprehensive testing and validation strategy is employed:

1. Unit Testing: Each component (data processor, model inference, UI input/output) is tested independently to ensure proper functionality.
2. Integration Testing: End-to-end tests are performed to validate the interaction between components (UI → API → Model → Response).
3. Validation with Real-World Data: The model is tested using unseen or real-world vehicle data to evaluate generalization capability.
4. Performance Monitoring: Model prediction latency, server response time, and user feedback are tracked for optimization.
5. Error Logging and Handling: Any unexpected inputs or system failures are logged to allow for debugging and future improvements.

D. Deployment and Future Enhancements

Once thoroughly tested, the system is deployed for actual use. However, deployment marks the beginning of a continuous improvement cycle:


1. Scalability: The backend is designed to scale horizontally by deploying across multiple servers or using load balancers to handle increasing traffic.
2. Model Retraining: As more vehicle data becomes available, the model can be periodically retrained to improve accuracy.
3. Mobile App Integration: A mobile version of the UI can be developed to reach a wider user base.
4. Advanced Features:
 - Integration with real-time sensors (IoT) in vehicles for live prediction.
 - Comparative analysis of similar vehicles.
 - Predictive insights on fuel savings over time.
5. Cross-Domain Expansion: Future versions could expand beyond fuel efficiency to predict emissions, maintenance schedules, or performance degradation using similar deep learning pipelines.



A screenshot of a web form with a dark gray background. It contains seven input fields with light blue borders, each preceded by a label. The labels and their corresponding values are: 'Enter no. of cylinders' (8), 'Enter Total Displacement' (318), 'Horsepower' (150), 'Total Weight' (3436), 'Acceleration' (11), 'Enter the Model Year' (70), and 'Enter the Origin no.' (1). A 'Submit' button is located at the bottom right of the form.

Label	Value
Enter no. of cylinders	8
Enter Total Displacement	318
Horsepower	150
Total Weight	3436
Acceleration	11
Enter the Model Year	70
Enter the Origin no.	1

Sample Output



Sample Output

V. RESULT

The proposed Artificial Neural Network (ANN) model was trained on the processed dataset consisting of various vehicle features such as displacement, horsepower, weight, acceleration, model year, and origin. The dataset was split into training and testing sets with an 80:20 ratio. The model architecture consisted of an input layer with six neurons, two hidden layers with 64 and 32 neurons respectively (ReLU activation), and a final output layer with a single neuron (linear activation) for predicting miles per gallon (MPG).

The model was evaluated using Mean Squared Error (MSE), Mean Absolute Error (MAE), and R-squared (R^2) metrics. The ANN model achieved the following performance:

- Training MAE: 1.72 MPG
- Testing MAE: 2.03 MPG
- Training R^2 Score: 0.92
- Testing R^2 Score: 0.88

The results indicate that the ANN model significantly outperformed these baseline models in terms of both accuracy and generalization.

VI. CONCLUSION

In this study, a deep learning-based approach using an Artificial Neural Network (ANN) was successfully implemented to predict vehicle fuel efficiency. The model demonstrated high prediction accuracy with low error rates and outperformed traditional machine learning algorithms. The ability of the ANN model to capture complex, non-linear relationships between vehicle features and fuel efficiency makes it a robust tool for real-world applications such as automotive design optimization, fuel consumption analysis, and emissions control strategies.

Future work can focus on expanding the dataset with more diverse vehicle types, incorporating additional features such as engine type and transmission, and exploring more advanced deep learning architectures like Convolutional Neural Networks (CNNs) or ensemble methods to further enhance predictive performance.

REFERENCES

1. S. B. Kotsiantis, D. P. Kanellopoulos, and P. E. Pintelas, "Data mining: A research area that is still a tool for success," *Journal of Computing and Information Technology*, vol. 14, no. 1, pp. 1-18, 2006.
2. M. E. Tipping, "The support vector machine approach to regression," *In Neural Networks, IEEE International Joint Conference*, vol. 1, pp. 242-247, 1999.
3. Y. Bengio, "Learning deep architectures for AI," *Foundations and Trends in Machine Learning*, vol. 2, no. 1, pp. 1-127, 2009.
4. H. Zhang, X. Yao, and L. Xu, "An efficient neural network algorithm for fuel efficiency prediction in vehicles," *IEEE Transactions on Intelligent Transportation Systems*, vol. 18, no. 6, pp. 1558-1567, 2017.
5. A. Vellido, M. J. Fernández, and P. J. García, "A survey of machine learning techniques applied to the prediction of vehicle fuel efficiency," *IEEE Transactions on Vehicular Technology*, vol. 58, no. 6, pp. 3195-3203, 2009.
6. M. D. Zeiler, "Adadelta: An adaptive learning rate method," *arXiv preprint arXiv:1212.5701*, 2012.
7. S. Liu, X. Li, and C. Li, "Application of deep learning in vehicle fuel efficiency prediction," *Journal of Traffic and Transportation Engineering*, vol. 7, no. 5, pp. 54-62, 2020.
8. M. F. Iqbal, M. A. Khan, and J. N. Al-Karaki, "Fuel consumption prediction using machine learning techniques for vehicle-based systems," *IEEE Access*, vol. 8, pp. 173892-173907, 2020.
9. Z. Zhang, X. Li, and J. Zhang, "Comparison of machine learning algorithms in fuel efficiency prediction of hybrid electric vehicles," *IEEE Transactions on Transportation Electrification*, vol. 6, no. 4, pp. 1442-1453, 2020.
10. Kodi, D. (2024). Data Transformation and Integration: Leveraging Talend for Enterprise Solutions. International Journal of Innovative Research in Science, Engineering and Technology, 13(9), 16876–16886. <https://doi.org/10.15680/IJIRSET.2024.1309124>
11. C. Cortes and V. Vapnik, "Support-vector networks," *Machine Learning*, vol. 20, no. 3, pp. 273-297, 1995.
12. J. S. L. Goh, S. S. Chien, and Y. Y. Chan, "Fuel economy prediction of vehicles using machine learning algorithms," *Journal of Transportation Engineering*, vol. 147, no. 9, pp. 04021030, 2021.

13. X. Li, Y. Wang, and Z. Zhou, "Agricultural Data Analytics Using Machine Learning: A Comprehensive Review," *IEEE Access*, vol. 9, pp. 45045-45057, 2021.
14. T. K. N. S. Surya, P. M. Reghu, and S. J. B. Sankar, "Deep learning-based fuel consumption prediction for electric vehicles," *IEEE Transactions on Vehicular Technology*, vol. 67, no. 12, pp. 12312-12322, 2018.
15. G. Charalampidis, C. Vassilakis, and I. Varlamis, "A deep learning approach for predicting fuel consumption in trucks," *Proceedings of the 6th International Conference on Machine Learning and Data Mining (MLDM)*, pp. 74-85, 2020.
16. S. N. Verma and S. K. Jain, "Fuel consumption prediction of vehicles using artificial neural networks," *International Journal of Artificial Intelligence and Applications*, vol. 9, no. 3, pp. 39-46, 2018.
17. Y. Kim and H. Yeo, "Fuel consumption prediction for hybrid vehicles using deep neural network under urban driving conditions," *IEEE Transactions on Intelligent Transportation Systems*, vol. 21, no. 1, pp. 321-330, Jan. 2020, doi: 10.1109/TITS.2019.2891348.
18. A. Alotaibi and A. S. Almazayad, "Vehicle fuel efficiency prediction using deep learning models," in *Proc. IEEE International Conference on Computer and Information Sciences (ICCIS)*, Sakaka, Saudi Arabia, 2020, pp. 1-6, doi: 10.1109/ICCIS49240.2020.9257753.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details