



# International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

*(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)*



**Impact Factor: 8.699**

**Volume 14, Issue 4, April 2025**

# **Enhancing Railway Navigation System with AI: A Smart and Efficient Approach**

**Vijay Rakhade, Girish Deshmukhe, Mrunalini Deshmukh, Shruti Rane, Akshada Jejurkar,**

**Vedika Warke**

Associate Professor, Department of AI&DS, Sandip Institute of Technology and Research Centre (SITRC),  
Nashik, India

Associate Professor, Department of AI&DS, Sandip Institute of Technology and Research Centre (SITRC),  
Nashik, India

U.G. Student, Department of AI&DS, Sandip Institute of Technology and Research Centre (SITRC), Nashik, India

U.G. Student, Department of AI&DS, Sandip Institute of Technology and Research Centre (SITRC), Nashik, India

U.G. Student, Department of AI&DS, Sandip Institute of Technology and Research Centre (SITRC), Nashik, India

U.G. Student, Department of AI&DS, Sandip Institute of Technology and Research Centre (SITRC), Nashik, India

**ABSTRACT:** Navigating large and complex railway stations like CST, Mumbai can be overwhelming, especially for tourists, senior citizens, and first-time visitors. This paper presents a web-based Railway Station Navigation System designed to assist passengers in locating essential facilities such as platforms, restrooms, ticket counters, food stalls, and exits within the station premises. The system offers real-time, interactive map-based navigation, a searchable interface for specific amenities, and live updates regarding platform changes, blockages, or crowd density. Developed using HTML5, CSS3, JavaScript, and integrated with geospatial APIs like Mapbox, the application ensures a seamless and intuitive user experience. By delivering accurate, up-to-date information and clear visual guidance, the proposed solution enhances passenger convenience and promotes efficient movement within busy railway stations.

**KEYWORDS:** Indoor Navigation, Railway Stations, Real-Time Navigation, User-Friendly Interfaces, Accessibility

## **I. INTRODUCTION**

Major railway stations such as Mumbai CST serve as critical hubs in urban transportation networks, accommodating millions of passengers every day. These stations support a wide range of travel purposes—from daily commutes to personal and leisure travel. As cities grow and public transit systems expand, stations are expected to manage increasing passenger volumes while maintaining efficiency and accessibility. However, navigating through these vast, crowded spaces can be daunting—especially for tourists, elderly individuals, first-time travellers, and persons with disabilities.

Challenges often stem from complex layouts, inadequate signage, and limited access to real-time information. Passengers frequently struggle to locate platforms, amenities like restrooms and food stalls, ticket counters, or exits. While external tools such as Google Maps can guide passengers to the station, they fall short in providing indoor navigation—especially across multiple floors, platforms, and interconnected facilities. This creates a clear need for a tailored solution that addresses the specific navigation demands within large railway stations.

To bridge this gap, we propose a Railway Station Navigation System that provides real-time, interactive assistance to help users navigate efficiently within station premises. Unlike mobile applications that require installation and regular updates, the web-based platform is instantly accessible via any internet-enabled browser, ensuring ease of use and wider reach. This makes it suitable for both regular commuters and occasional travelers, including international visitors. Multilingual support further enhances its accessibility.

The application offers far more than static maps. It delivers dynamic updates on platform changes, train delays, and emergency alerts. Users can input their desired destination—whether a platform, restroom, or service desk—and receive optimized routes based on their real-time location. Accessibility-focused features, such as wheelchair-friendly routes and lift access, cater to passengers with special needs. Additionally, the system can provide crowd-density alerts, suggest alternative paths to avoid congestion, and recommend waiting zones during peak hours.

Moreover, the application can be integrated with railway management systems to display live train schedules, security notifications, and digital queue services for ticketing. By offering a centralized and personalized navigation experience, passengers can avoid the confusion of scattered, outdated information boards and instead rely on up-to-date, accurate data from their own devices.

In essence, the Railway Station Navigation System aims to revolutionize the travel experience within large railway stations. By delivering intuitive navigation, real-time updates, and accessibility-oriented features, it enhances convenience, reduces travel stress, and supports smoother passenger flow. This innovative solution not only addresses current urban mobility challenges but also sets the foundation for smarter, more user-centric public transport infrastructure.

The Railway Station Navigation System would stand as a game-changer in enhancing passenger experience, particularly in large and busy stations where time-sensitive decisions and ease of movement are critical. By providing accurate, real-time, and personalized information to users, this application would not only make navigating complex environments like Mumbai CST more manageable but also set a precedent for improving public transportation infrastructure worldwide. It offers a much-needed solution that brings clarity, convenience, and confidence to passengers who rely on these systems daily.




Fig1: System Architecture



## **II. SYSTEM IMPLEMENTATION PLAN**

Navigating large railway stations like CST Mumbai can be challenging due to complex layouts, overcrowding, and limited signage. These difficulties especially affect tourists, elderly individuals, and people with disabilities, making it hard to locate essential facilities such as platforms, restrooms, and ticket counters. The proposed web-based Railway Navigation System addresses these issues by offering a real-time, user-friendly, and accurate indoor navigation experience. Unlike typical outdoor navigation tools, this system is tailored for the station's unique environment, providing step-by-step guidance, real-time updates, and accessibility support to improve overall passenger convenience and reduce travel-related stress.

### **2.1 Functional Requirements:**

The system offers real-time turn-by-turn navigation within railway stations to help users reach platforms, restrooms, exits, and other amenities. It provides live updates on platform changes and train schedules, improving passenger awareness. Accessibility features ensure convenient routes for elderly and disabled passengers by avoiding stairs and suggesting elevator paths. The system also monitors crowd density to alert users and recommend less congested routes. Additionally, users can provide feedback and customize preferences such as language and accessibility options.

### **2.2 Non-Functional Requirements:**

The system is designed to scale efficiently, handling high user traffic during peak times. It ensures high availability with minimal downtime, which is critical for timely passenger navigation. Data security is prioritized with encryption and anonymization to protect user information. The interface is simple and intuitive, with multilingual support, making it accessible to a diverse user base.

### **3. System Architecture:**

The architecture integrates a cloud-based backend for data processing and updates, an Indoor Positioning System (IPS) using Bluetooth and Wi-Fi for precise tracking, and a centralized database storing station layouts, user data, and real-time updates. An API layer ensures seamless communication between the backend and frontend, enabling fast data exchange. The frontend web application, accessible on mobile devices, provides users with real-time navigation and customization options, enhancing the overall travel experience.

### **4. Data Integration and Sources:**

Accurate and real-time information is achieved through integration with various data sources. Digital maps of station layouts guide route generation, while indoor positioning tools like Bluetooth beacons and Wi-Fi access points determine user location. Train schedules and platform changes are updated through connections with railway databases. Additionally, crowd density is monitored using sensors and user feedback to help passengers avoid congested areas.

## **III. DESIGN/ALGORITHMS /TECHNIQUES USED**

In large railway stations, navigating to various facilities can be challenging, especially when dealing with complex layouts and crowd density. This system leverages advanced geospatial mapping, pathfinding, real-time updates, user interaction features, and responsive design principles to create a seamless navigation experience. Through the integration of Mapbox for geospatial mapping, the A\* algorithm for pathfinding, real-time updates an intuitive search functionality, and a user-centered design, the system aims to provide reliable and accessible navigation guidance for all passengers, including elderly individuals, people with disabilities, and those unfamiliar with station layouts.

### **1. Geospatial Mapping with Mapbox**

The system uses the Mapbox API to display interactive, real-time maps of the railway station, offering users a detailed visual representation of station facilities. Mapbox provides custom mapping capabilities that can be tailored to highlight important areas like platforms, exits, restrooms, and ticket counters. Customization features in Mapbox allow the map to be personalized for each station's unique environment; for instance, different sections of the map can be color-coded or labeled with icons, making it easier for passengers to differentiate between zones such as waiting areas, boarding platforms, or food stalls.

## 2. Pathfinding Algorithms

A critical component of the navigation system is the A\* (A-Star) algorithm, a well-known pathfinding algorithm used to compute the shortest or most efficient routes within a complex environment like a railway station. The A\* algorithm is effective for indoor navigation, where factors such as distance, available paths, and user preferences come into play. A\* combines elements of both breadth-first search and heuristic-based approaches, making it fast and suitable for providing optimal paths in real-time.

## 3. Dynamic Real-Time Updates

One of the primary challenges in railway station navigation is keeping passengers informed about dynamic changes, such as platform switches, train delays, or temporary blockages within the station. The system will use WebSockets to manage real-time updates, pushing notifications and alerts to users the moment new information is available. WebSockets provide a continuous connection between the server and the client, enabling updates to be delivered instantly rather than relying on traditional request-response cycles. This real-time communication protocol is crucial for passengers who need accurate, up-to-the-minute information to navigate a bustling station environment effectively.

## 4. User Interaction and Search Functionality

User interaction is simplified through an intuitive search bar that allows passengers to locate facilities quickly by typing in keywords (e.g., "Platform 12", "Restroom", or "Food Court"). Autocomplete functionality improves the search experience by providing users with relevant suggestions based on the available facilities, allowing them to find their destinations more quickly. For instance, if a passenger begins typing "Platform," the search bar will automatically populate a list of all platforms within the station, helping them locate their exact destination without fully typing it out. Once the user selects a location, the system will immediately display the optimal route to their chosen destination. For ease of use, the system will highlight the path on the map, providing visual cues and turn-by-turn directions that are easy to follow. This search functionality is especially beneficial for first-time travelers or those who may be unfamiliar with the station's layout, enabling them to quickly find their desired destinations without the need to rely on signage or station staff




Fig2: Outline of this Paper

#### IV. SOFTWARE TOOLS/TECHNOLOGIES USED

To create a seamless, interactive, and responsive navigation system for large railway stations, a combination of carefully selected frontend and backend technologies, along with databases and third-party APIs, is used. For the frontend, HTML5 and CSS3 are fundamental for structuring and styling the web application, ensuring a clean, user-friendly interface. These are complemented by JavaScript and React.js, which provide a dynamic, reactive environment where elements on the page respond instantly to user input, creating a smooth and engaging user experience.

On the backend, Node.js serves as the runtime environment, supporting asynchronous operations ideal for handling the high volume of requests common in real-time navigation applications. Express.js further simplifies backend development by providing a flexible and efficient framework to manage server routes, middleware, and RESTful APIs. Data management is supported by MongoDB, a NoSQL database well-suited to handle the semi-structured data necessary for this application. MongoDB stores various types of information, including station facilities, user profiles, navigation paths, and travel preferences, enabling the application to quickly retrieve and adapt data based on user needs. For real-time train and platform information, the system utilizes Indian Railways APIs, which offer accurate and timely data on train schedules, platform assignments, and delays. By integrating with these APIs, the application can guide users efficiently to the correct platforms and update them with the latest information.

#### V. PROPOSED SYSTEM

The proposed Railway Station Navigation System is designed to transform the passenger experience in complex and high-traffic railway stations, addressing the diverse needs of travellers by providing a comprehensive, accessible, and user-friendly navigation tool. By integrating real-time navigation, interactive maps, advanced search features, real-time alerts, and multi-lingual support, the system will cater to a wide range of users, from first-time travellers and tourists to elderly individuals and people with disabilities.

##### 1.Real-Time Navigation Assistance

At the core of the application is its real-time navigation feature, which offers passengers accurate guidance to various facilities such as platforms, restrooms, ticket counters, waiting areas, exits, and other essential services within the station. This feature will employ advanced geospatial data to provide dynamic, turn-by-turn directions, enabling users to seamlessly navigate the station's layout. As users move through the station, the application will track their progress, updating their route and adapting to their current location in real-time. This functionality will be invaluable in large, often confusing station environments, where platforms and amenities are spread out and not always easy to locate.

##### 2.Enhanced User Experience and Accessibility

To further elevate the user experience, the application design will emphasize accessibility and ease of use. The interface will feature large, clearly marked buttons, high-contrast text, and icons to improve readability and visual clarity, especially for users in crowded or low-light conditions. Keyboard navigation options will be available for individuals with limited dexterity, and screen reader compatibility will aid visually impaired users by providing voice-guided instructions. The application will also support voice search functionality, allowing users to input search queries verbally, which is especially helpful for those who may be unfamiliar with typing or prefer auditory guidance. Through these design elements, the application not only provides functional accessibility but also prioritizes inclusivity, making navigation within railway stations simpler and more user-friendly for everyone.

##### 3.Real-Time Alerts and Notifications

In a fast-paced station environment, where changes are frequent, the application's real-time alert system will prove invaluable. Passengers will receive instant notifications about platform changes, train delays, maintenance work, or any temporary blockages that might affect their journey. These alerts, pushed directly to the user's screen, will ensure they are always informed of the latest updates, allowing them to make quick adjustments to their plans if needed. For instance, if a platform change is announced, the system will notify the user immediately, updating their route and guiding them to the new platform. Similarly, alerts about congestion or blocked paths can help users avoid crowded areas, making their travel experience smoother.

## **VI. CONCLUSION**

The proposed Railway Station Navigation System Web Application addresses a significant gap in passenger experience by tackling challenges associated with navigating large and complex railway stations. Facilities in metropolitan stations like Mumbai's CST are spread across vast areas with intricate layouts, posing difficulties for first-time travelers, tourists, elderly individuals, and people with disabilities. Traditional signage often fails to meet real-time needs, leading to confusion, missed trains, and stress—especially during platform changes or in overcrowded areas. The goal of the application is to offer a user-friendly, real-time, and accurate indoor navigation tool tailored to these environments. Through real-time assistance, passengers can locate platforms, restrooms, ticket counters, food courts, and exits without relying on unclear directions or station staff. Interactive maps allow users to zoom, pan, and search specific areas, providing better control and accessibility. Unlike tools like Google Maps that focus on outdoor navigation, this app emphasizes indoor mapping, addressing the unique logistics of railway stations where conditions change dynamically. The app's intuitive design ensures accessibility for users of all ages and technical backgrounds. Real-time alerts via WebSockets notify users of platform changes, delays, or blocked routes, helping them adjust quickly and reduce travel disruptions. For example, if an exit is closed, the app can suggest alternative paths to maintain smooth passenger flow. Inclusivity is a key focus, with multi-lingual support in Marathi, Hindi, and English, catering to India's diverse population and tourists. Features like voice-guided directions and keyboard navigation enhance usability for visually impaired users and those with mobility issues, making the app accessible to all.

Built using Node.js and MongoDB, the system ensures efficient, real-time data handling and scalability. WebSockets enable continuous communication between server and client, ensuring timely updates and smooth interaction. The infrastructure also allows for future features like AR navigation, foot traffic data, or travel-based recommendations, making the app a long-term, adaptable solution for indoor navigation in transit hubs.

## **REFERENCES**

- [1]APA (American Psychiatric Association). Diagnostic and statistical manual of mental disorders. 3rd ed. Washington, DC: APA; 1980.
- [2]APA. Diagnostic and statistical manual of mental disorders. 5th ed. Washington, DC: APA; 2013.
- [3]Baio J. Prevalence of autism spectrum disorders: Autism and developmental disabilities monitoring network, 14 sites, United States, 2008. Morbidity and Mortality Weekly Report. 2012;61(SS03):1–19. [PubMed]
- [4]Bartak L, Rutter M, Cox A. A comparative study of infantile autism and specific developmental receptive language disorders, III: Discriminant function analysis. Journal of Autism and Childhood Schizophrenia. 1977;7(4):383–396. [PubMed]
- [5]Bhasin TK, Schendel D. Sociodemographic risk factors for autism in a U.S. metropolitan area. Journal of Autism and Developmental Disorders. 2007;37(4):667–677. [PubMed]
- [6]Cappadocia MC, Pepler D, Weiss JA. Bullying experiences among children and youth with autism spectrum disorders. Journal of Autism and Developmental Disorders. 2012;42(2):266–277. [PubMed]
- [7]Cuccaro ML, Wright HH, Rownd CV, Abramson RK, Waller J, Fender D. Professional perceptions of children with developmental difficulties: The influence of race and socioeconomic status. Journal of Autism and Developmental Disorders. 1996;26(4):461–469. [PubMed]
- [8]Durkin MS, Maenner MJ, Meaney FJ, Levy SE, DiGuseppi C, Nicholas JS, Kirby RS, Pinto-Martin JA, Schieve LA. Socioeconomic inequality in the prevalence of autism spectrum disorder: Evidence from a U.S. cross-sectional study. PLoS ONE. 2010;5(7):e11551. [PMC free article] [PubMed]
- [9]Fein D, Barton M, Eigsti IM, Kelley E, Naigles L, Schultz RT, Stevens M, Helt M, Orinstein A, Rosenthal M, Troyb E, Tyson K. Optimal outcome in individuals with a history of autism. Journal of Child Psychology and Psychiatry. 2013;54(2):195–205. [PMC free article] [PubMed]
- [10]Geschwind DH. Genetics of autism spectrum disorders. Trends in Cognitive Sciences. 2011;15(9):409–416. [PMC free article] [PubMed]
- [11]Goldstein S, Naglieri JA, Ozonoff S. Assessment of autism spectrum disorders. New York: Guilford Press; Assessment of autism spectrum disorders. 2009:xiv, 384.
- [12]Greenspan SI, Brazelton TB, Cordero J, Solomon R, Bauman ML, Robinson R, Shanker S, Breinbauer C. Guidelines for early identification, screening, and clinical management of children with autism spectrum disorders. Pediatrics. 2008;121(4):828–830. [PubMed]



- [13]Howlin P, Moss P, Savage S, Rutter M. Social outcomes in mid- to later adulthood among individuals diagnosed with autism and average nonverbal IQ as children. *Journal of the American Academy of Child & Adolescent Psychiatry*. 2013;52(6):572–581. [PubMed]
- [14]Howlin P, Savage S, Moss P, Tempier A, Rutter M. Cognitive and language skills in adults with autism: A 40-year follow-up. *Journal of Child Psychology and Psychiatry*. 2014;55(1):49–58. [PubMed]
- [15]Kanner L. Autistic disturbances of affective contact. *Nervous Child*. 1943;2:217–250.
- [16]Kanner L, Eisenberg L. Notes on the follow-up studies of autistic children. *Proceedings of the Annual Meeting of the American Psychopathological Association*. 1953;1954-1955:227–239. [PubMed]
- [17]Klin A, Saulnier CA, Sparrow SS, Cicchetti DV, Volkmar FR, Lord C. Social and communication abilities and disabilities in higher functioning individuals with autism spectrum disorders: The Vineland and the ASOS. *Journal of Autism and Developmental Disorders*. 2007;37(4):748–759. [PubMed]
- [18]Koegel RL, Koegel LK. Pivotal response treatments for autism: Communication, social, and academic development. Baltimore, MD: Paul H. Brookes; 2006.
- [19]Kogan MD, Blumberg SJ, Schieve LA, Boyle CA, Perrin JM, Ghandour RM, Singh GK, Strickland BB, Trevathan E, van Dyck PC. Prevalence of parent-reported diagnosis of autism spectrum disorder among children in the U.S., 2007. *Pediatrics*. 2009;124(5):1395–1403. [PubMed]
- [20]Levy SE, Hyman SL. Complementary and alternative medicine treatments for children with autism spectrum disorders. *Child and Adolescent Psychiatric Clinics of North America*. 2015;24(1):117–143. [PubMed]
- [21]Maenner MJ, Schieve LA, Rice CE, Cuniff C, Giarelli E, Kirby RS, Lee LC, Nicholas JS, Wingate MS, Durkin MS. Frequency and pattern of documented diagnostic features and the age of autism identification. *Journal of the American Academy of Child & Adolescent Psychiatry*. 2013;52(4):401–413. [PMC free article] [PubMed]
- [22]Magaña S, Smith LE. The use of the autism diagnostic interview—revised with a Latino population of adolescents and adults with autism. *Journal of Autism and Developmental Disorders*. 2013;43(5):1098–1105. [PMC free article] [PubMed]
- [23]Magaña S, Parish SL, Rose RA, Timberlake M, Swaine JG. Racial and ethnic disparities in quality of health care among children with autism and other developmental disabilities. *Intellectual and Developmental Disabilities*. 2012;50(4):287–299. [PubMed]
- [24]Magaña S, Lopez K, Aguinaga A, Morton H. Access to diagnosis and treatment services among Latino children with autism spectrum disorders. *Intellectual and Developmental Disabilities*. 2013;51(3):141–153. [PubMed]
- [25]Mandell DS, Novak M. The role of culture in families' treatment decisions for children with autism spectrum disorders. *Mental Retardation and Developmental Disabilities Research Reviews*. 2005;11(2):110–115. [PubMed]





INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA



# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  [ijirset@gmail.com](mailto:ijirset@gmail.com)



[www.ijirset.com](http://www.ijirset.com)

Scan to save the contact details