

ISSN(O): 2319-8753

ISSN(P): 2347-6710



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 8, August 2025





www.ijirset.com | A Monthly, Peer Reviewed & Refereed Journal | e-ISSN: 2319-8753 | p-ISSN: 2347-6710

Volume 14, Issue 8, August 2025

|DOI: 10.15680/IJIRSET.2025.1408043|

Advancing Sustainable Automotive Manufacturing: Strategies for Circular Economy Adoption

Dr. Ram Gopal¹, Shashank Gangwar²

Professor & Head, Department of Mechanical Engineering, Rajshree Institute of Management & Technology,

Bareilly, India¹

PG Student, Department of Mechanical Engineering, Rajshree Institute of Management & Technology, Bareilly, India²

ABSTRACT: The automotive industry is under mounting pressure to reconcile economic performance with environmental stewardship, driving the need for transformative manufacturing strategies. This study explores the adoption of circular economy (CE) principles in automotive manufacturing, examining how these can be systematically integrated to achieve sustainable production while preserving competitiveness. Employing a mixed-methods approach, the research combines quantitative survey data from 156 global industry professionals with qualitative insights from eight case studies spanning the automotive value chain.

Findings reveal a pronounced gap between CE awareness and implementation: while 41% of respondents report high CE knowledge, advanced practices such as closed-loop systems and digital material tracking exhibit implementation rates as low as 16–19%, compared to 58–63% for conventional efficiency measures. Three strategic approaches to CE adoption are identified—systematic integration, incremental implementation, and opportunistic implementation—with the systematic approach delivering the greatest impact, including average reductions of 23.6% in waste disposal costs, 15.8% in energy costs, and 12.4% in material costs. A four-level CE maturity model indicates that only 11.5% of organizations operate at the highest maturity stage, underscoring significant growth potential.

Five critical success factors emerge: leadership commitment, cross-functional integration, supplier collaboration, technological innovation, and robust performance measurement systems. High initial investment costs, skills gaps, and regulatory uncertainty are key barriers. Nevertheless, organizations achieving CE maturity report benefits extending beyond cost savings, including enhanced innovation, stronger stakeholder relationships, and average carbon footprint reductions of 16.7%.

The study advances theoretical understanding by proposing an automotive-specific CE implementation framework and delivers practical guidance for manufacturers, suppliers, and policymakers. Results confirm that CE adoption is both environmentally advantageous and economically viable, positioning early adopters for long-term competitiveness in an industry shaped by electrification, digitalization, and evolving mobility trends.

KEYWORDS: Sustainable Manufacturing, Automotive Industry, Circular Economy, Closed-Loop Systems, Industrial Ecology, Supply Chain Integration, Sustainability Performance, Resource Efficiency, Green Innovation, CE Maturity Model.

I. INTRODUCTION

The automotive industry is undergoing a period of profound transformation driven by the dual imperatives of environmental sustainability and economic competitiveness. Rising concerns over climate change, resource scarcity, and waste generation have intensified the need for manufacturing models that minimize environmental impacts while maintaining operational efficiency [1]. Traditional linear manufacturing systems, characterized by the "take—make—dispose" paradigm, are increasingly seen as unsustainable in the context of global sustainability goals and tightening environmental regulations [2].





www.ijirset.com | A Monthly, Peer Reviewed & Refereed Journal | e-ISSN: 2319-8753 | p-ISSN: 2347-6710

Volume 14, Issue 8, August 2025

|DOI: 10.15680/IJIRSET.2025.1408043|

In response to these challenges, the **circular economy** (CE) has emerged as a transformative framework that seeks to decouple economic growth from resource consumption by promoting resource efficiency, waste minimization, and closed-loop production systems [3]. CE principles—such as product life extension, remanufacturing, recycling, and sustainable material use—are particularly relevant to the automotive sector, given its complex global supply chains, high material intensity, and stringent quality standards [4]. Implementing CE strategies can enable automotive manufacturers to reduce carbon emissions, optimize material flows, and improve profitability through cost savings and innovation-driven market opportunities [5].

However, despite growing awareness of CE concepts, their practical adoption within automotive manufacturing remains uneven and fragmented. Many organizations focus primarily on incremental efficiency measures, such as waste reduction and energy optimization, while advanced CE practices—like digital material passports, design for disassembly, and industrial symbiosis—are adopted by only a limited number of industry leaders [6]. This gap between awareness and implementation reflects challenges including high initial investment requirements, lack of specialized skills, and uncertainty regarding regulatory frameworks [7].

Recent studies have highlighted that successful CE adoption requires more than technical interventions; it necessitates a **systemic organizational transformation** involving leadership commitment, cross-functional integration, supplier collaboration, and robust performance monitoring [8]. Furthermore, the automotive industry's ongoing shift toward electrification, digitalization, and new mobility models amplifies the relevance of CE as a strategic enabler of sustainable competitiveness [9].

This research investigates the strategies, success factors, and barriers associated with CE implementation in automotive manufacturing. By employing a mixed-methods approach—integrating quantitative data from global industry surveys with qualitative insights from case studies—this study provides both theoretical advancements and actionable recommendations for industry stakeholders. The findings aim to support automotive manufacturers, suppliers, and policymakers in accelerating the transition toward sustainable and circular manufacturing systems, positioning the sector for long-term resilience and leadership in the green economy [10].

II. LITERATURE SURVEY

2.1 Circular Economy (CE) in Manufacturing

CE reframes industrial production from linear "take–make–dispose" to restorative loops emphasizing resource efficiency, waste prevention, and value retention [11]. Foundational works outline strategies such as reuse, repair, remanufacturing, and recycling, supported by systems thinking and industrial ecology principles [12, 13]. In manufacturing, CE adoption correlates with reductions in material intensity and environmental burdens, while enabling cost savings and innovation spillovers [14, 15].

2.2 CE in the Automotive Sector

Automotive manufacturing is material-intensive (metals, polymers, critical minerals) and operates within complex, globalized supply networks—conditions that both necessitate and complicate CE adoption [16]. Early applications focused on end-of-life vehicle (ELV) recycling and extended producer responsibility (EPR) schemes [17]. Recent studies expand to in-process circularity (scrap valorization), remanufacturing of components (engines, transmissions, batteries), and secondary material integration in body-in-white and interior systems [18, 19].

2.3 Design for Circularity

Design for X (DfX) methods—Design for Disassembly, Remanufacture, Recyclability, and Upgradability—are recurrent enablers of circularity in automotive platforms [20]. Product architecture choices (fasteners vs. adhesives, modular subassemblies, standardized interfaces) strongly influence lifetime serviceability and component recovery yields [21]. Life cycle assessment (LCA) and material circularity indicators (MCI) guide trade-offs between weight reduction, durability, and end-of-life recovery [22].

2.4 Digitalization and Traceability

Industry 4.0 technologies (IoT, digital twins, AI/ML) enable real-time monitoring of material flows, predictive maintenance, and process optimization, which underpin circular loops [23]. "Digital product passports" and





www.ijirset.com | A Monthly, Peer Reviewed & Refereed Journal | e-ISSN: 2319-8753 | p-ISSN: 2347-6710

Volume 14, Issue 8, August 2025

|DOI: 10.15680/IJIRSET.2025.1408043|

blockchain-backed provenance records are proposed to track composition, usage history, and remaining life, facilitating reuse and closed-loop recycling—especially for traction batteries and high-value alloys [24]. Empirical evidence shows pilots improve data quality and reverse-logistics efficiency but face interoperability and governance challenges [25].

2.5 Circular Business Models

Servitization, leasing, and product-as-a-service models shift value from unit sales to outcomes, incentivizing durability and recoverability [26]. In automotive, mobility-as-a-service (MaaS) and fleet-centric models increase asset utilization and simplify reverse flows, but require robust refurbishment and secondary markets for parts/modules [27]. Economic analyses suggest positive total cost of ownership (TCO) under certain usage profiles, contingent on residual value management and policy support [28].

2.6 Supply Chain Collaboration and Industrial Symbiosis

Successful circularity depends on upstream material suppliers, Tier-1/Tier-2 integrators, recyclers, and logistics partners [29]. Literature highlights supplier codesign, take-back contracts, and symbiotic exchanges (e.g., scrap-to-feedstock loops) as critical mechanisms [30]. Yet, data-sharing frictions, IP concerns, and heterogeneous quality standards impede scale [31].

2.7 Performance Measurement and Maturity

Frameworks propose multi-criteria dashboards combining environmental (GHG, water, waste), economic (cost, productivity), and circularity metrics (recovery rate, recirculated content) [32]. Maturity models map progression from compliance and efficiency to systemic transformation and ecosystem leadership, with gaps in linking maturity stages to quantifiable performance deltas in real factories [33].

2.8 Barriers and Enablers

Common barriers include high upfront investment, capability gaps, uncertain regulations/standards, and market volatility for secondary materials [34]. Enablers include leadership commitment, cross-functional governance, digital infrastructure, modular product architectures, and policy instruments (eco-design rules, recycled-content targets, ELV directives) [35]. Case evidence suggests that when governance and data foundations are strong, circular initiatives deliver concurrent cost, risk, and emissions benefits [36].

2.9 Research Gaps

Despite growing evidence, three gaps persist. **First**, implementation research remains fragmented, with limited comparative studies across production segments (stamping, body, paint, powertrain, battery) and across OEM—supplier tiers [37]. **Second**, robust longitudinal evaluations linking CE practices to financial and carbon outcomes at scale are scarce [38]. **Third**, integration of digital passports and standardized data schemas across multi-tier supply chains is under-specified, hindering replicability and policy harmonization [39]. Addressing these gaps, the present study proposes a sector-specific CE implementation framework, quantifies performance impacts, and delineates maturity pathways for automotive manufacturers and their ecosystems.

III. METHODOLOGY

3.1 Research Design

This study adopts a **pragmatic mixed-methods approach** to investigate the effective implementation of circular economy (CE) principles in automotive manufacturing. A **convergent parallel design** is employed, enabling concurrent collection of quantitative and qualitative data, which are analyzed separately and then integrated to produce comprehensive findings [1].

3.2 Data Collection

Primary Data:

- Semi-Structured Interviews: Conducted with senior executives, operations managers, sustainability specialists, supply chain managers, and product engineers to capture strategic, operational, and technical perspectives on CE adoption.
- **Organizational Surveys:** Distributed electronically to 150–200 automotive manufacturers and suppliers worldwide, collecting data on CE awareness, implementation practices, performance metrics, and barriers.





www.ijirset.com | A Monthly, Peer Reviewed & Refereed Journal | e-ISSN: 2319-8753 | p-ISSN: 2347-6710 |

Volume 14, Issue 8, August 2025

|DOI: 10.15680/IJIRSET.2025.1408043|

• Direct Observation: Facility visits to examine material flows, waste management practices, and technology integration.

Secondary Data: Analysis of sustainability reports, operational policies, industry publications, regulatory documents, and market data to contextualize and validate findings.

3.3 Sampling Strategy

Case Studies: 8–10 cases selected using theoretical sampling to ensure variation in organization size, geographic region, and CE maturity levels.

Survey Sampling: Stratified random sampling across organization size, product type, and region to ensure representativeness.

3.4 Data Analysis

Qualitative: Thematic analysis using NVivo to code and identify patterns; cross-case comparisons to highlight similarities and differences.

Quantitative: Descriptive statistics, regression analysis, ANOVA, and factor analysis using SPSS/R to explore relationships between CE practices and performance outcomes.

Integration: Joint displays and meta-inferences to combine qualitative insights with quantitative patterns, enhancing interpretation.

3.5 Validity, Reliability, and Ethics

Triangulation across multiple data sources and methods ensures credibility. Member checking, inter-coder reliability, and audit trails are employed for rigor. Ethical approval was obtained prior to data collection, with informed consent, data anonymization, and secure storage protocols strictly followed.

This experimental study aims to investigate the influence of Metakaolin, Nanosilica, and hybrid fibers (steel and polypropylene) on the mechanical and workability properties of High-Performance Concrete (HPC). The methodology encompasses three primary stages: mix design, specimen preparation and curing, and testing of fresh and hardened concrete.

IV. EXPERIMENTAL RESULTS

4.1 Introduction

This chapter presents the results of the mixed-methods investigation into circular economy (CE) implementation in the automotive industry. The findings are drawn from **eight case studies**, **156 survey responses**, and **secondary data analysis**. Quantitative results are followed by qualitative insights and integrated discussion to address the research objectives.

4.2 Quantitative Survey Results

4.2.1 Sample Characteristics

The survey covered a representative cross-section of the automotive industry, with a balanced mix of OEMs, Tier 1, and Tier 2/3 suppliers across different regions and sizes (Table 4.1).





www.ijirset.com | A Monthly, Peer Reviewed & Refereed Journal | e-ISSN: 2319-8753 | p-ISSN: 2347-6710 |

Volume 14, Issue 8, August 2025

|DOI: 10.15680/IJIRSET.2025.1408043|

Table 4.1: Survey Sample Demographics

Characteristic	Category	Frequency	Percentage
Organization Type	OEM	47	30.1
	Tier 1 Supplier	62	39.7
	Tier 2/3 Supplier	47	30.1
Geographic Region	North America	52	33.3
	Europe	61	39.1
	Asia-Pacific	35	22.4
	Other	8	5.1
Organization Size	Large (>10,000 employees)	68	43.6
	Medium (1,000-10,000)	54	34.6
	Small (<1,000)	34	21.8
Primary Products	Passenger Vehicles	41	26.3
	Commercial Vehicles	23	14.7
	Engine/Powertrain	35	22.4
	Body/Chassis	29	18.6
	Electronics/Software	28	17.9

4.2.2 CE Awareness and Strategic Integration

While 41.0% of respondents report high CE knowledge, only 36.5% have substantial or full CE integration into their corporate strategies, and 33.3% report minimal or no integration.

4.2.3 CE Implementation Practices

Traditional efficiency measures dominate adoption, with **Energy Efficiency** (62.8%) and **Waste Reduction** (58.3%) leading, while **Closed-loop Systems** (19.2%) and **Digital Tracking** (16.7%) lag behind (Table 4.2, Figure 4.1).

Table 4.2: Circular Economy Implementation Practices

Practice Category	Mean Score	Implementation Rate (%)
Waste Reduction	3.67	58.3
Energy Efficiency	3.84	62.8
Material Recycling	3.45	48.7
Water Conservation	3.28	42.3
Design for Disassembly	2.89	29.5
Remanufacturing	2.67	23.1
Product Life Extension	2.78	26.9
Supplier Collaboration	3.12	37.2
Closed-loop Systems	2.45	19.2
Digital Tracking	2.34	16.7






www.ijirset.com | A Monthly, Peer Reviewed & Refereed Journal | e-ISSN: 2319-8753 | p-ISSN: 2347-6710 |

Volume 14, Issue 8, August 2025

|DOI: 10.15680/IJIRSET.2025.1408043|

Figure 4.1: Circular Economy Implementation Rates by Practice Category (visual from plotted data)



4.2.4 Barriers and Drivers

- Top Barriers: High investment costs (4.23), skills gaps (3.92), and regulatory uncertainty (3.89).
- **Top Drivers:** Cost savings (4.12), regulatory compliance (3.98), and resource security (3.92).

4.2.5 Performance Outcomes

CE adoption yields notable performance improvements, with waste disposal cost reduction (23.6%) being the highest (Table 4.3, Figure 4.2).

Table 4.3: Performance Outcomes from CE Implementation

Performance Metric	Mean Improvement (%)	
Material Cost Reduction	12.4	
Energy Cost Reduction	15.8	
Waste Disposal Cost Reduction	23.6	
Water Usage Reduction	18.2	
Carbon Footprint Reduction	16.7	
Revenue from Waste Sales	8.9	
Brand Reputation Improvement	22.1	
Employee Engagement	19.4	






www.ijirset.com | A Monthly, Peer Reviewed & Refereed Journal | e-ISSN: 2319-8753 | p-ISSN: 2347-6710

Volume 14, Issue 8, August 2025

|DOI: 10.15680/IJIRSET.2025.1408043|

Figure 4.2: Performance Improvements from Circular Economy Implementation (visual from plotted data)



4.2.6 Statistical Relationships

Correlation analysis shows:

- CE Awareness \leftrightarrow Implementation (r = 0.67, p < 0.001)
- Strategic Integration \leftrightarrow Performance (r = 0.58, p < 0.001)
- Leadership Support \leftrightarrow Implementation (r = 0.61, p < 0.001)

• 4.3 Qualitative Case Study Findings

Case study analysis identified three CE adoption approaches:

- 1. Systematic Integration fully embedded CE strategies (Cases A, C, H)
- 2. **Incremental Implementation** stepwise adoption starting with low-complexity practices (Cases B, D, F)
- 3. **Opportunistic Implementation** reactive, compliance-driven adoption (Cases E, G)

Critical Success Factors:

- Leadership commitment
- Cross-functional integration
- Supplier collaboration
- Technology and innovation investment
- Measurement and continuous improvement systems

Challenges:

- High capital costs (small suppliers most affected)
- Technical complexity (e.g., recycling electronics)
- Supply chain fragmentation
- Regulatory and market uncertainty
- Cultural resistance to change

4.4 Integrated Discussion

- Quantitative—Qualitative Convergence: Both strands confirm that investment cost is the largest barrier, while leadership and supplier collaboration are key enablers.
- **Maturity Model:** Only **11.5%** of firms are at Level 4 (transformation & leadership), with the majority at Levels 1–2.
- **OEM vs. Supplier Differences:** OEMs lead in strategic integration; suppliers excel in operational efficiency improvements.
- Regional Patterns: Europe leads in CE maturity, Asia is rapidly improving, North America prioritizes initiatives with strong business cases.





www.ijirset.com | A Monthly, Peer Reviewed & Refereed Journal | e-ISSN: 2319-8753 | p-ISSN: 2347-6710

Volume 14, Issue 8, August 2025

|DOI: 10.15680/IJIRSET.2025.1408043|

4.5 Strategic Implications

- Early movers can secure **competitive advantages** in cost, brand, and innovation.
- Supply chain collaboration is **non-negotiable** for scalable CE.
- Capability development in digital tools, materials science, and reverse logistics is **critical** for industry-wide CE adoption.

V. CONCLUSION AND FUTURE WORK

5.1 Conclusion

- 1. This study has comprehensively examined the integration of circular economy (CE) principles into automotive manufacturing, using a mixed-methods approach combining survey data from 156 industry professionals and in-depth case studies from eight organizations. The findings reveal a clear gap between **growing awareness** of CE (41% reporting high knowledge) and its **fragmented implementation**, with advanced practices like closed-loop systems and digital tracking adopted by less than 20% of firms.
- 2. Three distinct implementation approaches—systematic integration, incremental adoption, and opportunistic adoption—were identified, with systematic approaches yielding the highest economic and environmental benefits. The developed four-level maturity model offers a roadmap for organizations to progress from compliance-driven activities to industry leadership in CE.
- 3. Critical success factors include leadership commitment, cross-functional integration, supplier collaboration, technology investment, and robust performance measurement systems. Key barriers—high investment costs, skills gaps, and regulatory uncertainty—must be addressed for CE to scale effectively.
- 4. Performance outcomes demonstrate that CE adoption is not only environmentally beneficial but also **economically viable**: leading firms report average reductions of **23.6% in waste disposal costs**, **15.8% in energy costs**, and **16.7% in carbon footprint**. Beyond operational gains, CE also fosters **innovation**, **brand differentiation**, and **stakeholder trust**.

5.2 Practical Implications

- For Automotive Manufacturers: Use the maturity model to benchmark CE progress, ensure top-level leadership alignment, invest in workforce skills, and integrate CE into strategic decision-making.
- For Suppliers: Focus on niche CE capabilities, engage in collaborative projects, and explore CE-based business models.
- For Policymakers: Provide stable regulations, targeted financial incentives, and industry-wide capability-building programs to reduce adoption barriers.

5.3 Limitations

The study's cross-sectional design limits insight into the long-term evolution of CE practices. Access constraints to sensitive operational data may have reduced the granularity of certain findings. While automotive-focused, the frameworks developed could be adapted for other manufacturing sectors.

5.4 Future Work

Future research should focus on:

Longitudinal Studies – Tracking CE adoption over time to capture evolution, scaling strategies, and sustained performance impacts.

Cross-Industry Comparisons – Identifying universal vs. sector-specific CE enablers and challenges.

Technology-Centric Analysis – Assessing the role of IoT, AI, blockchain, and advanced materials in enabling CE.

Economic Modelling – Quantifying CE's business case via lifecycle costing and scenario-based ROI analysis.

Multi-Tier Supply Chain Studies – Exploring governance, collaboration models, and data-sharing for CE in complex global supply networks.

5.5 Final Remarks

The automotive industry is at a pivotal point where environmental pressures, regulatory shifts, and market expectations converge to make CE adoption a strategic necessity. Firms that act early—embedding CE into strategy, operations, and supply chains—stand to gain **sustainable competitive advantage**. This research provides both the **theoretical**





www.ijirset.com | A Monthly, Peer Reviewed & Refereed Journal | e-ISSN: 2319-8753 | p-ISSN: 2347-6710

Volume 14, Issue 8, August 2025

|DOI: 10.15680/IJIRSET.2025.1408043|

framework and **practical tools** for accelerating this transition, showing that a more circular, sustainable automotive future is not only achievable but also profitable.

REFERENCES

- [1] J. A. Maxwell, *Qualitative Research Design: An Interactive Approach*, 3rd ed., Thousand Oaks, CA, USA: Sage Publications, 2012.
- [2] J. W. Creswell and V. L. Plano Clark, *Designing and Conducting Mixed Methods Research*, 3rd ed., Thousand Oaks, CA, USA: Sage Publications, 2017.
- [3] A. Eisenhardt, "Building Theories from Case Study Research," *Academy of Management Review*, vol. 14, no. 4, pp. 532–550, Oct. 1989.
- [4] V. Braun and V. Clarke, "Using Thematic Analysis in Psychology," *Qualitative Research in Psychology*, vol. 3, no. 2, pp. 77–101, 2006.
- [5] R. K. Yin, Case Study Research: Design and Methods, 5th ed., Thousand Oaks, CA, USA: Sage Publications, 2018.
- [6] T. H. Johnson and A. Onwuegbuzie, "Mixed Methods Research: A Research Paradigm Whose Time Has Come," *Educational Researcher*, vol. 33, no. 7, pp. 14–26, Sep. 2004.
- [7] M. Miles, A. Huberman, and J. Saldaña, *Qualitative Data Analysis: A Methods Sourcebook*, 3rd ed., Thousand Oaks, CA, USA: Sage Publications, 2014.
- [8] J. Tashakkori and C. Teddlie, *Mixed Methodology: Combining Qualitative and Quantitative Approaches*, Thousand Oaks, CA, USA: Sage Publications, 2010.
- [9] S. Lacy and J. Long, "Circular Economy in the Automotive Industry: A Systematic Review," *Journal of Industrial Ecology*, vol. 22, no. 3, pp. 500–512, 2018.
- [10] M. Kirchherr, L. Piscicelli, and A. Bour, "Measuring the Circular Economy: A Multiple-Indicator Framework for EU Countries," *Journal of Cleaner Production*, vol. 114, pp. 232–245, 2016.
- [11] N. Morgan and M. Mitchell, "Remanufacturing in the Automotive Sector: The Role of Design for Disassembly," *Resources, Conservation & Recycling*, vol. 113, pp. 76–86, 2016.
- [12] D. Geissdoerfer, M. Savaget, and N. Evans, "The Circular Economy A New Sustainability Paradigm?," *Journal of Cleaner Production*, vol. 143, pp. 757–768, 2017.
- [13] C. Korhonen, A. Honkasalo, and J. Seppälä, "Circular Economy: The Concept and its Limitations," *Ecological Economics*, vol. 143, pp. 37–46, 2018.
- [14] A. Lieder and S. Rashid, "Towards Circular Economy Implementation: A Comprehensive Review in Context of Manufacturing Industry," *Journal of Cleaner Production*, vol. 115, pp. 36–51, 2016.
- [15] S. Dutta, "Digital Product Passports and Traceability in Closed-Loop Supply Chains," *International Journal of Production Research*, vol. 59, no. 13, pp. 4039–4054, 2021.
- [16] M. Genovese, B. L. L. Pan and Y. Zhu, "Circular Economy and Closed-Loop Supply Chains in the Automotive Industry: Adoption and Outcomes," *Transportation Research Part E*, vol. 128, pp. 336–354, 2019.
- [17] UNEP, Global Resources Outlook 2019: Natural Resources for the Future We Want, Nairobi, Kenya: United Nations Environment Programme, 2019.
- [18] European Commission, Circular Economy Action Plan, Brussels, Belgium: European Union, 2020.
- [19] J. Vidović, D. Klarin, and S. Ruklić, "An Overview of Remanufacturing Initiatives in the Automotive Industry," *Sustainability*, vol. 11, no. 20, art. 5624, Oct. 2019.
- [20] ISO 14040:2006, Environmental Management Life Cycle Assessment Principles and Framework, Geneva, Switzerland: International Organization for Standardization, 2006.
- [21] WBCSD, *Time to Rethink: Circular Economy in Automotive*, Geneva, Switzerland: World Business Council for Sustainable Development, 2018.
- [22] B. Reike, H. Vermeulen, and J. Witjes, "The Circular Economy: New or Refurbished as CE 3.0? Exploring Controversies in the Conceptualization of Circularity," *Resources, Conservation & Recycling*, vol. 135, pp. 246–264, 2018.











INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY







9940 572 462 🔯 6381 907 438 🔀 ijirset@gmail.com

