

ISSN(O): 2319-8753

ISSN(P): 2347-6710



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 8, August 2025





www.ijirset.com | A Monthly, Peer Reviewed & Refereed Journal | e-ISSN: 2319-8753 | p-ISSN: 2347-6710 |

Volume 14, Issue 8, August 2025

|DOI: 10.15680/IJIRSET.2025.1408068|

Climate Change Impacts on Biodiversity

Chode Priyanka¹, Madhuri Chavala², Thota Lakshmi Prasanna³

Assistant Professor, Department of Botany, Sir C. R. Reddy College, Eluru, Andhra Pradesh, India¹
Assistant Professor, Department of Zoology, Sir C. R. Reddy College, Eluru, Andhra Pradesh, India²
Student in the Department of Zoology, Sir C. R. Reddy College, Eluru, Andhra Pradesh, India³

ABSTRACT: Climate change has emerged as one of the most pressing environmental challenges of the 21st century, exerting profound impacts on biodiversity across ecosystems. Rising global temperatures, changing precipitation patterns, ocean acidification, and increased frequency of extreme weather events are altering species distribution, migration patterns, and ecosystem stability. This paper examines the effects of climate change on biodiversity, presents real-time case studies, illustrates results through figures, tables, and graphs, and discusses applications and future scope of biodiversity conservation under a changing climate.

I. INTRODUCTION

Biodiversity—the variety of life on Earth at genetic, species, and ecosystem levels—is the foundation of ecosystem health and resilience. It provides essential services such as pollination, nutrient cycling, climate regulation, and food security. However, climate change has become one of the most significant threats to biodiversity in the 21st century [1,2]. Global average surface temperatures have increased by approximately 1.1°C since the pre-industrial era, with future projections warning of further increases if greenhouse gas emissions continue unabated [6]. The ecological consequences of these climatic shifts are vast and multidimensional.

One of the most visible impacts of climate change on biodiversity is the **shift in species distribution**. Numerous studies have documented poleward and upward migration of species as they attempt to adapt to warming temperatures [3]. These shifts often disrupt existing ecological balances, leading to mismatches between predators and prey, or between plants and their pollinators. For example, butterflies in Europe have shifted their ranges northward, while alpine plant species are moving to higher altitudes, reducing available habitat space [7].

Another critical consequence of climate change is its effect on **phenology**, which refers to the timing of biological events such as flowering, breeding, and migration [8]. Earlier flowering of plants, shifts in bird migration schedules, and altered breeding cycles of amphibians have been observed across the globe. These mismatches in timing can have cascading effects on ecosystems. For instance, if insect pollinators emerge earlier than flowering plants, both groups may suffer, ultimately affecting food production and biodiversity.

Marine ecosystems are also under extreme stress. Rising ocean temperatures and ocean acidification have caused widespread **coral bleaching**, a phenomenon where corals expel their symbiotic algae, leading to large-scale mortality [4,9]. The Great Barrier Reef, one of the most biodiverse ecosystems on Earth, has experienced multiple mass bleaching events in recent decades [13]. Coral reef degradation reduces habitat availability for thousands of marine species, threatening food security for millions of people worldwide.

Climate change also intensifies **extreme weather events**, such as heatwaves, droughts, floods, and wildfires. These events not only destroy habitats but also reduce the resilience of ecosystems [5,15]. Forest ecosystems, for example, are increasingly vulnerable to insect outbreaks and wildfire disturbances. The Amazon rainforest, often described as the "lungs of the Earth," has faced severe droughts in 2005 and 2010, resulting in significant tree mortality and reduced carbon sequestration capacity [15]. Similarly, the devastating Australian bushfires of 2019–2020 destroyed habitats for over 3 billion animals [16], highlighting the scale of biodiversity loss associated with climate-induced extreme events.

Furthermore, **species with narrow ecological niches**—such as those adapted to specific climates, altitudes, or food sources—face heightened extinction risks [11]. Polar bears (Ursus maritimus), for example, are highly dependent on sea ice for hunting and survival. With Arctic ice shrinking at an alarming rate, polar bear populations are declining





|www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 8, August 2025

|DOI: 10.15680/IJIRSET.2025.1408068|

rapidly [12]. In mountainous ecosystems, endemic species like the snow leopard are threatened by habitat loss due to shrinking glaciers and reduced prey availability [17].

The Intergovernmental Panel on Climate Change (IPCC) warns that if global warming exceeds 1.5–2°C above preindustrial levels, one-third of all species could face extinction risk [6,18]. The urgency to address climate change is therefore not only about preventing economic and human health crises but also about preserving the very fabric of life that sustains human societies.

Global average temperatures have risen by approximately 1°C (1.8°F) since 1880: This warming trend is not uniform, with the majority of the increase occurring since 1975, and a rate that has roughly doubled since the latter half of the 20th century, according to NASA's Goddard Institute for Space Studies (GISS). The years since 2001 have been particularly warm, with 19 of the 20 warmest years on record occurring during this period




Figure 1: Global average temperature rise since 1880, showing steady increase in warming trends [6].

Schematic showing the major pathways by which climate change impacts biodiversity, including habitat loss, ocean acidification, and altered migration: Climate change significantly impacts biodiversity through several key pathways: habitat loss and degradation, ocean acidification, and altered migration patterns. These effects, driven by rising temperatures, changes in precipitation, and increased ocean acidity, can lead to species extinction, ecosystem disruption, and reduced resilience to further environmental changes.





www.ijirset.com | A Monthly, Peer Reviewed & Refereed Journal | e-ISSN: 2319-8753 | p-ISSN: 2347-6710 |

Volume 14, Issue 8, August 2025

|DOI: 10.15680/IJIRSET.2025.1408068|




Figure 2: Schematic showing the major pathways by which climate change impacts biodiversity, including habitat loss, ocean acidification, and altered migration [10].

The introduction of this paper highlights the interconnectedness of climate and biodiversity, underscoring the urgent need to understand and mitigate these impacts. In the following sections, this research explores main results, case studies, figures, tables, and real-world applications, while also outlining strategies for future biodiversity conservation under a rapidly changing climate.

II. MAIN RESULTS

1. Species Distribution Shifts:

Climate change is causing species to migrate toward cooler regions, either poleward or to higher elevations. These shifts have been documented across birds, mammals, insects, and plants [7]. Such redistributions can disrupt predator-prey relationships and lead to invasive species encroaching on new territories. For example, European bird species have shifted their ranges northward, while butterflies have been observed migrating to cooler latitudes.




Figure 3: Observed shifts in species distributions across different regions due to temperature changes [7].





www.ijirset.com | A Monthly, Peer Reviewed & Refereed Journal | e-ISSN: 2319-8753 | p-ISSN: 2347-6710 |

Volume 14, Issue 8, August 2025

|DOI: 10.15680/IJIRSET.2025.1408068|

2. Phenological Changes:

Phenology, or the timing of biological events, has been significantly altered by climate change [8]. Earlier flowering in plants, earlier egg-laying in birds, and earlier migration of animals are common responses. These changes disrupt synchrony between species; for example, if plants flower earlier but pollinators emerge late, pollination fails. Amphibians and reptiles show altered breeding cycles that threaten survival.




Figure 4: Long-term data showing earlier flowering dates of plants as average temperature rises [8].

3. Coral Reef Decline:

Coral reefs are highly sensitive to ocean warming and acidification. Rising temperatures cause bleaching, while CO2 absorption lowers pH, weakening coral skeletons [9]. The Great Barrier Reef has seen multiple bleaching events in 1998, 2010, and 2016–2017 [13]. Coral loss leads to declines in fish populations, disrupting livelihoods of coastal communities.




Figure 5: Long-term data showing earlier flowering dates of plants as average temperature rises [9].





|www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 8, August 2025

|DOI: 10.15680/IJIRSET.2025.1408068|

4. Habitat Loss and Fragmentation:

Rising sea levels, desertification, and changing climatic zones reduce the extent of natural habitats. Small, fragmented habitats make it difficult for species to migrate and adapt. For instance, coastal mangroves and wetlands are disappearing due to sea-level rise, threatening fish nurseries and migratory bird species [10].




Figure 6: Schematic showing how climate change accelerates habitat loss and fragmentation across ecosystems [10].

5. Extinction Risk:

Species with narrow ecological niches, such as polar bears, snow leopards, and amphibians with specialized habitats, face higher extinction risks [11]. Climate-induced pressures exacerbate threats already present from human activities like deforestation. Extinction rates are projected to increase drastically if warming exceeds 2°C [18].





www.ijirset.com | A Monthly, Peer Reviewed & Refereed Journal | e-ISSN: 2319-8753 | p-ISSN: 2347-6710 |

Volume 14, Issue 8, August 2025

|DOI: 10.15680/IJIRSET.2025.1408068|




Figure 7: Predicted extinction risks for species as global average temperature increases [18].

Examples

- Polar Bears (Ursus maritimus): Dependent on sea ice, they face food scarcity due to melting Arctic ice [12].
- Coral Reefs: The 2016 Great Barrier Reef bleaching event caused massive coral mortality [13].
- **Bird Migration:** European birds have shifted migration patterns in response to warming [14].





|www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 8, August 2025

|DOI: 10.15680/IJIRSET.2025.1408068|

Table 1: Summary of climate change impacts on major ecosystems.

Ecosystem	Climate Impact	Example Species
Arctic	Melting ice	Polar bear
Coral Reefs	Ocean warming	Acropora spp.
Forests	Wildfires, pests	Pine beetle outbreaks
Grasslands	Droughts	Wildebeest

Real-Time Examples

- Amazon Rainforest Droughts (2005, 2010): Led to large-scale tree mortality and carbon release [15].
- Australian Bushfires (2019–2020): Destroyed habitats of over 3 billion animals [16].
- **Himalayan Glaciers:** Retreat threatens freshwater ecosystems and endemic species [17].

III. APPLICATIONS

- 1. Conservation Planning: Climate models inform protected area design.
- 2. Early Warning Systems: Remote sensing helps predict ecosystem stress.
- 3. Climate-Smart Agriculture: Biodiversity conservation enhances resilience.
- 4. **Restoration Ecology:** Rewilding and afforestation mitigate biodiversity loss.

IV. FUTURE SCOPE

- Improved predictive modelling for biodiversity under climate scenarios.
- Use of artificial intelligence in biodiversity monitoring.
- Genetic engineering and assisted migration for species conservation.
- Integrating indigenous knowledge into conservation strategies.

V. CONCLUSION

Climate change poses significant threats to global biodiversity, with consequences for ecological stability, human livelihoods, and future sustainability. Mitigation and adaptation strategies must be prioritized, integrating science, policy, and community participation to safeguard ecosystems and species diversity.

REFERENCES

- 1. Parmesan, C., Yohe, G., "A globally coherent fingerprint of climate change impacts across natural systems", *Nature*, 2003, Vol. 421, Issue 6918, pp. 37–42.
- 2. Root, T.L., et al., "Fingerprints of global warming on wild animals and plants", *Nature*, 2003, Vol. 421, Issue 6918, pp. 57–60.
- 3. Chen, I.C., et al., "Rapid range shifts of species associated with high levels of climate warming", *Science*, 2011, Vol. 333, Issue 6045, pp. 1024–1026.
- 4. Hoegh-Guldberg, O., "Climate change, coral bleaching and the future of the world's coral reefs", *Marine and Freshwater Research*, 1999, Vol. 50, pp. 839–866.
- 5. Allen, C.D., et al., "A global overview of drought and heat-induced tree mortality", *Forest Ecology and Management*, 2010, Vol. 259, Issues 4–5, pp. 660–684.
- 6. IPCC, "Climate Change 2021: The Physical Science Basis", IPCC Sixth Assessment Report, 2021.
- 7. Walther, G.R., et al., "Ecological responses to recent climate change", *Annual Review of Ecology, Evolution, and Systematics*, 2002, Vol. 33, pp. 517–541.
- 8. Thackeray, S.J., et al., "Phenological sensitivity to climate across taxa and trophic levels", *Nature*, 2010, Vol. 468, Issue 7325, pp. 421–424.





|www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 8, August 2025

|DOI: 10.15680/IJIRSET.2025.1408068|

- 9. Hughes, T.P., et al., "Climate change, human impacts, and the resilience of coral reefs", *Science*, 2003, Vol. 301, Issue 5635, pp. 929–933.
- 10. Bellard, C., et al., "Impacts of climate change on the future of biodiversity", *Ecology Letters*, 2012, Vol. 15, Issue 4, pp. 365–377.
- 11. Dawson, T.P., et al., "Beyond predictions: Biodiversity conservation in a changing climate", *Science*, 2011, Vol. 332, Issue 6025, pp. 53–58.
- 12. Stirling, I., Derocher, A.E., "Effects of climate warming on polar bears: A review", *Global Change Biology*, 2012, Vol. 18, Issue 9, pp. 2694–2706.
- 13. Hughes, T.P., et al., "Global warming and recurrent mass bleaching of corals", *Nature*, 2017, Vol. 543, Issue 7645, pp. 373–377.
- 14. Both, C., et al., "Climate change and unequal phenological changes across four trophic levels: Constraints or adaptations?", *Journal of Animal Ecology*, 2009, Vol. 78, Issue 1, pp. 73–83.
- 15. Lewis, S.L., et al., "The 2010 Amazon drought", Science, 2011, Vol. 331, Issue 6017, pp. 554.
- 16. Ward, M., et al., "Impacts of the 2019–2020 bushfires on Australian biodiversity", *Nature Ecology & Evolution*, 2020, Vol. 4, pp. 1321–1326.
- 17. Bolch, T., et al., "Glacier mass balance of the Himalaya and Karakoram", *Science*, 2012, Vol. 336, Issue 6079, pp. 310–314.
- 18. Thomas, C.D., et al., "Extinction risk from climate change", Nature, 2004, Vol. 427, Issue 6970, pp. 145-148.
- 19. Sala, O.E., et al., "Global biodiversity scenarios for the year 2100", *Science*, 2000, Vol. 287, Issue 5459, pp. 1770–1774
- 20. Pereira, H.M., et al., "Scenarios for global biodiversity in the 21st century", *Science*, 2010, Vol. 330, Issue 6010, pp. 1496–1501.











INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY







9940 572 462 🔯 6381 907 438 🔀 ijirset@gmail.com

