



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.524

Volume 14, Issue 1, January 2025

Decentralized Edge Computing For Real-Time Processing

Ummer Khan Asif Bangalore Ghouse Khan

Associate General Manager, HCL Tech, New Jersey, USA

ABSTRACT: Decentralized edge computing has emerged as a transformative solution for real-time data processing, especially in latency-sensitive and mission-critical applications. By distributing computing resources across localized nodes, decentralized edge computing reduces reliance on centralized cloud infrastructure, mitigating latency, bandwidth constraints, and security risks. The approach leverages advanced technologies, including peer-to-peer communication, AI-driven resource allocation, and blockchain-based trust mechanisms, to enhance scalability, fault tolerance, and security. As industries such as healthcare, smart cities, autonomous systems, and industrial automation increasingly require faster, more efficient data processing, decentralized edge computing offers significant benefits in these areas. However, the technology faces challenges related to security, resource management, and interoperability. This paper proposes a comprehensive framework integrating AI and blockchain to optimize decentralized edge computing, addressing existing challenges and enabling future advancements. By incorporating AI for dynamic resource allocation and blockchain for ensuring data integrity and trust, the proposed framework aims to enhance the performance, security, and scalability of decentralized edge computing systems. This paper will explore the potential and challenges of decentralized edge computing, outline the proposed framework, and evaluate how the integration of AI and blockchain can address critical issues in real-time data processing for various applications.

KEYWORDS: Decentralized Edge Computing, Real-Time Data Processing, AI-Driven Resource Allocation, Blockchain Technology, Mission-Critical Applications.

I.INTRODUCTION

1.1 Overview of Decentralized Edge Computing

Decentralized edge computing is rapidly emerging as a transformative paradigm in the world of information technology, marking a significant departure from the traditional centralized cloud model of data processing. In this new approach, data is processed closer to where it is generated, at the edge of the network, rather than being transmitted to centralized data centres for processing. By leveraging localized computing nodes, edge computing reduces the reliance on distant cloud servers and enables more efficient, low-latency, and scalable solutions. This shift is particularly impactful for applications that require real-time data processing, such as those in healthcare systems, autonomous vehicles, and industrial automation.

At the core of decentralized edge computing is the concept of distributing computational power across multiple devices or nodes located at the edge of the network, often in proximity to the data sources themselves. This edge can refer to various points, such as gateways, routers, or devices themselves, all of which have the capability to process and analyse data locally. By processing data near its origin, edge computing minimizes the need for long-distance data transfers to centralized cloud servers, resulting in a host of significant advantages, such as reduced latency, lower bandwidth usage, and improved security.

One of the key reasons decentralized edge computing has gained traction is its ability to address the growing demand for low-latency applications. Latency-sensitive and mission-critical applications—such as autonomous vehicles that require real-time decision-making, healthcare systems with patient monitoring applications, and industrial automation systems—cannot afford delays in data processing. In such cases, the latency introduced by traditional cloud-based models, where data must be sent to remote data centres for processing, can lead to severe consequences, ranging from operational failures to safety hazards. Decentralized edge computing helps overcome these challenges by enabling instantaneous data processing at the location where it is generated, ensuring immediate response times.

Additionally, the decentralized nature of edge computing reduces bandwidth constraints, as it minimizes the volume of data that needs to be transmitted to and from central servers. With billions of devices generating vast amounts of data daily, relying on centralized cloud systems to handle the growing volume of information becomes inefficient and

impractical. By processing data locally, edge computing minimizes the need to transfer large data sets over the internet, leading to significant reductions in network congestion and enabling more efficient use of bandwidth. Moreover, decentralizing data processing reduces security risks associated with centralized systems. Cloud servers are prime targets for cyberattacks, and a breach in a centralized system could expose sensitive data from multiple sources. By processing data at the edge, decentralized edge computing makes it more difficult for attackers to access or compromise data, as information is not stored in one central location. This enhanced security is particularly important in sensitive sectors such as healthcare, where patient information needs to be protected from unauthorized access.

While decentralized edge computing offers numerous advantages, its full potential can be realized only when integrated with other cutting-edge technologies. Peer-to-peer communication enables direct data exchange between edge devices, optimizing performance by reducing reliance on central servers. AI-driven resource allocation helps to efficiently manage computational resources across decentralized nodes, ensuring that tasks are processed in an optimal manner based on available capacity. Additionally, blockchain technology can be used to ensure trust, transparency, and data integrity within a decentralized system by providing immutable records of transactions and interactions.

As decentralized edge computing continues to gain traction, its transformative potential across various sectors is becoming increasingly evident. Healthcare, automotive, and industrial automation are just a few examples of industries where decentralized edge computing is making a significant impact. In the healthcare sector, real-time data processing is crucial for patient monitoring systems, where any delay could lead to adverse outcomes. Autonomous vehicles rely on edge computing to process vast amounts of sensor data in real-time, ensuring safe and accurate navigation. In industrial automation, edge computing enables predictive maintenance by processing data from sensors installed on machinery to detect potential failures before they occur, minimizing downtime and increasing efficiency.

However, despite the promise and potential of decentralized edge computing, there are still significant challenges to overcome. Security and data integrity are ongoing concerns, as decentralized networks are more complex and distributed than traditional centralized systems. Managing the vast number of distributed resources in a decentralized network requires effective coordination and optimization to ensure smooth and efficient operation. Furthermore, ensuring interoperability between different edge devices and platforms is essential to enable seamless communication and data exchange across various systems.

In light of these challenges, technologies such as artificial intelligence (AI) and blockchain have the potential to play a pivotal role in optimizing decentralized edge computing for real-time data processing. AI can enhance the system's ability to autonomously allocate resources, prioritize tasks, and make real-time decisions based on incoming data. Meanwhile, blockchain's distributed ledger capabilities can ensure the integrity and security of the data processed across decentralized nodes, enabling trusted and transparent transactions in environments where trust is critical.

1.2 Motivation and Significance of the Study

The increasing number of connected devices in the Internet of Things (IoT) has resulted in an exponential growth in the volume of data generated. Many of these devices require real-time data processing to function optimally. For instance, in autonomous vehicles, real-time sensor data must be processed immediately to make quick decisions for safe navigation. In healthcare applications, real-time processing of patient data can mean the difference between life and death. In such latency-sensitive applications, traditional cloud computing, which relies on sending data to centralized servers for processing, is often inadequate due to the inherent delays caused by network transmission and the need for constant connectivity.

Decentralized edge computing addresses this challenge by bringing computation closer to the source of data, significantly reducing the latency and ensuring faster response times. The ability to process data locally, at the edge, allows for real-time decision-making and enhances the performance of applications that require low-latency processing. Moreover, by offloading some of the computational tasks from central servers to local edge nodes, decentralized edge computing can help optimize resource utilization, reduce congestion in the network, and improve the overall efficiency of data processing.

The demand for decentralized edge computing is particularly strong in sectors such as autonomous systems, healthcare, and smart cities. In autonomous vehicles, for example, real-time data processing is essential for quick decision-making, ensuring that vehicles can respond to changing road conditions, detect obstacles, and navigate safely. In healthcare, patient monitoring systems rely on real-time processing of sensor data to detect abnormalities or critical changes in a

patient's condition, triggering alerts for timely intervention. Similarly, in smart cities, edge computing can help manage and process data from a vast array of sensors in real-time, improving traffic flow, energy efficiency, and public safety.

While decentralized edge computing offers substantial benefits, it also presents several challenges. Ensuring the security and integrity of data in a decentralized network is a major concern, as there is a need to safeguard sensitive information against unauthorized access and potential cyberattacks. Additionally, managing and coordinating distributed resources across multiple edge nodes can be complex, requiring advanced techniques in resource allocation and load balancing. Furthermore, achieving interoperability between different edge devices, platforms, and communication protocols is critical to ensure smooth and efficient operation across diverse systems.

This study aims to explore how emerging technologies, particularly AI and blockchain, can help address these challenges and optimize decentralized edge computing for real-time data processing. AI can assist in intelligent resource management, helping to allocate computing power efficiently and make data-driven decisions in real time. Meanwhile, blockchain technology can provide a secure and transparent framework for managing decentralized transactions, ensuring data integrity and trust across the network.

In conclusion, decentralized edge computing represents a significant shift in the way data is processed and managed, offering the potential for real-time, low-latency applications that are crucial in industries such as healthcare, automotive, and industrial automation. By bringing computation closer to the data source, it enables faster decision-making, better resource utilization, and improved scalability. However, challenges related to security, resource management, and interoperability remain. This study will explore how integrating AI and blockchain technologies can address these challenges, paving the way for more efficient and secure decentralized edge computing solutions.

1.3 Problem Statement

With the rapid growth of Internet of Things (IoT) devices and the increasing need for real-time processing, traditional cloud computing models are proving inadequate for latency-sensitive and mission-critical applications. Centralized cloud infrastructure introduces significant challenges, particularly in latency, bandwidth, and security. These limitations are particularly apparent in fields like healthcare, autonomous systems, smart cities, and industrial automation, where immediate decision-making based on real-time data is critical. The reliance on cloud servers for processing large amounts of data often results in delays, making it unsuitable for applications that require split-second decisions, such as medical monitoring, autonomous vehicles, or traffic management systems.


The decentralization of edge computing offers a solution to these challenges by processing data closer to the source, at the edge of the network, thus reducing the dependency on centralized cloud infrastructure. However, this shift introduces new complexities in resource management, interoperability, and security. Effective real-time resource allocation across distributed edge nodes and ensuring data integrity and trust in a decentralized system remains a significant challenge.

This paper aims to explore how AI-driven resource allocation and blockchain-based trust mechanisms can optimize decentralized edge computing systems, addressing challenges related to security, scalability, and interoperability while improving the efficiency of real-time data processing in mission-critical applications.

II. METHODOLOGY

This research utilizes a mixed-methods approach to analyse the optimization of decentralized edge computing for real-time data processing through the integration of AI-driven resource allocation and blockchain-based trust mechanisms. The study includes both qualitative and quantitative methods to assess the efficacy of these technologies in overcoming challenges such as latency, security, resource management, and interoperability.

Figure 1: Methodology and Proposed Framework for Optimizing Decentralized Edge Computing



2.1 Data Collection

Primary data will be collected through case studies and expert interviews. The case studies will focus on existing applications of decentralized edge computing in various industries such as healthcare, autonomous systems, and smart cities. These case studies will provide real-world insights into the advantages, limitations, and challenges faced during the deployment of decentralized edge computing solutions.

Expert interviews will involve professionals working in the fields of edge computing, artificial intelligence, and blockchain technology. The interviews will focus on the practical application of AI and blockchain for optimizing edge computing, as well as their integration into existing systems. The goal is to understand the technological, operational, and security-related challenges when adopting decentralized edge solutions.

2.2 Data Analysis

Quantitative data will be analysed using descriptive statistics to assess the performance improvements achieved by integrating AI and blockchain in decentralized edge computing systems. Qualitative data will be analysed through thematic analysis, identifying key patterns and insights on challenges, best practices, and future trends.

2.3 Framework Development

Based on the data collected, the study will develop a comprehensive framework integrating AI and blockchain for optimizing decentralized edge computing, addressing the challenges of security, scalability, and resource management.

III. PROPOSED FRAMEWORK: INTEGRATING AI AND BLOCKCHAIN FOR OPTIMIZED DECENTRALIZED EDGE COMPUTING

This paper proposes a comprehensive framework to optimize decentralized edge computing by integrating **AI-driven resource allocation** and **blockchain-based trust mechanisms**. The integration of these two technologies aims to address key challenges in decentralized edge computing, particularly around **resource management**, **security**, and **interoperability**.




Figure 2: Enhanced Decentralized Edge Computing

3.1 AI-Driven Resource Allocation

In this framework, **AI algorithms** are used to monitor and predict the computing resources required by each edge node. These algorithms can continuously analyse network traffic, compute loads, and historical data to make decisions on how to best allocate resources in real-time. For example, in **autonomous driving**, AI can predict peak traffic times and allocate processing power to edge nodes based on expected demand, ensuring that the system can handle the increased workload without delays.

3.2 Blockchain for Security and Data Integrity

To address security concerns, the framework integrates **blockchain technology** to ensure the integrity and security of the data shared across edge nodes. Blockchain provides an immutable ledger of transactions, which helps verify the authenticity of data and actions within the system. **Smart contracts** can be used to enforce access control and resource allocation policies automatically, without the need for centralized management.

3.3 Interoperability and Scalability

To ensure **interoperability** between different edge nodes and systems, the proposed framework adopts **open standards** for communication and data exchange. This ensures that edge devices from different manufacturers and running different software platforms can seamlessly integrate into the decentralized network. Additionally, the framework is designed to be **scalable**, allowing for the addition of new edge nodes without disrupting the system's operation, making it adaptable to growing network demands.

IV. DISCUSSION

4.1 Decentralized Edge Computing for Real-Time Processing

Decentralized edge computing offers significant advantages over traditional cloud-based computing, particularly in real-time data processing. By processing data closer to the source of generation, decentralized edge computing minimizes latency, making it an ideal solution for autonomous vehicles, healthcare, and smart cities. In autonomous vehicles, for instance, low-latency processing is essential for making immediate decisions based on sensor data.

Centralized cloud servers, due to their distance from the vehicle, would introduce delays that could be critical for the vehicle's operation.

Edge computing can also enhance bandwidth utilization by reducing the volume of data that needs to be sent to the cloud. By processing data locally and transmitting only essential information, such as aggregated insights or critical alerts, decentralized edge computing reduces the strain on bandwidth, which is especially beneficial in environments with limited network resources. Additionally, by relying on localized computing nodes, decentralized edge computing enhances fault tolerance, as the failure of one node does not compromise the overall system's operation, unlike in centralized cloud systems where failure can lead to large-scale outages.

4.2 AI and Blockchain Integration

Integrating AI into decentralized edge computing offers several benefits. AI-driven resource allocation allows for dynamic management of computing power, ensuring that edge nodes only use the necessary resources at any given time. This ensures efficient use of computational power and optimizes energy consumption, especially in low-power devices. Additionally, AI's predictive capabilities enable proactive management of resources, anticipating spikes in demand and reallocating resources accordingly, thereby preventing performance degradation during high-demand periods.

Blockchain enhances the security and trustworthiness of decentralized edge computing systems. In traditional edge computing, ensuring the authenticity of data and actions across multiple distributed nodes can be challenging. By integrating blockchain, all transactions and interactions between edge nodes are recorded on an immutable ledger, preventing tampering and ensuring the integrity of data. Smart contracts can automate processes such as resource allocation and data sharing, ensuring that all actions are compliant with predefined rules without requiring centralized intervention.

4.3 Real-World Applications

The integration of decentralized edge computing, AI, and blockchain has the potential to revolutionize several industries. In healthcare, edge computing can enable real-time patient monitoring, where medical devices and wearables process health data locally to trigger immediate interventions when necessary. AI can predict health crises based on historical data, and blockchain ensures the security and privacy of sensitive health information. In autonomous systems, edge computing enables self-driving cars to process data locally from their sensors, reducing reliance on cloud servers and minimizing the risk of delays in critical decision-making. Smart cities can leverage decentralized edge computing for traffic management, waste management, and environmental monitoring, with AI optimizing city services and blockchain ensuring transparency and accountability in data management.

Table 1: Comparison for Technology, Advantages, Challenges, Use Cases

Technology	Advantages	Challenges	Use Cases
Decentralized Edge Computing	Reduced latency, improved bandwidth, enhanced fault tolerance	Resource management, integration complexity	Healthcare, autonomous systems, smart cities
AI-driven Resource Allocation	Dynamic resource optimization, predictive analytics	High computational cost, data dependency	Autonomous vehicles, industrial automation, healthcare
Blockchain	Secure, immutable transactions, decentralized trust	Scalability concerns, energy consumption, complexity	Data integrity, supply chain, healthcare, smart contracts
Peer-to-peer Communication	Reduced reliance on centralized servers, low latency	Security concerns, coordination overhead	IoT, real-time systems, distributed applications

V. LIMITATIONS OF THE STUDY

Despite its potential, **decentralized edge computing** faces several limitations. The complexity of **resource management** across distributed nodes is one of the primary challenges. Decentralized systems require sophisticated algorithms to manage resources dynamically, particularly in large-scale networks with varying computational demands. **Security** remains another significant concern, despite the potential of **blockchain** to address many issues. While blockchain enhances data integrity, securing the edge nodes and ensuring safe communication between them requires continuous monitoring and sophisticated security protocols.

Lastly, **interoperability** between different edge devices and systems is a challenge. Diverse hardware, software platforms, and communication protocols used across edge nodes can hinder the seamless operation of decentralized edge computing systems, especially when scaling or integrating with legacy systems.

VI. CONCLUSION

Decentralized edge computing offers a transformative solution for real-time data processing in mission-critical applications. By distributing computational resources across localized edge nodes, it mitigates the latency, bandwidth, and security challenges associated with traditional cloud computing. This shift enables faster, more efficient processing in healthcare, autonomous systems, smart cities, and industrial automation, enhancing the ability to make real-time decisions based on local data. The integration of AI-driven resource allocation and blockchain-based trust mechanisms further optimizes the performance and security of decentralized edge computing systems. AI enhances dynamic resource management by predicting and allocating resources in real-time, ensuring that edge nodes can handle varying computational demands. Blockchain, on the other hand, secures data transactions and ensures trust and integrity across distributed nodes, addressing one of the biggest challenges in decentralized systems. While challenges in security, resource management, and interoperability remain, the proposed framework combining AI and blockchain offers a viable path forward. It provides a comprehensive approach to addressing these challenges, ensuring that decentralized edge computing can scale and meet the increasing demands of real-time processing in critical applications. As the technology matures, decentralized edge computing will continue to play a central role in enabling smarter, more efficient systems across industries, paving the way for future advancements in AI, blockchain, and edge computing.

REFERENCES

- [1] Ahmed, N., & Haider, A. (2020). Decentralized edge computing: A survey of challenges and opportunities. *Journal of Cloud Computing: Advances, Systems and Applications*, 9(1), 1-19. <https://doi.org/10.1186/s13677-020-00219-1>
- [2] Al-Fuqaha, A., Guizani, M., Mohammadi, M., Ayyash, M., & Sallent, O. (2018). Internet of things: A survey on enabling technologies, protocols, and applications. *IEEE Communications Surveys & Tutorials*, 20(4), 3145-3178. <https://doi.org/10.1109/COMST.2018.2830437>
- [3] Bai, Y., Zhang, J., & He, K. (2019). Edge computing for Internet of Things: A survey. *Future Generation Computer Systems*, 92, 123-132. <https://doi.org/10.1016/j.future.2018.12.048>
- [4] Bonomi, F., Milito, R., Zhu, J., & Addepalli, S. (2012). Fog computing and its role in the Internet of Things. *Proceedings of the 1st ACM Workshop on Mobile Cloud Computing*, 13-16. <https://doi.org/10.1145/2342509.2342513>
- [5] Cao, J., Hu, Z., & Zhang, W. (2019). Blockchain-based trust management for decentralized edge computing. *IEEE Access*, 7, 23532-23542. <https://doi.org/10.1109/ACCESS.2019.2903093>
- [6] Chen, M., Mao, S., & Liu, Y. (2014). Big data: A survey. *Mobile Networks and Applications*, 19(3), 171-209. <https://doi.org/10.1007/s11036-013-0489-0>
- [7] Cortellesa, V., Di Stefano, R., & Ingrassia, A. (2019). A survey on edge computing technologies for IoT applications. *Future Internet*, 11(8), 187. <https://doi.org/10.3390/fi11080187>
- [8] Dastjerdi, A. V., & Buyya, R. (2016). Fog computing: Helping the Internet of Things realize its potential. *Computer*, 49(8), 112-116. <https://doi.org/10.1109/MC.2016.245>
- [9] Feng, W., Zhang, Z., & Ksentini, A. (2018). Cloud computing and the Internet of Things: A survey. *Journal of Cloud Computing: Advances, Systems and Applications*, 7(1), 1-14. <https://doi.org/10.1186/s13677-018-0132-4>

- [10] Gai, K., & Qiu, M. (2020). Decentralized edge computing: Security challenges and countermeasures. *Computers, Materials & Continua*, 63(2), 665-682. <https://doi.org/10.32604/cmc.2020.015450>
- [11] Gupta, M., & Jain, P. (2020). A survey of resource management in edge computing. *Journal of Network and Computer Applications*, 102, 62-81. <https://doi.org/10.1016/j.jnca.2018.09.003>
- [12] Hasan, H. R., & Mollah, M. M. (2021). Blockchain for decentralized edge computing: Architecture, challenges, and applications. *IEEE Transactions on Industrial Informatics*, 17(6), 4184-4194. <https://doi.org/10.1109/TII.2020.2983105>
- [13] He, H., & Han, Z. (2018). Edge computing for Internet of Things: A case study on traffic control. *IEEE Access*, 6, 12556-12564. <https://doi.org/10.1109/ACCESS.2018.2792540>
- [14] Hong, C., Yang, H., & Yang, D. (2021). Real-time edge computing: A review of key architectures and challenges. *Future Generation Computer Systems*, 113, 404-419. <https://doi.org/10.1016/j.future.2020.07.059>
- [15] Hosseini, M., & Misra, S. (2020). AI-based decentralized edge computing for industrial automation: A survey. *Journal of Network and Computer Applications*, 156, 101701. <https://doi.org/10.1016/j.jnca.2019.101701>
- [16] Jiang, Y., & Yu, W. (2019). Blockchain in edge computing: Architecture, applications, and challenges. *IEEE Communications Magazine*, 57(9), 128-134. <https://doi.org/10.1109/MCOM.2019.1900167>
- [17] Li, D., & Yu, Z. (2020). Blockchain-based data security and trust management in decentralized edge computing. *Future Internet*, 12(9), 141. <https://doi.org/10.3390/fi12090141>
- [18] Liu, J., Zhang, H., & Zhao, J. (2019). A survey on decentralized edge computing for the Internet of Things: Challenges and solutions. *IEEE Access*, 7, 23788-23809. <https://doi.org/10.1109/ACCESS.2019.2905096>
- [19] Mao, Y., & Li, X. (2018). Decentralized resource allocation for edge computing: Applications, challenges, and solutions. *IEEE Network*, 32(2), 22-28. <https://doi.org/10.1109/MNET.2018.1700189>
- [20] Mao, Y., Zhang, J., & Zhang, Y. (2019). A survey on blockchain-based decentralized applications for edge computing. *Journal of Computer Science and Technology*, 34(6), 1159-1183. <https://doi.org/10.1007/s11390-019-1934-2>
- [21] Marz, N., & Warren, J. (2019). Big data processing and edge computing: New solutions for real-time systems. *IEEE Transactions on Industrial Electronics*, 66(8), 6421-6429. <https://doi.org/10.1109/TIE.2018.2852386>
- [22] Nikolettseas, S., & Papadopoulos, G. (2017). Peer-to-peer systems and decentralized computing for the Internet of Things. *IEEE Transactions on Parallel and Distributed Systems*, 28(5), 1361-1374. <https://doi.org/10.1109/TPDS.2016.2643772>
- [23] Pinto, J., & Ferreira, P. (2020). Blockchain-based decentralized edge computing for real-time processing. *IEEE Transactions on Cloud Computing*, 9(5), 1785-1797. <https://doi.org/10.1109/TCC.2020.2975393>
- [24] Zhang, Z., & Wang, S. (2019). Decentralized resource management in edge computing: A survey. *ACM Computing Surveys (CSUR)*, 52(4), 1-35. <https://doi.org/10.1145/3324462>
- [25] Zhani, M., & Gaudel, C. (2021). Enhancing decentralized edge computing through blockchain for industrial IoT applications. *Future Internet*, 13(1), 16. <https://doi.org/10.3390/fi13010016>



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details