



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 7, July 2025

Artificial Intelligence and Adolescent Gaming Disorder: An Empirical Analysis of Behavioral Drivers

Dr. Balapriya S, Dr. Srideivanai Nagarajan, P Preethy Jemima, Dr. P. Privietha, Dr. Sylvia Grace J

Assistant Professor, Department of Computer Science and Engineering, Sathyabama Institute of Science and Technology, Chennai, India

Assistant Professor, Department of Computer Science and Engineering, Sathyabama Institute of Science and Technology, Chennai, India

Assistant Professor, Department of Computer Science and Engineering, Sathyabama Institute of Science and Technology, Chennai, India

Assistant Professor, Department of Computer Science and Engineering, Sathyabama Institute of Science and Technology, Chennai, India

Assistant Professor, Department of Computer Science and Engineering, Sathyabama Institute of Science and Technology, Chennai, India

ABSTRACT: The rapid integration of Artificial Intelligence (AI) in the gaming industry has greatly enhanced user immersion and engagement. However, this technological evolution has also intensified concerns regarding gaming disorder, particularly among adolescents. This study examines how AI-driven features—such as personalized gameplay, reward systems, and adaptive difficulty—shape behavioral conditioning and contribute to the risk of gaming disorder. Employing a mixed-methods design, the research analyzes psychological, technological, and social factors, applying regression analysis to determine which variables most significantly influence the development of gaming disorder in youth

KEYWORDS: Artificial Intelligence (AI), Adolescent Gaming Disorder, Behavioral Conditioning, Adaptive Difficulty, Mixed-Methods Design, Psychological Factors, Gaming Addiction, Regression Analysis, Youth Behavior, AI-Driven Features, Risk Factors, Gaming Disorder Development

I. INTRODUCTION

The rapid evolution of AI has brought unprecedented changes across various domains, particularly the gaming industry. From personalized gaming experiences to adaptive difficulty levels and immersive virtual environments, AI-driven technologies have reevaluated how games are designed, delivered, and consumed. But as gaming gets more sophisticated and captivating, worries about its possible drawbacks, particularly adolescent gaming disorder, have grown exponentially.

The World Health Organization (WHO) included gaming disorder in its ICD-11 classification as a mental health condition, drawing global attention to this growing problem. Adolescents, who are particularly inclined to the addictive elements of modern gaming, have been disproportionately affected. Gaming disorder is characterized by an inability to control gaming, prioritizing it over other activities, and continuing to game despite negative consequences. The rising prevalence of this disorder among adolescents underscores the importance of examining the mechanisms driving such addictive behaviors, particularly the role of AI in behavioral conditioning.

AI's integration into gaming has not only enhanced user experiences but also introduced easy mechanisms that unconsciously shape user behaviour. Features like reward systems, instant feedback, and customized gameplay employ

psychological principles such as operant conditioning to maximize engagement. For example, AI-driven reward systems often provide variable rewards, creating unpredictable and addictive cycles that keep players hooked. Adolescents are especially vulnerable to these mechanisms due to their developing brains, which are more prone to reward-seeking behaviors and impulsivity.

Behavioral conditioning, grounded in psychological theories such as operant and classical conditioning, significantly influences the emergence of gaming disorder. Operant conditioning, for instance, shapes behavior through the use of rewards and punishments. In the gaming context, AI systems dynamically adjust rewards, challenges, and interactions to sustain player interest, which can lead to compulsive gameplay. Moreover, AI-powered features like adaptive difficulty keep players within an optimal engagement zone—often referred to as the "flow state"—which helps prolong play sessions and heightens the risk of addictive behaviour.

Adolescents are especially vulnerable to AI-driven gaming mechanisms because of their heightened neuroplasticity, increased sensitivity to social influences, and underdeveloped executive functions. The dopamine-based reward cycles in games align closely with the neurochemical changes typical of adolescent brain development, making them more susceptible to addictive behaviors. In addition, the immersive design of AI-powered games often fosters a strong psychological bond between players and their avatars, further reinforcing compulsive gaming tendencies.

The social consequences of gaming disorder among adolescents are significant. Excessive gaming is linked to declining academic performance, strained family relationships, and deteriorating mental health, including heightened anxiety and depression. Additionally, the behavioral patterns established during adolescence can persist into adulthood, leading to long-term issues such as reduced productivity and social isolation.

While gaming disorder is increasingly recognized, the role of AI in exacerbating this issue remains underexplored. Most existing research focuses on the clinical aspects of gaming addiction, with little attention given to the technological factors that contribute to its development. This gap highlights the need for a deeper investigation into how AI-driven gaming features condition adolescent behavior and contribute to the onset of gaming disorder.

This study aims to address the existing research gap by examining the role of artificial intelligence in behavioral conditioning and its influence on the development of gaming disorder among adolescents. Through an interdisciplinary approach that considers psychological, technological, and social factors, the research seeks to offer a comprehensive understanding of how AI interacts with adolescent behavior in gaming environments. Furthermore, the study will propose practical strategies to reduce the risks associated with AI-driven gaming addiction, providing targeted recommendations for key stakeholders, including game developers, parents, educators, and policymakers.

The following sections will examine the mechanisms through which AI fosters behavioral conditioning in gaming, the psychological vulnerabilities of adolescents to these mechanisms, and the broader implications for youth development. By integrating insights from existing literature and empirical evidence, this research aims to contribute to the growing discourse on gaming addiction and the ethical use of AI in gaming.

II. LITERATURE REVIEW

Recent research highlights the multifaceted nature of gaming disorder among adolescents:

- **Psychological Mechanisms:** Studies reveal that adolescents with gaming disorder often exhibit reduced loss aversion and diminished inhibitory control, underscoring the role of reward-seeking and impulsivity.
- **Social Relationships:** The quality of peer attachment, rather than parental attachment, has been identified as a significant factor in the development and maintenance of gaming disorder.
- **Assessment Tools:** The development of standardized diagnostic instruments, such as the Gaming Disorder Scale for Adolescents (GADIS-A), has improved research and clinical assessment of this condition.
- **Family and Environmental Factors:** Parenting style and time management tendencies are crucial in moderating gaming behaviors, highlighting the importance of the home environment.
- **Game Design:** The genre and structural characteristics of games, including those enhanced by AI, significantly influence the risk of developing problematic gaming behaviours.

- Comparisons to Gambling: Behavioral and risk factor parallels between gaming and gambling disorders further illuminate the addictive potential of certain gaming features.

Despite these advances, the specific impact of AI-driven behavioral conditioning on adolescent gaming disorder remains underexplored, marking a critical gap addressed by this study.

SCOPE OF THE STUDY

To explore how AI-driven game mechanics contribute to behavioral conditioning in adolescents.

To identify specific AI features that enhances gaming addiction risk.

To propose intervention strategies to address the issue.

III. RESEARCH METHODOLOGY

Data Description

In this research paper, "Gaming Disorder among Adolescents: The Role of AI in Behavioural Conditioning," we have collected data from adolescents aged between 12 and 18 years, based on their online gaming experiences. Demographic factors such as gender, age, literacy rate, and other relevant components were also considered during data collection. The data was gathered from 300 adolescents who regularly engage in online gaming. Key focus areas included hours of gameplay per day, AI features, reward response, social influence, parental control, and symptoms of gaming disorder.

The analysis highlights behavioural changes in adolescents and examines how AI-driven gaming, which offers a more immersive and realistic interface, influences their personality and online behaviour. In recent years, a noticeable trend has emerged—youngsters are becoming increasingly addicted to online games, displaying impatience towards reward systems and incentives. A significant shift is observed in those deeply engaged in virtual environments, often leading to social isolation from friends and family.

In this study we have analysed that our data is categorically variable on that basis this we have found adolescent behavior is our target variable to find the changed and unchanged behavior which is based on online gaming for this we have used regression technique because we want to establish the relationship between dependent and independent variable.

Data Classification

This study involves a sample of 300 adolescents aged between 12 and 18 years, focusing on the impact of various online gaming attributes on their behavior. The research examines several key variables including hours spent gaming per day, AI-driven features in games, reward responses, social influence, parental control, and the development of gaming disorder. Each of these factors has been carefully chosen to understand their role in shaping behavioral patterns among adolescents who actively engage in online gaming.

The independent variables explored in this research include the number of hours spent playing games, AI features that enhance immersion, the response to in-game rewards, social influences from peers and digital media, and the level of parental control. "Hours per day" indicates the time children dedicate to gaming and is analyzed for its potential contribution to behavioral changes.

AI features in games are designed to make gameplay more engaging and realistic, which may lead to deeper emotional involvement. Reward response looks at how children react to achievement systems in games, while social influence accounts for peer recommendations and media exposure. Parental control examines the extent to which parental guidance affects gaming behavior.

The dependent variable, gaming disorder, is assessed to understand the psychological and behavioral effects of prolonged and immersive gaming. The research aims to determine which of the independent variables most significantly influences the development of gaming disorder.

By analyzing these relationships, the study seeks to provide insights into how gaming environments and external influences affect adolescent behavior, with a particular focus on the growing role of AI in making games more immersive and potentially more addictive.

IV. RESEARCH AND MATERIALS

In this research paper, the primary focus is to examine the presence of gaming disorder among adolescents. To achieve this, data was collected from a sample of 300 individuals aged between 12 and 18 years. The dataset includes several attributes: hours spent gaming per day, AI-based features in games, reward response, social influence, and gaming disorder. Among these, gaming disorder serves as the target variable (dependent variable), while the rest are considered independent variables.

The objective of the study is to analyze how these independent factors influence or contribute to the development of gaming disorder in adolescents. To assess this relationship, we employed logistic regression as our research methodology. This statistical model helps determine the probability of an individual being affected by gaming disorder based on the given inputs.

Through this analysis, the study aims to understand the extent to which today's youth (aged 12–18) are addicted to or at risk of developing gaming-related behavioral issues, especially in the context of increasing AI integration and gamification features in modern digital games.

we wanted to implement the relationship between the Independent and dependent variable so will apply the regression.

Logistic regression was applied in this study because the target variable, gaming disorder, has a binary outcome—categorized as No (0) and Yes (1). Logistic regression is specifically suited for binary classification problems, making it an appropriate choice for this analysis. One of the key advantages of using logistic regression is its ability to estimate and interpret the effect of each independent variable on the dependent variable through odds ratios.

In our dataset, multiple independent variables are included, such as hours per day, AI features, reward response, social influence, and parental control. The goal is to determine which of these variables has the strongest impact on the likelihood of an adolescent developing a gaming disorder. Logistic regression helps us identify and quantify the most influential predictors, allowing for a clearer understanding of the behavioral patterns associated with gaming addiction.


Mathematical formula for calculation odd ratio- Coefficient= $P / 1-P$ eqn(1)

Logistic Regression eqn= $\logit(p) = \ln(P/1-P) = \beta_0 + \beta_1 X_1 + \beta_2 X_2 + \dots + \beta_n X_n$ ----- (2)

This means the logistic odds of the probability p of outcome (e.g. gaming disorder=1) is a linear combination of the input features & their coefficient.


Odd ratio formula – Once we have a coefficient β_i , the odds ratio is calculated as $\text{odds ratio} = e^{\beta_i}$ ----- (3)

This transforms log odds – coefficient is $\beta = 2.19$ for AI_feature



Odd ratio= $e^{2.19} = 8.93 \times 1 = 8.93$ in AI_feature score similarly calculated for all variables and got the odd ratio accordingly shown in the table 1.

And our result shown that how AI-feature is most impactful feature for gaming addiction.



Bar to the right 0 shows positive influence (Increase odds of Gaming Disorder)

Bars to the left 0 show negative influence protective impact.

Independent Features Analysis

Feature	Coefficient	Odd Ratio	Interpretations
AI feature	+2.19	8.93	strongest
Reward Response	+1.62	5.05	High responsiveness
Hours Per day	+1.41	4.10	More hour increase
Social Influence	+1.36	3.90	Peer pressure
Parental control	-0.58	0.56	Protective feature

Table 1




Figure 1: Framework of Influences on Gaming Disorder

In Figure 1, the relationship between the dependent variable (Gaming Disorder) and the independent variables (Hours per Day, AI Features, Reward Response, Social Influence, and Parental Control) is clearly illustrated. The figure also highlights the impact of each independent variable on the target variable, as demonstrated in the Python implementation discussed above.

Using Python-based data visualization tools, we analyzed the dataset and presented graphical insights that clearly demonstrate how AI-enabled gaming features are a highly predictive influencer in increasing the risk of gaming disorder among children. The visualizations highlight the strong correlation between immersive AI elements and the likelihood of behavioral dependency. Furthermore, several case studies support these findings, indicating that AI-integrated gaming environments tend to have a more harmful impact on children by fostering deeper engagement and addiction-like tendencies.

Bar to the right 0 show positive influence (increase odds of gaming disorder).

Bars to the left of 0 shows negative influence. (protective effect) this shows that the intervention of parents and their restriction is having zero impact on gaming disorder.

Mathematical Calculation for Model Efficiency

Confusion Matrix (as given)

Predicted No-10

Actual No (0) 35 (True negative, TN) Predicted: Yes (1) (False Positive, FP)

Actual Yes (1) 1 False Negative, FN 23 (TP, TF)

Total Samples in test set=60(36+24)

Accuracy

$$\text{test (Accuracy)} = \frac{\text{TP} + \text{TN}}{\text{TP} + \text{TN} + \text{FP} + \text{FN}} = \frac{23 + 35}{23 + 35 + 1 + 1} = \frac{58}{60} = 0.9667$$

$$= 96.67\%$$

Precision {for Class – Disorder}

$$\text{Precision} = \frac{\text{TP}}{\text{TP} + \text{FP}} = \frac{23}{24} = 0.9583 = 95.83\%$$

FI Score

$$\text{FI Score} = 2 \times \frac{\text{test} \times \text{Precision}}{\text{Precision} + \text{Recall}} = 2 \times \frac{0.9583 \times 0.9583}{0.9583 + 0.9583} = 2 \times \frac{0.91833}{1.9166} = 0.9583 = 95.83\%$$

TP:23'

TN:35'

FP:1'

FN:1'

Based on these the following performance matrix was calculated


$$\text{"Accuracy"} = \frac{\text{TP} + \text{TN}}{\text{Total}} = \frac{23 + 35}{60} = 96.67$$

$$\text{"Precision"} = \frac{\text{TP}}{\text{TP} + \text{FN}} = \frac{23}{24} = 95.83\%$$

$$\text{"Recall"} = \frac{\text{TP}}{\text{TP} + \text{FN}} = \frac{23}{24} = 95.83\%$$

$$\text{"FI Score"} = \text{Harmonic Mean of Precision and recall} = 95.83\%$$

#The Result Shows that model is highly Effective.



Python Implementation is also showing the same results.

V. DISCUSSION

The findings underscore the central role of AI-driven features in fostering compulsive gaming behaviors among adolescents. The study highlights the need for:

- Ethical game design to minimize exploitative AI mechanisms.
- Parental and educational interventions to foster healthy gaming habits.
- Policy frameworks to regulate the use of AI in games targeting minors¹.

VI. CONCLUSION

AI-driven features are the most significant driver of gaming disorder among adolescents, followed by reward response and social influence. Parental control mitigates these risks. Addressing gaming disorder requires coordinated action from developers, parents, educators, and policymakers to ensure the ethical deployment of AI in gaming and to protect vulnerable youth populations.

REFERENCES

All key points and data are referenced from the original documentation: "Identifying the Drivers of Gaming Disorder: A Study of Influencing Variables among Adolescents".

- [1] <https://ppl-ai-file-upload.s3.amazonaws.com/web/direct-files/attachments/66658265/f18ff31e-3b8d-4f32-8237-8a62cb2b1af0/545-Submission.docx>
- [2] <https://pmc.ncbi.nlm.nih.gov/articles/PMC5714660/>
- [3] <https://public.websites.umich.edu/~sdcamp/up540/writingtips.html>
- [4] https://irep.ntu.ac.uk/id/eprint/32139/1/PubSub9627_Pontes.pdf
- [5] <https://tmb.apaopen.org/pub/hr9fbho7/release/2>
- [6] <https://www.frontiersin.org/articles/10.3389/fpsy.2023.1098922/full>
- [7] <https://www.frontiersin.org/journals/psychiatry/articles/10.3389/fpsy.2023.1098922/full>
- [8] <https://www.sciencedirect.com/science/article/abs/pii/S0022395620300339>
- [9] <https://www.sciencedirect.com/science/article/pii/S0747563223004636>
- [10] https://scholarsarchive.jwu.edu/cgi/viewcontent.cgi?article=1066&context=mba_student

- [11] <https://journals.sagepub.com/doi/10.1177/1557988318766950> Business Insider. (2025, January 7). The gambling industry's sly new way to suck money from desperate Americans. Retrieved from <https://www.businessinsider.com/gambling-industry-ai-big-bets-casinos-desperate-americans-las-vegas-2025-1>
- [12] Saini, N., & Hodgins, D. C. (2023). Investigating gaming structural features associated with gaming disorder and proposing a revised taxonomical model: A scoping review. *Journal of Behavioral Addictions*, 12(2), 352-374. <https://doi.org/10.1556/2006.2023.00019>
- [13] Koncz, P., Demetrovics, Z., Takacs, Z. K., Griffiths, M. D., & Nagy, T. (2023). The emerging evidence on the association between symptoms of ADHD and gaming disorder: A systematic review and meta-analysis. *Clinical Psychology Review*, 96, 102206. <https://doi.org/10.1016/j.cpr.2022.102206>
- [14] Liu, H., Chen, X., Huang, M., Yu, X., & Gan, Y. (2023). Screen time and childhood attention deficit hyperactivity disorder: a meta-analysis. *Reviews on Environmental Health*, 38(2), 175-186. <https://doi.org/10.1515/reveh-2022-0035>
- [15] Santos, R. M. S., Mendes, C. G., Miranda, D. M., & Romano-Silva, M. A. (2022). The Association between Screen Time and Attention in Children: A Systematic Review. *Developmental Neuropsychology*, 47(2), 99-123. <https://doi.org/10.1080/87565641.2022.2045593>
- [16] Hein, K., Conkey-Morrison, C., Burleigh, T. L., Poulus, D., & Stavropoulos, V. (2024). Examining how gamers connect with their avatars to assess their anxiety: A novel artificial intelligence approach. *Acta Psychologica*, 246, 104298. <https://doi.org/10.1016/j.actpsy.2024.104298>
- [17] Werling, A. M., Kuzhippallil, S., Emery, S., Walitza, S., & Drechsler, R. (2022). Problematic use of digital media in children and adolescents with a diagnosis of attention-deficit/hyperactivity disorder compared to controls. A meta-analysis. *Journal of Behavioral Addictions*, 11(3), 667-688. <https://doi.org/10.1556/2006.2022.00050>
- [18] Gao, X., Zhang, M., Yang, Z., Wen, M., & Huang, H. (2021). Structural and Functional Brain Abnormalities in Internet Gaming Disorder and Attention-Deficit/Hyperactivity Disorder: A Comparative Meta-Analysis. *Frontiers in Psychiatry*, 12, 679437. <https://doi.org/10.3389/fpsy.2021.679437>
- [19] Barron's. (2024, December 10). 'It ruined a lot of years of my life.' Teens and young adults are hooked on a different kind of gambling. Retrieved from <https://www.barrons.com/articles/counter-strike-skin-gambling-addiction-72078828>
- [20] The Scottish Sun. (2024, December 8). Urgent warning to parents over kids' 'gateway' habit to alcohol and drugs - and they're probably already doing it. Retrieved from <https://www.thescottishsun.co.uk/news/14119164/urgent-warning-parents-kids-gambling-gaming-social-media-addiction/>
- [21] Barron's. (2024, September 15). Gambling ads are all over Facebook and Google. They're putting minors at risk. Retrieved from <https://www.barrons.com/articles/skins-cs2-gambling-ads-facebook-google-402e37ac>
- [22] Brown, T., Burleigh, T. L., Schivinski, B., Bennett, S., Gorman-Alesi, A., Blinka, L., & Stavropoulos, V. (2024). Translating the user-avatar bond into depression risk: A preliminary machine learning study. *Journal of Psychiatric Research*, 170, 328-339. <https://doi.org/10.1016/j.jpsychires.2023.12.038>
- [23] Footitt, T., Christofi, N., Poulus, D. R., Colder Carras, M., & Stavropoulos, V. (2024). Gaming Disorder: The role of a gamers flow profile. *Addictive Behaviors Reports*, 19, 100555. <https://doi.org/10.1016/j.abrep.2024.100555>
- [24] Hein, K., Burleigh, T. L., Gorman, A., Prokofieva, M., & Stavropoulos, V. (2024). Proteus effect avatar profiles: Associations with disordered gaming and activity levels. *Addictive Behaviors Reports*, 20, 100562. <https://doi.org/10.1016/j.abrep.2024.100562>
- [25] Zhaojun Teng; Mark D Griffiths; Qian Nie; Guangcan Xiang; Cheng Guo; "Parent-adolescent Attachment and Peer Attachment Associated with Internet Gaming Disorder: A Longitudinal Study of First-year Undergraduate Students", *JOURNAL OF BEHAVIORAL ADDICTIONS*, 2020.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details