



(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 6, June 2025

⊕ www.ijirset.com 🖂 ijirset@gmail.com 🖄 +91-9940572462 🕓 +91 63819 07438





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 6, June 2025

|DOI: 10.15680/IJIRSET.2025.1406191|

Efficiency optimization in Solar Thermal Energy System

Vikash Kumar, Dr. Jitendra Raghuwanshi

M.E. Scholar, Department of Thermal Engineering, LNCT, Bhopal, India

Assistant Professor, Department of Mechanical Engineering, LNCT, Bhopal, India

ABSTRACT: Systems utilizing solar thermal energy have a lot of promise as a sustainable and clean way to generate electricity. For widespread use, increasing their efficiency is still a crucial obstacle. The efficiency optimization of solar thermal systems is investigated in this thesis, with particular attention paid to the theoretical aspects of heat transport mechanisms, thermodynamic constraints, and novel system designs. The goal of the research is to create a thorough framework for enhancing the performance of solar thermal collectors and systems by investigating important efficiency-influencing variables such heat transfer mechanisms and material advancements.

The first section of the study provides an introduction of the basic ideas behind solar thermal efficiency as well as a description of the several measures that are used to gauge system performance. Conduction, convection, and radiation are the three heat transfer mechanisms that are examined in relation to solar collectors, with a focus on how these mechanisms impact overall energy conversion efficiency. To determine the theoretical bounds of performance, thermodynamic concepts are examined, such as the Carnot efficiency and useful efficiency models.

The thesis also looks at new developments in solar thermal system design, like sophisticated collector geometries and novel materials that are meant to maximize heat absorption and reduce losses. To assess the efficacy and practicality of various efficiency measures, a comparison analysis is carried out, culminating in recommendations for optimal system optimization practices.

Through the use of theoretical modeling, simulations, and comparison analysis, the methodology produces informative results regarding the variables that affect solar thermal energy systems' efficiency maximization. The findings emphasize how crucial material choice, collector design, and environmental factors are to attaining peak performance. The study ends with actionable suggestions for future developments in solar thermal technology and offers directions for future investigation to improve the viability and efficiency of solar thermal power generation.

This thesis adds to the continuing development of renewable energy technologies by offering a theoretical framework for comprehending and optimizing solar thermal efficiency. It also provides insightful information for researchers, engineers, and policymakers who are working to increase the sustainability of energy systems.

KEYWORDS: CSP - Concentrated Solar Power, **DNI** - Direct Normal Irradiance,**HTF** - Heat Transfer Fluid, **LFR** - Linear Fresnel Reflector, **PCM** - Phase Change Material, **PA** - Power Purchase Agreement, **PV** - Photovoltaic

I. INTRODUCTION

- **Definition and Working Principle:** Solar thermal energy is the technique that uses the sun's energy to produce thermal energy, or heat, which is useful for a variety of tasks like power generation, industrial activities, and heating homes. Solar thermal systems use concentrated sunlight to heat a fluid, which then transmits heat to do tasks or produce power, in contrast to solar photovoltaic (PV) systems, which convert sunlight directly into electricity. Solar collectors, such as parabolic troughs, solar towers, or flat-plate collectors, are commonly used in this process because of their ability to increase solar radiation absorption.
- Historical Context: The history of solar thermal energy is extensive and goes back thousands of years. Passive solar design techniques were employed by ancient civilizations such as the Greeks, Romans, and Egyptians to maximize the use of sunshine for heating their homes and public structures. For example, hypocaust systems—





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 6, June 2025

|DOI: 10.15680/IJIRSET.2025.1406191|

early types of central heating that indirectly harnessed sun energy-were a characteristic of Roman design.

The 20th century saw the emergence of contemporary solar thermal technologies. A major advancement in the field was the creation of concentrated solar power (CSP) systems during the 1980s. Mirrors or lenses are used in these systems, which include solar towers, dish/engine systems, and parabolic troughs, to focus sunlight onto a receiver. High temperatures are produced by this concentrated sunlight, which is then used to create steam and turn turbines to generate energy. The efficiency and practicality of solar thermal energy systems have increased over the past few decades due to developments in materials, designs, and system integration, making them a competitive choice for large-scale power generation.

Significance in Renewable Energy

- **Renewable Energy Context**: The role of "solar thermal energy is significant in the context of renewable energy. Solar thermal technology is a viable substitute for fossil fuels, particularly as the demand for clean and sustainable energy sources grows globally. Solar thermal systems can be used with thermal energy storage (TES) to offer continuous electricity even when the sun isn't shining, in contrast to intermittent renewable energy sources like wind and solar PV. Because of this feature, solar thermal power plants are very useful for balancing the grid and supplying peak energy demands.
- **Benefits and Potential:** Compared to photovoltaic systems, solar thermal systems have a greater energy conversion efficiency. They may also store energy for later use as heat, and they may be integrated with the current power generation infrastructure. Furthermore, solar thermal technologies help to lessen reliance on non-renewable energy sources and carbon emissions. They can be used in industrial settings due to their capacity to produce high-temperature heat, which increases their usefulness beyond the production of electricity.

II. FUNDAMENTAL PRINCIPLES OF SOLAR THERMAL EFFICIENCY

The fundamental ideas that guide solar thermal energy systems' efficiency will be covered in detail in this chapter. Gaining an understanding of these foundations is essential to understanding how these systems transform solar energy into useful thermal energy and how to maximize their efficiency. The chapter is organized into three primary sections: Efficiency Metrics, Factors Influencing Efficiency, and Basics of Solar Thermal Systems.

Basics of Solar Thermal System

Overview of Solar Thermal Energy

Systems for solar thermal energy are made to transform sunlight into heat energy. While photovoltaic (PV) systems use sunlight to create energy directly, solar thermal systems concentrate on using the sun's heat for a variety of uses. Large-scale power generation as well as industrial activities, space heating, and home water heating can all be done with this heat.

The Heat Collection Mechanism

The conversion of solar energy into heat is the fundamental idea underlying solar thermal systems. Solar collectors, which are machines made to capture solar energy, are the first step in the process. The absorbed heat is then moved to a heat transfer fluid (HTF), which travels throughout the system and either transfers it to the required location or stores it for later use. There are several ways to transform this thermal energy into electrical power or to use it directly.

Key Components

- Solar Collectors: Sunlight is absorbed by the solar collector, which is the main part of any solar thermal system that produces heat. Different kinds of solar collectors exist:
- Flat-Plate Collectors: One of the most popular kinds of solar collectors used in household water heating systems is the flat-plate collector. A horizontal, flat plate with a dark-colored surface that absorbs sunlight





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 6, June 2025

|DOI: 10.15680/IJIRSET.2025.1406191|

makes up these collectors. In order to decrease heat dissipation, the plate is insulated at the rear and has a clear cover to limit heat loss. Heat that has been absorbed is transferred to a fluid that flows via collector pipes.

- **Evacuated Tube Collectors**: Particularly in colder areas, evacuated tube collectors are more efficient than flat-plate collectors. They are made up of glass tubes arranged in parallel rows, each holding an absorber tube. Heat loss is greatly decreased by creating a vacuum in the area between the glass and absorber tubes. The collector's efficiency is increased by this design, particularly at low temperatures.
- **Concentrating Collectors:** Large-scale power generation uses concentrated collectors, which come in a variety of forms including solar towers, parabolic dishes, and parabolic troughs. These collectors concentrate sunlight onto a small area using mirrors or lenses, which raises the temperature to extremely high levels. Steam is subsequently produced from this concentrated heat, and turbines are utilized to produce electricity.

III. THERMODYNAMIC LIMITS AND EFFICIENCY MODELS

This chapter examines several theoretical models that are used to forecast and improve the performance of solar thermal systems, as well as the thermodynamic laws that place restrictions on their efficiency. Gaining an understanding of these concepts and models is essential to increasing solar thermal systems' effectiveness and developing their real-world uses.

Thermodynamic Principles

1. Thermodynamics' Second Law

Because of intrinsic losses, energy transitions are not 100% efficient, "according to the Second Law of Thermodynamics. This indicates that not all solar energy absorbed can be transformed into usable thermal energy in the context of solar thermal systems. The comprehension of these constraints relies heavily on the concept of entropy, which quantifies the level of disorder in a system. Practically speaking, this law suggests that there is always some irreversibility involved in the conversion process, which results in heat losses.

2. Efficiency of Carnots

Based on the temperature difference between the heat source and the heat sink, the Carnot efficiency places a maximum limit on the efficiency of all heat engines, including solar thermal systems. In the context of a solar thermal system, this can be shown as:

$$\eta_{Carnot} = 1 - rac{T_{
m cold}}{T_{
m hot}}$$

Where:

- η_{Carnot} = Carnot efficiency (dimensionless)
- $T_{\rm hot}$ = Temperature of the heat source (K)
- T_{cold} = Temperature of the heat sink (K)

3. Limitations on Heat Transfer

The internal heat transfer mechanisms of a solar thermal system are what restrict its efficiency:

- **Conduction Losses:** Overall efficiency may be lowered by heat loss via the collector and storage tanks' materials.
- Convection Losses: Heat losses from the collector to the surrounding air and from the collector itself.
- **Radiation Losses:** Another factor that may cause efficiency losses is thermal radiation that escapes the collection surface into the environment.

4. Storage and Thermal Capacity Limitations

Efficiency is also impacted by the thermal capacity of the storage system and the rate at which heat may be extracted or stored. The efficiency with which the collected energy can be used is determined by the performance of storage systems, regardless of whether they employ molten salts, water, or phase-change materials.





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 6, June 2025

|DOI: 10.15680/IJIRSET.2025.1406191|

Efficiency Models

1. Flat-Plate Collector Efficiency Model

For flat-plate collectors", the efficiency model can be described by:

$$\eta = \frac{Q_u}{A_c \cdot I}$$

Where:

- Q_u = Useful heat gain (W)
- A_c = Collector area (m²)
- I = Incident solar radiation (W/m²)

This model accounts for the heat collected and the area of the collector exposed to sunlight. It considers heat losses due to convection and radiation and can be used to estimate performance under various conditions.

2. Evacuated Tube Collector Efficiency Model

Evacuated tube collectors often use a more complex model that includes the effects of vacuum insulation and high-temperature operation. The efficiency model can be expressed as:

$$\eta = rac{Q_u}{A_c \cdot I - Q_{loss}}$$

Where:

Q_{loss} = Total heat losses (W), including radiative and convective losses

3. Thermodynamic Models for Concentrating Collectors

Concentrating collectors, such as parabolic troughs and solar towers, use the following efficiency model:

$$\eta = rac{\eta_c \cdot \eta_{opt}}{1 + rac{\Delta T}{T_{ambient}}}$$

Where:

- η_c = Collector efficiency
- η_{opt} = Optical efficiency, accounting for the concentration ratio and optical losses
- ΔT = Temperature difference between the collector and the ambient





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 6, June 2025

|DOI: 10.15680/IJIRSET.2025.1406191|

4. System Efficiency Model

For an entire solar thermal system, the efficiency model combines collector efficiency with the performance of heat exchangers, storage, and distribution systems:

 $\eta_{sys} = \eta_c \cdot \eta_{hx} \cdot \eta_{stor} \cdot \eta_{dist}$

Where:

- η_{hx} = Heat exchanger efficiency
- η_{stor} = Storage efficiency
- η_{dist} = Distribution efficiency

IV. SECURITY

Principles and Benefits

- Enhanced Reliability: The integration of biomass energy provides a backup source of heat when solar energy is not sufficient, improving system reliability.
- **Improved Efficiency:** Hybrid systems can optimize the use of solar and biomass energy, increasing overall efficiency and reducing operational costs.

Recent Innovations

- Advanced Biomass Technologies: New biomass technologies offer improved performance and efficiency, enhancing the effectiveness of hybrid systems.
- **Optimized Integration:** Research focuses on optimizing the integration of solar thermal and biomass systems to maximize overall efficiency and performance.

4. Low-Cost and Sustainable Technologies

The development of cost-effective and ecologically sustainable solar thermal technology is being propelled by efforts to enhance sustainability and decrease expenses.

Minimal Cost Production

The cost of solar thermal components is coming down thanks to advances in manufacturing processes like 3D printing and improved materials processing.

Concepts and Advantages

- **Cost Reduction:** As a result of improved manufacturing processes, solar thermal technology is now more widely available and reasonably priced.
- **Creative Designs:** The development of creative designs and materials is made possible by sophisticated manufacturing techniques, which raises the effectiveness and performance of solar thermal systems.

Current Advancements

- **3D Printing:** Complex solar thermal components can be produced quickly and affordably with the use of 3D printing technology.
- Advanced Processing: The efficiency and cost-effectiveness of solar thermal systems are increased by better materials processing methods.





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 6, June 2025

|DOI: 10.15680/IJIRSET.2025.1406191|

V. RESULT AND DISCUSSION

To facilitate interpretation and analysis, the simulation and computation results are organized in an accessible manner. These findings are categorized according to the main topics of the investigation, including heat transfer processes, efficiency models, and innovative approaches to system design.

1. Simulation Findings

Data on the performance of various solar thermal system setups under different conditions were generated through simulations. Key outcomes include:

- **Thermal Efficiency:** An assessment was conducted on the effectiveness of three distinct collector types: evacuated tube, parabolic trough, and flat-plate. The efficiency varied according to ambient temperature, collector orientation, and solar irradiance, as demonstrated by the results.
- **Heat Loss:** The total heat loss from radiation, convection, and conduction for each system was measured. These losses were crucial when evaluating the overall performance of the systems.
- **Energy Production:** The total energy production of each system was computed over the course of a simulated year to determine the practical feasibility of each design.

2. Theoretical Calculations

Theoretical models indicated significant areas for improvement and provided estimates for the maximum efficiency that could be achieved. Key outcomes include:

- **Carnot Efficiency:** This metric served to gauge the potential for enhancement in real-world systems by providing a theoretical upper limit.
- **Collector Efficiency Factor:** This factor offered a more precise measure of efficiency, taking into account practical aspects like material properties and heat losses.

3. Evaluation via Comparison

The comparative study highlighted the advantages and disadvantages of various efficiency strategies:

- **Performance Comparison:** By comparing each system's efficiency to others, the best-performing designs for specific scenarios were identified.
- **Cost-Benefit Analysis:** The cost-effectiveness of each strategy was assessed, weighing upfront costs against long-term energy savings.

Readings and Interpretation of Results:-

Based on the theoretical model and the simulated results, we can interpret the performance behavior of the solar thermal system as follows:-

Inlet Temperature (°C)	Efficiency (%)	Interpretation		
30	~77.8	High efficiency due to minimal heat loss; ideal for early		
		morning or low-demand periods.		
40	~74.5	Slight drop, still efficient; good for moderate load		
		conditions.		
50	~71.3	Noticeable drop as temperature difference with ambient		
		increases.		
60	~68.0	Efficiency starts falling faster; heat loss through		
		conduction/convection increases.		
70	~64.8	System becomes less efficient; might indicate need for		
		insulation or better control.		
80	~61.5	Significant loss; not ideal for high-temp operations without		
		design enhancements.		

Readings at Different Inlet Temperatures;-





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 6, June 2025

|DOI: 10.15680/IJIRSET.2025.1406191|

Detailed Interpretation:

1. Heat Loss Dominance:

As the inlet temperature rises, the difference between the collector and ambient temperature increases. This intensifies heat loss through the collector surface, leading to a drop in efficiency.

2. Importance of Operating Conditions:

Operating the system at moderate temperatures (~30–50°C) yields maximum thermal efficiency. Applications requiring higher output temperatures may require multi-stage heating or evacuated tube collectors.

3. Graph Trend (From Figure 1):

The efficiency curve is linear and decreasing in this range, consistent with the theoretical expectation from the Hottel–Whillier–Bliss equation.

4. Practical Implication:

For systems like solar water heaters, it's optimal to circulate cooler water frequently to maximize energy extraction, rather than heating a small batch to a high temperature



Discussion

This section interprets the findings and discusses their implications within the broader context of optimizing solar thermal energy systems.

- 1. Analysis of Simulation Data
 - The simulation outcomes provided valuable insights into the effectiveness of different solar thermal systems:
 - **Efficiency Trends:** The observed trends in thermal efficiency across various systems highlighted the importance of optimizing collector design and material properties.
 - Effect of the Environment: The simulations demonstrated the significant impact of weather and geographic location on system performance, underscoring the necessity for site-specific modifications.

IJIRSET©2025





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 6, June 2025

|DOI: 10.15680/IJIRSET.2025.1406191|

Experimental Readings:-

Time (T)	Solar Radiation (W/m ²)	Inlet Temp (°C)	Outlet Temp (°C)	Ambient Temp (°C)	Flow Rate (L/min)
9 AM	500	28	35	27	2.0
11 AM	700	32	46	30	2.5
1 PM	850	35	54	33	3.0
3 PM	650	38	50	31	2.8
5 PM	400	34	39	29	2.2



VI. CONCLUSION

The study has yielded significant findings regarding the enhancement of solar thermal energy systems, emphasizing the significance of collector design, environmental considerations, and practical constraints. The results steer future research and development efforts and provide useful suggestions for improving system efficiency. Through implementation of the recommended measures and continued investigation, interested parties can strive toward more effective and long-lasting solar thermal energy solutions.





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 6, June 2025

|DOI: 10.15680/IJIRSET.2025.1406191|

REFERENCES

- 1. E. J. H. Ying You, A medium-temperature solar thermal power system and its efficiency optimisation.
- R. W. Y. W. W. L. J. S. Y. G. L Liu, Comprehensive analysis and optimization of combined cooling heating and power system integrated with solar thermal energy and thermal energy storage, 2023.
- 3. J. B. M. E. H. O Farges, Global optimization of solar power tower systems using a Monte Carlo algorithm: Application to a redesign of the PS10 solar thermal power plant.
- 4. J. M.-A. J. M.-V. LF González-Portillo, An analytical optimization of thermal energy storage for electricity cost reduction in solar thermal electric plants.
- 5. J. H. T. E. KM Powell, Dynamic optimization of a hybrid solar thermal and fossil fuel system.
- 6. R. Z. Anthony Rey, Multi-objective optimization of a residential solar thermal combisystem.
- 7. K. V. F. W. H. A. M Krause, Investigations on optimizing large solar thermal systems.
- 8. G. M. CN Antoniadis, Optimization of a building integrated solar thermal system with seasonal storage using TRNSYS, 2019.
- 9. C. D. P. F. L. N Aste, Optimization of Solar Thermal Fraction in PVT Systems.
- 10. A. F. W. G. P. Z. Z He, Optimization of the solar space heating system with thermal energy storage using datadriven approach, 2022.
- 11. S. D. P. A. SM Alirahmi, Multi-objective design optimization of a multi-generation energy system based on geothermal and solar energy, 2020.
- 12. M. B. A. N. MA Vakilabadi, Energy, exergy analysis and optimization of solar thermal power plant with adding heat and water recovery system.
- 13. K. Bataineh, Optimization analysis of solar thermal water pump.
- 14. Q. F. P. N. F. B. Y. W. Z. W. Y Jian, Design and optimization of solid thermal energy storage modules for solar thermal power plant applications.
- 15. A. A. J. M.-V. M. V. MJ Montes, Solar multiple optimization for a solar-only thermal power plant, using oil as heat transfer fluid in the parabolic trough collectors.
- 16. S. S. S. S. P. D. S Scolan, Dynamic optimization of the operation of a solar thermal plant, 2020.
- 17. E. W. A Lenert, Optimization of nanofluid volumetric receivers for solar thermal energy conversion.
- 18. T. K. Y. D. M. H. Y. H. T. Z. D Gao, Seasonal-regulatable energy systems design and optimization for solar energy year-round utilization, 2022.
- 19. R. H. H. S. A. B. MH Sadafi, Multi-objective optimization of solar thermal energy storage using hybrid of particle swarm optimization and multiple crossover and mutation operator.
- 20. E. E. W Yaïci, Performance prediction of a solar thermal energy system using artificial neural networks.
- 21. Y. A. M. A. S. R. M. B. A Allouhi, Design optimization of a multi-temperature solar thermal heating system for an industrial process.
- 22. M. C. C. L. Z. D. B Zhao, System-level performance optimization of molten-salt packed-bed thermal energy storage for concentrating solar power, 2018.
- 23. A. B. R. J. S. S. A. K. A Afzal, Optimizing the thermal performance of solar energy devices using meta-heuristic algorithms: A critical review, 2023.
- 24. B. S. J Assaf, Multi-objective sizing optimisation of a solar-thermal system integrated with a solar-hydrogen combined heat and power system, using genetic algorithm, 2018.









INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com