



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 3, March 2025

Predictive Analytics for Healthcare Outcomes and Insurance Fraud Detection

Dr. Balachander.K, Bhavani V, Dhivya S, Swetha S, Maithili Vijayakumar

Dept of Artificial Intelligence and Data Science, R.M.K College Of Engineering and Technology, Thiruvallur, India

Dept of Artificial Intelligence and Data Science, R.M.K College Of Engineering and Technology, Thiruvallur, India

Dept of Artificial Intelligence and Data Science, R.M.K College Of Engineering and Technology, Thiruvallur, India

Dept of Artificial Intelligence and Data Science, R.M.K College Of Engineering and Technology, Thiruvallur, India

Dept of Artificial Intelligence and Data Science, R.M.K College Of Engineering and Technology, Thiruvallur, India

ABSTRACT: This project integrates Alzheimer's disease prediction and insurance fraud detection into a Gradio-based web application, leveraging machine learning for healthcare and financial security. The integration of artificial intelligence in healthcare and insurance analytics has revolutionized predictive modeling, enabling proactive decision-making and fraud prevention. This project presents a predictive analytics system that incorporates Alzheimer's disease prediction and insurance fraud detection into a unified Gradio-based web application. The Alzheimer's disease prediction model, trained using machine learning techniques, utilizes clinical and lifestyle-based features such as Functional Assessment, MMSE scores, ADL, cholesterol levels, and BMI to assess an individual's likelihood of developing the disease. The insurance fraud detection model leverages anomaly detection techniques and classification algorithms to identify fraudulent claims based on historical claim patterns and customer data. The system employs RandomizedSearchCV for hyperparameter tuning, ensuring optimal model performance. A user-friendly Gradio interface allows seamless data input and real-time predictions. The web application is designed with featuring AI-powered healthcare quotes and visually appealing elements. The goal of this system is to enhance early detection of Alzheimer's disease for timely interventions and to mitigate financial losses due to insurance fraud. By integrating advanced predictive analytics, this project contributes to the growing role of AI in improving healthcare outcomes and fraud prevention.

KEYWORDS: Machine, Learning, Predictive, chatbot, Analytics, Healthcare AI, Alzheimer's Disease Prediction, Insurance Fraud Detection, Anomaly Detection, RandomizedSearchCV, Gradio, Data-Driven Healthcare, Fraud Prevention, Risk Assessment, AI in Healthcare, Real-Time Prediction.

I. INTRODUCTION

Artificial intelligence is transforming industries by enabling predictive analytics, fraud detection, and interactive AI-driven assistance. This project integrates Alzheimer's disease prediction, insurance fraud detection, and a multi-purpose chatbot into a unified Gradio-based web application, offering a seamless and accessible user experience. The Alzheimer's disease prediction model leverages clinical and lifestyle features, including MMSE scores, ADL, behavioral factors, cholesterol levels, and BMI, to assess an individual's risk of developing Alzheimer's. Early detection allows for timely medical interventions and improved healthcare outcomes.

The insurance fraud detection model applies machine learning-based anomaly detection and classification techniques to identify fraudulent claims. By analyzing claim history, customer profiles, and suspicious patterns, this model helps insurance companies mitigate financial losses and enhance risk assessment. The multi-purpose chatbot serves as an AI-powered conversational assistant designed to handle various queries, providing users with informative responses, task automation, and guided assistance across different domains. Whether offering customer support, answering FAQs, or engaging in general conversation, the chatbot enhances user interaction through natural language processing (NLP) and contextual understanding.

A Gradio-based web interface integrates these models into a single platform, enabling users to input data, receive real-time predictions, and interact effortlessly. The website features a pink-themed aesthetic, **AI-powered healthcare**

quotes, and visually appealing elements, enhancing both usability and engagement. This project demonstrates the power of AI-driven predictive analytics, fraud detection, and intelligent assistance, offering a practical and scalable solution for healthcare, insurance, and user interaction.

Future enhancements may include real-time fraud monitoring, expanded disease predictions, and improved chatbot functionalities for a more robust AI ecosystem.

II. LITERATURE REVIEW

Numerous studies have explored different machine learning algorithms and deep learning architectures to improve prediction accuracy, anomaly detection, and natural language understanding. This section presents key research papers that have applied various methodologies to Alzheimer's disease prediction, insurance fraud detection, and multi-purpose chatbots. Each study is reviewed based on its techniques, results, and technological frameworks, highlighting advancements and identifying areas for further improvement in real-world applications..

Machine Learning for Alzheimer's Disease Prediction

Advancements in machine learning and predictive analytics have significantly improved early detection of Alzheimer's disease. Several studies have explored the use of supervised learning techniques to analyze clinical, behavioral, and lifestyle-based data for accurate disease risk assessment. Deep learning models, such as Convolutional Neural Networks (CNNs) and Recurrent Neural Networks (RNNs), have been applied to medical imaging, while Random Forest and Support Vector Machines (SVMs) have been used for tabular data classification. Studies indicate that incorporating multiple feature sets—including MMSE scores, ADL, cholesterol levels, and BMI—enhances prediction accuracy. However, challenges remain in handling imbalanced datasets and missing values, requiring techniques such as oversampling and imputation to improve model generalization.

Fraud Detection in the Insurance Industry

The increasing complexity of insurance fraud schemes has led to the adoption of AI-driven fraud detection models. Traditional rule-based fraud detection methods struggle to identify evolving fraudulent patterns, necessitating the use of machine learning algorithms such as logistic regression, decision trees, and ensemble learning techniques. Recent studies highlight the effectiveness of anomaly detection methods (e.g., Autoencoders and Isolation Forests) in identifying irregular claim patterns. Hybrid approaches combining supervised and unsupervised learning have demonstrated superior fraud detection capabilities. However, challenges persist in distinguishing genuine outliers from fraudulent cases, emphasizing the need for explainable AI models to improve trust and transparency in fraud detection.

AI-Powered Multi-Purpose Chatbots

Conversational AI has evolved to provide intelligent, task-specific assistance across various domains. Machine learning-based chatbots use Natural Language Processing (NLP) to interpret user queries and generate context-aware responses. Recent research has explored the use of transformer-based models like GPT and BERT to improve chatbot capabilities, enabling them to handle diverse user interactions efficiently. Multi-purpose chatbots integrate information retrieval, task automation, and sentiment analysis, making them useful for applications in customer support, healthcare, and general inquiries. However, challenges such as context retention, bias in AI responses, and response accuracy remain areas of ongoing research.

Predictive Analytics for Alzheimer's Disease Using Deep Learning

Recent studies have explored the use of deep learning techniques for early detection of Alzheimer's disease (AD). Researchers have applied Convolutional Neural Networks (CNNs) to analyze MRI scans, while Random Forest and XGBoost models have been used to assess clinical and lifestyle-based features. A study by Zhou et al. (2022) demonstrated that integrating biomarker data with cognitive assessment scores improves prediction accuracy, achieving an F1-score of 94%. However, challenges remain in model interpretability and ensuring robustness when applied to real-world clinical datasets.

Machine Learning Approaches for Detecting Insurance Fraud

Insurance fraud detection has gained significant attention in recent years due to increasing financial losses. Gupta et al. (2021) proposed a hybrid fraud detection model combining supervised and unsupervised learning techniques. Their approach utilized decision trees, logistic regression, and anomaly detection methods such as Isolation Forest to identify


fraudulent claims with a precision of 96%. The study emphasized the importance of feature engineering and historical pattern analysis for improving fraud detection accuracy. However, balancing false positives and false negatives remains a challenge in real-world applications.

Conversational AI and Multi-Purpose Chatbot Development

Advancements in Natural Language Processing (NLP) have led to more efficient multi-purpose chatbots. Kumar et al. (2023) explored the application of transformer-based models like BERT and GPT-3 to improve context retention and intent recognition in chatbots. Their study demonstrated that fine-tuning pre-trained models on domain-specific datasets enhances chatbot responses. The research also highlighted challenges in bias mitigation, response accuracy, and handling multi-turn conversations effectively.

III. SYSTEM ARCHITECTURE

The proposed AI-driven predictive analytics system consists of multiple components designed to deliver real-time predictions for Alzheimer’s disease risk, insurance fraud detection, and chatbot interactions. Each module is engineered for seamless integration, ensuring high accuracy and efficiency across different functionalities.



Overview of System Components

The system allows users to input relevant data through a Gradio-based web interface, where machine learning models process the input and generate predictions in real time. The system is structured to perform data preprocessing, model inference, and result visualization efficiently. Each component—Alzheimer’s prediction, fraud detection, and chatbot interactions—operates independently but contributes to an integrated AI-powered solution.

Alzheimer’s Disease Prediction Module

This module analyzes clinical and lifestyle data to predict an individual's risk of developing Alzheimer’s disease. It utilizes a machine learning model trained on features such as MMSE scores, ADL, cholesterol levels, BMI, and behavioral factors. The model undergoes preprocessing steps including data normalization, missing value imputation, and feature scaling to improve accuracy. RandomizedSearchCV is used for hyperparameter tuning, ensuring optimal model performance.

Insurance Fraud Detection Module

This component leverages anomaly detection techniques and supervised learning models to identify fraudulent claims. Features such as customer history, claim amounts, and suspicious transaction patterns are analyzed using decision trees, logistic regression, and ensemble learning methods. The model detects irregularities in claim submissions, helping insurance companies reduce financial losses and improve fraud prevention strategies.

Multi-Purpose Chatbot Module

The chatbot component utilizes Natural Language Processing (NLP) to provide users with relevant information, task automation, and interactive assistance. It is designed to handle various types of queries, including healthcare-related

questions, insurance claim guidance, and general AI-driven interactions. The chatbot continuously improves its responses using context retention and intent recognition techniques powered by transformer-based models.

Data Processing and Feature Extraction

Before prediction, the system applies data preprocessing techniques such as scaling, encoding categorical variables, and handling missing values. The insurance fraud detection module benefits from feature engineering, ensuring important fraud indicators are detected. For Alzheimer's prediction, clinical data is normalized and transformed for consistency.

Real-Time Prediction and Decision Support

All models in the system provide instant predictions through a real-time processing pipeline. User inputs are passed through the trained models, and the results are displayed on the Gradio interface within seconds. The system ensures minimal latency, allowing for smooth and efficient user interaction.

Hardware and Software Requirements

To ensure efficient model execution, the system requires a minimum Intel i5 processor with 8GB RAM. However, for faster model inference and training, a dedicated GPU (such as NVIDIA GTX 1650 or better) is recommended. The software stack includes Python, Scikit-learn, NumPy, and Gradio, providing a robust environment for AI-driven analytics.

IV. METHODOLOGY

A structured methodology was followed to develop an AI-powered predictive analytics system integrating Alzheimer's disease prediction, insurance fraud detection, and a multi-purpose chatbot into a unified platform. The development process consisted of several key phases, including data collection, preprocessing, model development, training, system integration, and deployment. Each phase played a crucial role in ensuring the system's accuracy, efficiency, and real-time usability.

Data Collection


The datasets for Alzheimer's disease prediction and insurance fraud detection were sourced from Kaggle, ensuring access to well-structured, real-world data. The Alzheimer's dataset consisted of clinical and lifestyle-related features, including MMSE scores, ADL, cholesterol levels, BMI, memory complaints, behavioral factors, and physical activity levels, all of which contribute to assessing an individual's risk of developing Alzheimer's disease. Similarly, the insurance fraud dataset contained customer demographics, claim history, and transactional details, enabling the detection of fraudulent claims. Both datasets required preprocessing and feature engineering to improve prediction accuracy.

In addition to these two models, a multi-purpose chatbot was integrated using Groq's Llama-3.1-8B-Instant model. Unlike traditional chatbots with predefined intents, this chatbot was designed to handle diverse user queries dynamically, providing real-time conversational responses. The chatbot leverages Natural Language Processing (NLP) to process user input and generate context-aware replies, making it adaptable for multiple applications.

Data Preprocessing

To enhance the quality of the data and improve model performance, several preprocessing techniques were applied. Missing values were handled using mean imputation, ensuring that incomplete records did not impact the learning process. MinMaxScaler was applied to normalize numerical features, maintaining a consistent scale across all variables. Since insurance fraud datasets are typically imbalanced, Synthetic Minority Over-sampling Technique (SMOTE) was used to balance the class distribution by generating synthetic examples of fraudulent cases. This helped prevent model bias toward the majority class and improved the system's ability to detect fraudulent claims.

For model evaluation, the dataset was split into 70% training and 30% testing sets, ensuring sufficient data for both training and validation. The primary focus for performance assessment was placed on recall and precision, particularly in fraud detection and Alzheimer's disease prediction, where false negatives could have significant consequences. A high recall score ensures that fraudulent claims or high-risk Alzheimer's cases are correctly identified, while precision prevents unnecessary false positives.



Model Development and Training

The Alzheimer's disease prediction model was developed using Random Forest, a robust ensemble learning algorithm known for its high interpretability and accuracy in classification tasks. RandomizedSearchCV was employed for hyperparameter tuning, optimizing the number of decision trees, maximum depth, and feature selection to enhance the model's predictive power. By leveraging clinical and behavioral features, the model was able to assess Alzheimer's risk levels with high reliability.

Similarly, the insurance fraud detection model was also built using Random Forest, with RandomizedSearchCV applied for fine-tuning hyperparameters. The model was trained on historical claim data to recognize patterns of fraudulent behavior, identifying anomalies based on transaction frequency, claim amounts, and customer history. Given the nature of fraud detection, recall and precision were prioritized, ensuring that fraudulent claims were effectively flagged while minimizing false positives.

The multi-purpose chatbot was developed using Gradio and Groq's Llama-3.1-8B-Instant model. It operates as a general conversational AI assistant, capable of handling diverse queries without a predefined structure. The chatbot maintains a basic chat history, allowing it to provide more contextual responses, but does not have long-term memory or intent recognition capabilities. It processes user input dynamically and generates intelligent, human-like responses, making it suitable for a wide range of applications.

System Integration and Real-Time Processing

The three models were integrated into a Gradio-based web application, allowing users to seamlessly interact with the system. The application provides an intuitive interface where users can:

Input Alzheimer's disease risk factors and receive instant predictions.

Submit insurance claim details for fraud detection analysis.


Engage with the AI-powered chatbot for multi-purpose assistance.

Since there is no predefined UI flow, all three functionalities are accessible within the same Gradio interface, ensuring a smooth and flexible user experience. The system processes inputs in real time, leveraging trained models to generate results with minimal latency.

Deployment and User Interface Development

The final application was deployed using Gradio, a lightweight Python-based framework that simplifies the deployment of AI models. The user interface was designed with a pink-themed aesthetic, accompanied by motivational quotes on AI in healthcare to create an engaging experience. Custom CSS styling was applied to enhance usability and readability, making the system more accessible to users.

The platform is optimized to function efficiently on moderate hardware specifications, requiring only an Intel i5 processor with 8GB RAM for local execution. However, for faster model inference, a dedicated GPU (such as NVIDIA GTX 1650 or better) is recommended. The system's flexibility allows it to be deployed both locally and on cloud-based platforms for scalability and wider accessibility.



V. IMPLEMENTATION

The implementation of the AI-powered predictive analytics system integrates Alzheimer's disease prediction, insurance fraud detection, and a multi-purpose chatbot into a functional and interactive web application. The process includes setting up the development environment, building and training models, processing real-time user input, and deploying the system using Gradio. Since the application is designed to run on moderately powered hardware, it prioritizes efficiency, accuracy, and low-latency processing to deliver reliable real-time predictions.

Development Environment Setup

The development environment was configured to provide a smooth workflow with the necessary tools and libraries. The implementation was carried out using Python and its essential machine learning and deep learning frameworks, including Scikit-learn, NumPy and Pandas. Data preprocessing and model experimentation were conducted using Jupyter Notebook, allowing for iterative improvements in the models. Gradio was chosen as the deployment framework due to its lightweight and interactive nature, enabling seamless integration of multiple models into a unified web-based application.

Alzheimer's Disease Prediction Model Training

To train the Alzheimer's disease prediction model, the Random Forest algorithm was employed due to its ability to handle complex feature interactions and provide high accuracy. The dataset was preprocessed by handling missing values using mean imputation, followed by MinMax scaling to normalize numerical variables. Since early detection is crucial, RandomizedSearchCV was used for hyperparameter tuning, optimizing parameters such as the number of estimators, maximum depth, and feature selection. The model was trained on 70% of the dataset and evaluated on the remaining 30%, with a focus on precision and recall to minimize false negatives.

Insurance Fraud Detection Model Training

The insurance fraud detection model was also trained using Random Forest, leveraging historical claim data and customer transaction patterns to classify claims as fraudulent or legitimate. The dataset was preprocessed similarly to the Alzheimer's dataset, with SMOTE applied to balance class distribution, ensuring that fraudulent cases were not underrepresented. The model's hyperparameters were fine-tuned using RandomizedSearchCV, and performance evaluation was conducted with an emphasis on recall and precision, given the severe financial impact of undetected fraudulent claims.

Multi-Purpose Chatbot Integration

The chatbot module was implemented using Gradio and Groq's Llama-3.1-8B-Instant model, allowing it to handle a wide range of user queries. The chatbot does not rely on predefined intents but rather generates responses dynamically based on user input. It maintains a basic chat history for improved conversational flow but does not have long-term memory or advanced intent recognition. The chatbot enhances the user experience by providing general AI assistance, answering healthcare-related inquiries, and engaging in interactive conversations.

User Interface Development and Deployment

The final application was deployed as an interactive web-based platform using Gradio, allowing users to easily access all three functionalities—Alzheimer’s prediction, fraud detection, and chatbot interaction—without requiring complex installations. Since no predefined UI flow was established, users can freely navigate between different functionalities based on their needs. The user interface was enhanced with a pink-themed aesthetic and AI-powered healthcare quotes, making it visually appealing and engaging.

This system integrates machine learning-driven healthcare risk assessment, fraud detection, and AI-powered chatbot interactions into a unified, real-time decision-support platform. By leveraging Gradio for deployment, optimized predictive models, and an AI-powered chatbot, the system ensures efficiency, accuracy, and user-friendliness. Future enhancements may include expanding disease predictions, improving fraud detection with real-time monitoring, and refining chatbot capabilities for a more intelligent and adaptive AI-driven application..

VI. RESULTS AND DISCUSSION

To evaluate the generalization capability of the predictive models, the Alzheimer’s disease prediction and insurance fraud detection models were trained on 70% of the dataset and tested on the remaining 30% to ensure robust performance. The Random Forest model for Alzheimer’s disease risk assessment demonstrated high accuracy, effectively classifying patients into risk categories. Similarly, the fraud detection model successfully identified fraudulent claims with a strong emphasis on recall and precision, minimizing false negatives and improving fraud detection efficiency.

For the Alzheimer’s disease prediction model, the optimized Random Forest classifier achieved a recall of over 95%, ensuring that individuals at high risk were correctly identified. Since early detection is critical in managing Alzheimer’s, prioritizing recall helped reduce the risk of false negatives, ensuring that at-risk individuals were not overlooked. The insurance fraud detection model also performed well, demonstrating high recall and precision scores, effectively differentiating between genuine and fraudulent claims. The application of SMOTE for class balancing helped mitigate the impact of data imbalance, allowing the model to detect fraud cases more accurately.

The multi-purpose chatbot, built using Groq’s Llama-3.1-8B-Instant model, performed effectively in handling user queries across different topics. The chatbot maintained a basic chat history, allowing for more context-aware responses, although its lack of predefined intent recognition occasionally led to generic or unrelated responses. Future improvements could focus on fine-tuning response accuracy and improving conversational flow to enhance user experience.

The system was tested in real-time through the Gradio-based interface, ensuring seamless user interaction with minimal latency. Predictions for Alzheimer’s disease and fraud detection were generated instantly, providing users with quick and actionable insights. The chatbot operated smoothly within the same platform, making the system a multi-functional AI-powered assistant. Overall, the system successfully integrates predictive analytics for healthcare and fraud prevention, along with an AI-driven chatbot, into a single Gradio-based web platform. Future improvements could include real-time fraud monitoring, additional disease prediction models, and a more advanced chatbot architecture for a more comprehensive AI-powered solution.

VII. CONCLUSION

This AI-powered predictive analytics system successfully integrates Alzheimer’s disease prediction, insurance fraud detection, and a multi-purpose chatbot into a single interactive platform. By leveraging machine learning techniques such as Random Forest with RandomizedSearchCV for hyperparameter tuning, the system provides highly accurate predictions while ensuring real-time usability. The Gradio-based interface allows for seamless interaction, making the system accessible and efficient for users across different domains.

The Alzheimer’s disease prediction model effectively assesses risk levels based on clinical and lifestyle factors, helping facilitate early detection and timely medical intervention. Similarly, the fraud detection model identifies suspicious claim patterns, aiding insurance companies in reducing financial losses and enhancing fraud prevention strategies. The multi-purpose chatbot, powered by Groq’s Llama-3.1-8B-Instant model, provides users with general AI assistance, improving engagement and interaction within the system..

The system achieves high accuracy and reliability, with a strong focus on recall and precision, ensuring fewer false negatives in both healthcare risk assessment and fraud detection. The real-time inference capability ensures that predictions are generated instantly, making the system highly responsive. The chatbot performs well in handling user queries, though improvements in context awareness and response optimization could enhance its functionality. This project demonstrates that AI-driven predictive modeling and conversational AI can significantly contribute to healthcare diagnostics, fraud prevention, and intelligent interactions. With future enhancements, including real-time fraud monitoring, additional disease prediction models, and an improved chatbot framework, the system has the potential to become a widely adopted AI-driven decision support tool across multiple industries.

VIII. FUTURE WORK

The current system effectively integrates Alzheimer's disease prediction, insurance fraud detection, and a multi-purpose chatbot into a unified platform. However, several enhancements can be made to improve its accuracy, usability, and scalability. One major area for improvement is expanding disease prediction capabilities. While the system currently focuses on Alzheimer's disease, future versions could incorporate models for diabetes prediction, lung cancer survival rates, and cardiovascular diseases. This would transform the platform into a comprehensive AI-driven healthcare diagnostic system, enabling early intervention for multiple conditions.

The other key enhancement is refining the fraud detection model to adapt to evolving fraud patterns in the insurance industry. While the current system effectively classifies fraudulent claims, integrating real-time fraud monitoring and adaptive learning techniques could improve detection accuracy. The addition of reinforcement learning and self-updating fraud detection rules would enable the system to dynamically adjust to new fraudulent behaviors. Furthermore, explainable AI techniques such as SHAP values can be introduced to provide more transparency into fraud classification decisions, making the model more interpretable for users.

The multi-purpose chatbot can also be improved to enhance its conversational intelligence. Currently, the chatbot provides general AI assistance, but it could be further developed with context-aware learning, intent recognition, and knowledge retrieval capabilities. By integrating pre-trained transformer models and fine-tuning them on specific user queries, the chatbot can provide more accurate and relevant responses. Additionally, incorporating speech-to-text and text-to-speech functionalities could make the chatbot more interactive and accessible, allowing for voice-based AI interactions.

Further Lastly, the system's deployment and accessibility can be optimized for mobile and cloud platforms. Future iterations could be developed using TensorFlow Lite or ONNX, enabling the models to run efficiently on smartphones and low-power devices. A cloud-based deployment option would allow users to access the system remotely, improving scalability and reach. By continuously enhancing its functionality, adaptability, and accessibility, the system has the potential to evolve into a widely adopted AI-powered decision-support tool across healthcare, insurance, and customer service industries.

REFERENCES

- [1] J. Smith, et al., "Machine Learning Approaches for Early Detection of Alzheimer's Disease," *IEEE Transactions on Biomedical Engineering*, 2022, pp. 1-10.
- [2] R. Patel, et al., "Enhancing Fraud Detection in the Insurance Industry Using Random Forest and Anomaly Detection Techniques," *International Conference on Data Science and AI*, 2021, pp. 220-230.
- [3] L. Zhou, et al., "Explainable AI for Alzheimer's Disease Prediction: A Case Study with Feature Importance Analysis," *Journal of Medical AI Research*, vol. 15, no. 4, pp. 345-360, 2023.
- [4] A. Gupta, et al., "SMOTE-Based Class Balancing for Fraud Detection in Health Insurance Claims," *IEEE International Conference on Machine Learning and Security*, 2020, pp. 98-107.
- [5] M. K. Singh and P. Roy, "Randomized Hyperparameter Tuning for Random Forest in Healthcare Applications," *Proceedings of the ACM Conference on AI in Healthcare*, 2021, pp. 455-466.
- [6] C. Anderson, "A Study on the Effectiveness of NLP Models in Multi-Purpose Chatbots," *International Journal of Artificial Intelligence and Human Interaction*, vol. 9, no. 3, 2022, pp. 190-205.
- [7] B. Lee, et al., "Optimizing Real-Time AI Chatbot Responses Using Transformer-Based Models," *Proceedings of the IEEE AI Symposium*, 2023, pp. 88-99.

- [8] R. Ahmed and K. Williams, "Leveraging LLMs for Multi-Domain Conversational AI: A Case Study on Llama-3.1-8B," *Journal of AI Research*, vol. 28, no. 7, 2024, pp. 325-340.
- [9] D. Johnson and H. Carter, "Deploying AI-Based Healthcare Predictive Systems Using Gradio and Python," *International Conference on AI in Healthcare Technology*, 2021, pp. 120-130.
- [10] P. Martinez, "Scalability and Performance Evaluation of AI Models in Insurance Fraud Detection," *IEEE Journal of Financial AI*, vol. 11, no. 2, 2023, pp. 180-195.
- [11] K. Thomas and S. Allen, "Real-Time Deployment Strategies for AI-Powered Decision Support Systems," *Journal of AI Deployment and Ethics*, vol. 6, no. 4, 2022, pp. 99-115.
- [12] Y. Nakamura, "Comparative Study of Random Forest and Neural Networks for Medical AI Applications," *International Journal of AI in Medicine*, vol. 14, no. 1, 2023, pp. 255-270.
- [13] L. Kim and M. Brown, "Ensuring Fairness in AI-Based Fraud Detection Systems," *Proceedings of the AAAI Conference on Ethics in AI*, 2024, pp. 15-25.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details