



# International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

*(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)*



**Impact Factor: 8.699**

**Volume 14, Issue 3, March 2025**

# AI Driven Vitamin Deficiency Detection

Md.Sayeed<sup>1</sup>, Tejaswini Maravajjula<sup>2</sup>, Vyshnavi Koppolu<sup>3</sup>, Naga Kusuma S<sup>4</sup>, Saketh joshi G<sup>5</sup>

Assistant Professor, Department of Computer Science Engineering with Artificial Intelligence and Machine Learning,

Vasireddy Venkatadri Institute of Technology, Nambur, Guntur, Andhra Pradesh, India<sup>1</sup>

Students, Department of Computer Science Engineering with Artificial Intelligence and Machine Learning, Vasireddy

Venkatadri Institute of Technology, Nambur, Guntur, Andhra Pradesh, India<sup>2,3,4,5</sup>

**ABSTRACT:** Manual diagnosis of vitamin deficiencies based on skin conditions is a time-consuming and error-prone process in healthcare. Variations in symptoms and overlapping features between different deficiencies further complicate accurate diagnosis, leading to potential misdiagnoses and treatment delays. To address these challenges, this paper presents an AI-Driven Vitamin Deficiency Detection System that utilizes a VGG-based deep learning model for feature extraction and a Random Forest classifier for final classification. The system processes skin images, extracts relevant features using VGG, and applies Random Forest to classify the deficiency type. By providing real-time predictions, the model assists healthcare professionals in early diagnosis, improving treatment outcomes and reducing manual effort. The proposed solution enhances the efficiency and reliability of vitamin deficiency detection, enabling faster and more accurate medical assessments.

**KEYWORDS:** Vitamin Deficiency Detection, Deep Learning, VGG, Random Forest, Medical Image Processing, Automated Diagnosis, Feature Extraction, AI in Healthcare, Skin Analysis, Machine Learning in Medicine.

## I. INTRODUCTION

The growing prevalence of vitamin deficiencies has become a significant global health concern, affecting millions of individuals due to poor dietary habits, lifestyle changes, and genetic factors. Early detection of deficiencies is crucial for preventing long-term health complications, but traditional diagnostic methods often rely on manual examination and blood tests, which can be time-consuming, costly, and inaccessible in remote areas. To address these challenges, our project, "**AI-Driven Vitamin Deficiency Detection**," introduces an automated diagnostic system that leverages **deep learning and machine learning techniques** to analyze skin images for deficiency patterns.

This study proposes a **hybrid approach**, utilizing a **VGG-based deep learning model** for feature extraction and a **Random Forest classifier** for final classification. VGG efficiently captures intricate patterns in skin textures, while Random Forest enhances classification accuracy by handling complex decision boundaries. By integrating these models, the system improves the reliability of vitamin deficiency predictions, assisting healthcare professionals with early-stage diagnosis and personalized treatment recommendations.

Existing research in medical image processing has primarily focused on disease classification using deep learning architectures. Krizhevsky et al. [1] introduced CNN-based image classification, which significantly improved feature extraction in medical imaging. Simonyan and Zisserman [2] proposed VGG networks, demonstrating their effectiveness in capturing spatial hierarchies. Meanwhile, Breiman [3] developed Random Forest, a robust ensemble learning technique widely used for medical decision-making. Our approach builds upon these advancements by applying **VGG for deep feature extraction and Random Forest for classification**, optimizing both accuracy and interpretability in vitamin deficiency detection.

Entity recognition in medical imaging is another critical factor. Zhang et al. [4] demonstrated how automated image-based diagnostics enhance disease detection accuracy. Additionally, Sharma et al. [5] explored hybrid models for medical predictions, showing that combining deep learning and traditional classifiers can improve diagnostic performance. Our system aligns with these findings by integrating **CNN-based feature extraction with machine learning classification**, offering a **scalable, efficient, and cost-effective solution for early vitamin deficiency diagnosis**.



## II. LITERATURE REVIEW

The advancement of artificial intelligence (AI) in healthcare has led to significant progress in medical diagnostics, particularly in **automated image-based disease detection**. Traditional diagnostic methods for **vitamin deficiencies** often involve **clinical examinations and blood tests**, which can be time-consuming and resource-intensive. Recent studies have explored the role of **deep learning and machine learning** in medical image analysis, enabling **automated feature extraction, classification, and early detection** of health conditions. This review discusses **relevant literature on deep learning models, ensemble classifiers, and AI-based diagnostic systems**, with a focus on **VGG-based feature extraction and Random Forest classification** for vitamin deficiency detection.

### A. Deep Learning in Medical Image Processing

Convolutional Neural Networks (CNNs) have been widely used in **medical image analysis** due to their capability to **extract spatial and hierarchical features**. Krizhevsky et al. [1] introduced **AlexNet**, a CNN model that revolutionized **image classification**, while Simonyan and Zisserman [2] proposed **VGG**, which improved feature extraction using **deep hierarchical layers**. VGG has been successfully applied in **skin disease classification and medical diagnostics**, proving its effectiveness in extracting fine-grained features from **dermatological images**.

Several studies have validated the **efficacy of deep learning** in dermatological assessments. Esteva et al. [3] demonstrated that **CNNs could classify skin conditions with accuracy comparable to dermatologists**. Similarly, Han et al. [4] used deep learning for **pigmentation analysis**, providing valuable insights into **skin-related deficiencies**. These findings highlight the potential of **VGG networks** in detecting **visual patterns linked to vitamin deficiencies**.

### B. Random Forest for Medical Classification

While CNNs excel in **feature extraction**, traditional classifiers like **Random Forest** offer robust **decision-making capabilities**. Breiman [5] introduced **Random Forest**, an ensemble learning technique that enhances **classification accuracy** by combining multiple decision trees. This approach has been widely used in **predictive analytics**, particularly in **disease classification**.

Huang et al. [6] applied **Random Forest in dermatological analysis**, achieving high classification accuracy for **skin diseases and deficiencies**. Similarly, Zhao et al. [7] demonstrated that **Random Forest models outperform traditional classifiers in medical imaging tasks**, particularly when combined with **deep feature extraction techniques**. These studies support our proposed approach of using **VGG-based feature extraction with a Random Forest classifier** to improve the **accuracy and interpretability of vitamin deficiency detection**.

### C. Hybrid Models in AI-Driven Diagnostics

Recent research emphasizes the importance of **hybrid AI models**, integrating deep learning with traditional machine learning classifiers for **enhanced performance**. Islam et al. [8] explored **CNN-SVM hybrid models**, showing that **combining deep learning features with machine learning classifiers improves medical prediction accuracy**. Likewise, Jain et al. [9] demonstrated that **deep feature extraction combined with ensemble classifiers like Random Forest** leads to superior **classification accuracy and generalization in medical imaging**.

The integration of **VGG and Random Forest** aligns with these findings, leveraging **deep feature extraction with a robust classifier** for vitamin deficiency detection. By combining the strengths of **CNN-based feature learning and ensemble-based decision-making**, our approach enhances **diagnostic reliability and scalability** for **automated vitamin deficiency screening**.

## III. METHODOLOGY

This project follows a structured approach for **vitamin deficiency detection** using deep learning (**VGG16**) and machine learning (**Random Forest**). The system processes **image-based data** to classify deficiencies and provide personalized recommendations. The methodology consists of several phases to ensure accuracy, efficiency, and a seamless user experience.

The **requirement analysis** phase defines the system's core functionalities, ensuring alignment with user needs. The system is designed to analyze facial and skin images, classify vitamin deficiencies, store user data in an **SQLite** data-

base, and provide dietary recommendations. The **system design** involves multiple interacting modules: an **image processing module**, a **deep learning model for feature extraction (VGG16)**, a **Random Forest classifier for deficiency prediction**, a **Flask-based backend** for data handling, and an **HTML & CSS frontend** for an intuitive user interface.

For **model implementation**, the dataset is organized into folders, each representing a specific vitamin deficiency. **VGG16** extracts deep features from images, which are then used as input to the **Random Forest classifier** for classification. If no clear deficiency is detected, the system returns "**No Deficiency.**" The **backend**, developed in **Python and Flask**, handles image processing, model execution, data storage, and API responses to the frontend. The **frontend**, built with **HTML and CSS**, allows users to upload images, view predictions, and receive dietary recommendations.

Rigorous **testing and performance evaluation** is conducted to validate the system. This includes dataset validation, model accuracy testing, error analysis, and user feedback testing to refine predictions and user experience. Finally, the system is **deployed using Flask**, with the **SQLite database** efficiently managing user data and predictions. This structured methodology ensures a robust, scalable, and user-friendly solution for vitamin deficiency detection.




Fig.1 System Architecture

#### IV. EXISTING SYSTEM

Many existing models struggle with **misclassifications**, often failing to differentiate between deficient and non-deficient cases accurately. Factors such as **variations in skin tone**, **uneven lighting conditions**, and **low-resolution images** contribute to reduced accuracy. Without proper image preprocessing, these inconsistencies lead to incorrect predictions.

Many existing systems do not employ sufficient **image preprocessing methods** to enhance image quality before feeding them into the model. **Noise**, **poor contrast**, and **background distractions** can lead to reduced efficiency in feature extraction, impacting classification performance. Some models fail to provide consistent results due to **poor feature extraction and weak classification algorithms**. Neural networks alone may not fully capture the intricate relationships

between visual symptoms and vitamin deficiencies. Moreover, models trained without **proper hyperparameter tuning and optimization techniques** often produce fluctuating predictions

## V. PROPOSED SYSTEM

The **Vitamin Deficiency Detection System** is designed to identify deficiencies using a combination of **deep learning and machine learning** techniques. Our approach utilizes **VGG16** for feature extraction and **Random Forest** for classification. The dataset is structured into folders, with each folder name corresponding to a specific deficiency label.

### a) Processing Pipeline

The system begins by preprocessing input images to improve feature clarity. This includes **resizing, normalization, and data augmentation** such as **random rotations, brightness adjustments, and contrast enhancements** to make the model more adaptable to variations in lighting, skin tones, and image quality.

Once preprocessed, images are passed through **VGG16**, a convolutional neural network pre-trained on ImageNet. The extracted features are then fed into a **Random Forest classifier**, which makes predictions based on decision trees, offering a balance between interpretability and performance.

### b) System Architecture

The backend is implemented using **Python and Flask**, providing an efficient API for handling requests and serving model predictions. The **SQLite database** stores processed image data, user details, and system logs. The frontend, developed with **HTML and CSS**, offers a simple interface where users can upload images and receive predictions along with dietary recommendations.

### c) Model Training and Optimization

The dataset was split into **training (70%), validation (20%), and testing (10%)** sets. To improve model performance, **hyperparameter tuning** was performed using grid search, optimizing parameters such as learning rate, batch size, and tree depth. **Early stopping** was applied to prevent overfitting by halting training when validation loss stopped improving over multiple epochs.

### d) Performance and Results

The system achieved a **moderate accuracy of 80%**, which, while not perfect, demonstrates its potential in detecting vitamin deficiencies. The integration of **Random Forest with deep feature extraction** improved prediction stability. However, challenges such as **misclassification due to variations in skin conditions, lighting, and image resolution** remain areas for further refinement. Future improvements will focus on expanding the dataset, enhancing preprocessing techniques, and exploring more advanced architectures to boost performance.

Despite its limitations, the system provides a **functional and scalable approach** for preliminary vitamin deficiency detection, offering users dietary recommendations based on model predictions.

## VI. MODEL EVALUATION

### 6.1 Precision and Recall Analysis:

Precision and recall are basic metrics for measuring the performance of an object detection model.

Precision measures the number of correctly identified malpractice cases out of the total number of instances labeled as malpractice by the model.

$$\text{Precision} = \frac{\text{TruePositives}}{\text{TruePositives} + \text{FalsePositives}}$$

Recall, also referred to as sensitivity, calculates the ratio of correctly detected malpractice cases to the total number of actual malpractice cases in the dataset.

$$\text{Recall} = \frac{\text{TruePositives}}{\text{TruePositives} + \text{FalseNegatives}}$$

Precision-Recall (PR) curve was plotted to examine the precision-recall trade-off at different confidence thresholds. The area under the PR curve reflects the model's overall detection ability. The greater the area under the curve, the better the precision-recall balance.




Fig.2 Precision-Recall Curve

A Precision-Confidence Curve was examined, which showed variation in precision at varying levels of confidence. A model with high precision even at lower confidence scores indicates that it can make the correct predictions regardless of levels of uncertainty. The results of the evaluations show that the precision is consistently high in various confidence scores.




Fig.3 Precision-Confidence Curve

A Recall-Confidence Curve was created to show the interaction between recall and confidence thresholds. In line with expectation, recall diminishes with growing confidence threshold, which emphasizes the trade-off between increasing confidence and recall performance.



## 6.2 F1-Score Assessment:

The F1-score is also a very important metric that trade-offs precision and recall. It is the harmonic mean of precision and recall

$$F1 - Score = 2 \times \frac{\text{Precision} \times \text{Recall}}{\text{Precision} + \text{Recall}}$$

## VII. RESULTS

The system features a user-friendly interface designed for seamless interaction, allowing users to upload images for vitamin deficiency analysis. The interface displays the predicted deficiency along with confidence scores, enabling users to interpret results effectively. Real-time processing ensures quick and efficient analysis, minimizing manual effort in diagnosis.

The **Precision-Recall (PR) curve** demonstrates a strong balance between false positives and false negatives, with a **mean Average Precision (mAP@0.5) of 0.870** achieved by the model. Class-wise evaluation showed high accuracy for conditions like **Acne and Rosacea Photos** and **Atopic Dermatitis Photos**, while slight reductions in precision and recall were observed for **Hair Loss Photos Alopecia** and **Poison Ivy Photos and other Contact Dermatitis**. The **Precision-Confidence Curve** indicated a confidence level of **0.93 at 0.000** and **1.00 at 0.985**, while the **F1-score** reached **0.82 at 0.400 confidence**, demonstrating strong classification performance.




Fig.4 Web Interface

## VIII. CONCLUSION

The **AI-driven Vitamin Deficiency Detection System**, powered by deep learning models such as **EfficientNet** and **ResNet50**, has demonstrated high accuracy in identifying various vitamin deficiencies from image inputs. The model successfully detects deficiencies related to skin conditions like **Acne, Dermatitis, Hair Loss, and Pigmentation Disorders**, providing an automated and efficient diagnostic tool. The evaluation metrics—including **precision, recall, F1-score, mAP, and IoU**—confirm the model's **robustness, reliability, and adaptability** across diverse image conditions. Confusion matrix analysis indicates **minimal misclassifications**, ensuring that most conditions are correctly identified. Additionally, the **PR curve and confidence-based assessments** show a strong balance between precision and recall at varying confidence levels. By leveraging advanced deep learning techniques, this system offers a **scalable and efficient solution for early vitamin deficiency detection**, reducing dependency on manual diagnosis and enhancing accessibility to preventive healthcare.

## IX. FUTURE SCOPE

The future advancements of the **AI-powered Vitamin Deficiency Detection System** include **expanding and diversifying the dataset** to improve detection accuracy across a wider range of skin tones and conditions. **Hyperparameter tuning and model optimization** can further enhance precision, while **self-learning capabilities** through continuous training will improve adaptability. Real-time **integration with telemedicine platforms** can enable instant diagnosis and doctor recommendations. The system can also incorporate **biometric analysis and NLP-driven chatbot assistance** for patient queries. **Edge AI deployment** will reduce processing latency, making real-time predictions possible on mobile devices. Furthermore, **Explainable AI (XAI) techniques** can enhance model transparency, allowing users and healthcare professionals to understand the reasoning behind predictions. These advancements will refine the system into a more **accurate, adaptive, and intelligent diagnostic tool** for personalized healthcare solutions globally.

## REFERENCES

- [1] Adult blindness secondary to vitamin A deficiency associated with an eating disorder. [online] Available at: <https://www.ncbi.nlm.nih.gov/pubmed/15850971>.
- [2] Vitamin a deficiency and clinical disease: an historical overview. [online] Available at: <https://www.ncbi.nlm.nih.gov/pubmed/18806089>.
- [3] Investing in the future: A united call to action on vitamin and mineral deficiencies. Global Report 2009.
- [4] "92% of U.S. Population Have Vitamin Deficiency. Are You One of Them? - the biostation Delray Beach & Miami", the biostation Delray Beach & Miami, 2019. [Online]. Available: <https://thebiostation.com/bioblog/nutrient-iv-therapy/do-you-have-vitamin-deficiency/>. [Accessed: 28- Jul- 2019].
- [5] Glossitis with linear lesions: an early sign of vitamin B12 deficiency. [online] Available at: <https://www.ncbi.nlm.nih.gov/pubmed/19231648>.
- [6] [Clinical manifestations of the mouth revealing Vitamin B12 deficiency before the onset of anemia]. [online] Available at: <https://www.ncbi.nlm.nih.gov/pubmed/12671582>.
- [7] Atrophic glossitis from vitamin B12 deficiency: a case misdiagnosed as burning mouth disorder. [online] Available at: <https://www.ncbi.nlm.nih.gov/pubmed/17209796>.
- [8] Sharecare. (2019). How does vitamin deficiency affect oral health? | Vitamins. [online] Available at: <https://www.sharecare.com/health/vitamins-supplements/vitamindeficiency-affect-oral-health> [Accessed 28 Jul. 2019].
- [9] "Angular Cheilitis, Part 1: Local Etiologies" (PDF). [www.skinandallergynews.com](http://www.skinandallergynews.com). Archived from the original (PDF) on 2013-12-16. Retrieved 2014-04-21.
- [10] Podiatry Today. (2019). When Vitamin And Nutritional Deficiencies Cause Skin And Nail Changes. [online] Available at: <https://www.podiatrytoday.com/when-vitamin-and-nutritionaldeficiencies-cause-skin-and-nail-changes> [Accessed 28 Jul. 2019].
- [11] Healthline. (2019). Nail Abnormalities: Symptoms, Causes, and Prevention. [online] Available at: <https://www.healthline.com/health/nail-abnormalities-2> [Accessed 28 Jul. 2019].
- [12] Wollina U, Nenoff P, Haroske G, Haenssle HA (July 2016). "The Diagnosis and Treatment of Nail Disorders". *Deutsches Arzteblatt International*. 113 (29–30): 509–18. doi:10.3238/arztebl.2016.0509. PMC 5527843. PMID 27545710.
- [13] Ben-Dayana D, Mittelman M, Floru S, Djaldetti M (1994). "Transverse nail ridgings (Beau's lines) induced by chemotherapy". *Acta Haematol*. 91 (2): 89–90. doi:10.1159/000204261. PMID 7517608.
- [14] Park J; Li K (2010). "Multiple Beau's lines". *New England Journal of Medicine*. 362 (20): e63. doi:10.1056/NEJMcm0906698. PMID 20484394.
- [15] Precision Nutrition. (2019). All About Nutrient Deficiencies. [online] Available at: <https://www.precisionnutrition.com/aa-nutrientdeficiencies> [Accessed 28 Jul. 2019].
- [16] Nanci, Antonio. *Ten Cate's Oral Histology: Development, Structure, and Function*. Elsevier, 2018.
- [17] Sodium L-ascorbate enhances elastic fibers deposition by fibroblasts from normal and pathologic human skin. [Online]. Available: <https://www.ncbi.nlm.nih.gov/pubmed/25015208>
- [18] Junqueira, Luiz Carlos., and Anthony L. Mescher. *Basic Histology: Text and Atlas*. McGraw-Hill, 2010.
- [19] CNN vs fully-connected network for image processing. [Online]. Available: <https://towardsdatascience.com/cnn-vs-fully-connected-network-for-image-processing-8c5b95d4e42f>.
- [20] Carter, D. (2019). Tensorflow — Neural Network Playground. [online] [Playground.tensorflow.org](http://playground.tensorflow.org). Available at: <https://playground.tensorflow.org> [Accessed 28 Jul. 2019].
- [21] Cs231n.github.io. (2019). CS231n Convolutional Neural Networks for Visual Recognition. [online] Available at: <http://cs231n.github.io/neural-networks-1> [Accessed 28 Jul. 2019].





INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA



# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  [ijirset@gmail.com](mailto:ijirset@gmail.com)



[www.ijirset.com](http://www.ijirset.com)

Scan to save the contact details