



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 3, March 2025

Kinetic Pavement

Apurva Ranawade¹, Aishwarya Gaikwad², Snehal Gujar³, Mahesh Padolkar⁴, Pavan Thorat⁵,
Mrs. Smita Saraf *

Department of Civil Engineering, Rajarshi Shahu College of Engineering Polytechnic, Tathawade, Maharashtra, India

ABSTRACT: Kinetic pavement is an innovative technology designed to harness energy from vehicular and pedestrian movement, converting mechanical, thermal, or electromagnetic energy into usable electrical power. This system integrates advanced materials such as piezoelectric materials, electromagnetic systems, thermoelectric materials, and smart sensors to capture and store energy efficiently. Piezoelectric components generate electricity from pressure and vibration, while electromagnetic induction and thermoelectric materials utilize motion and temperature differences to produce power. The collected energy can be used for street lighting, traffic signals, and smart road systems, promoting sustainability and reducing reliance on conventional power sources. Additionally, kinetic pavements enhance road durability, improve traffic monitoring, and support smart city infrastructure. By transforming roadways into energy-generating surfaces, kinetic pavement represents a step toward sustainable and intelligent transportation systems, contributing to energy efficiency and environmental conservation.

I. INTRODUCTION

Kinematic pavement refers to the study of pavement movement and deformation under dynamic loads, primarily from vehicles. It focuses on how different layers of the pavement structure react to applied forces, including stress distribution, displacement, and long-term wear. Understanding these kinematic behaviours is crucial for designing roads that can endure repeated traffic loads while maintaining stability and functionality.

The movement of pavement layers is influenced by several factors, including material composition, environmental conditions, and the frequency of loading. Traffic loads induce both elastic and plastic deformations, which can lead to structural issues such as rutting, cracking, and fatigue failure over time. By analysing these movements, engineers can develop more resilient pavement structures that minimize damage and extend service life.

Advanced modelling techniques, such as finite element analysis (FEA), are used to predict kinematic pavement behaviour under various conditions. These simulations help engineers optimize pavement design, material selection, and construction techniques to ensure durability. Studying kinematic pavement is essential for improving road safety, reducing maintenance costs, and enhancing overall transportation infrastructure efficiency.

II. LITERATURE REVIEW

- **Henry A. Sadano, Daniel J. Inman, and Gyuhae Park, (2004):** The author of this paper analysed harvesting power from vibration using a piezoelectric material. Various aspects of energy harvesting based on mechanical and electric components are investigated. With the advancements in technology harvesting, electricity with the help of piezoelectric materials will be more efficient.
- **S.S. Taliyan, B.B. Biswas, R.K. Patil, and G.P. Srivastava, T.K. Basu, (2010):** In this paper, the author have discussed the basic engineering and operational mechanism of piezo crystal, engineering analysis of the model, working piezo crystal and energy generation through footsteps.
- **George Webster, (2011):** In this paper the author studied the power generation method. Reviews of the public and studies introduction of an alternate source of energy in the market.
- **Zhen Liang Seow, Song Tao Chen, and Nor Bainin Khairudin, (2011):** The authors provided an idea of commercialization of the piezoelectric based energy production in a live scenario.
- **Zack Mester and Guilherme Tamassia, (2012):** In this research paper discussed the economic aspects of piezoelectricity, drawbacks of piezo electricity and other innovative techniques of piezoelectric generation. Also studied how to minimize the potential drawbacks of piezoelectricity and improve the efficiency of energy generated.

- **S.S. Taliyan, B.B. Biswas, R.K. Patil, and G.P. Srivastava, (2013):** The author of this research paper focused on the possibility of the generation of electricity from footsteps. Working model of the footstep-based energy generator. The article has given a detailed working model and functioning of the footstep-based electricity generating system. This is an energy-efficient way of producing electricity as walking is one of the most common things, we do in the day-to-day life.

III. OBJECTIVES

1. **Understanding Pavement Movement and Deformation:** Analyse how pavement layers react under dynamic loads, including displacement, stress distribution, and strain. Study the kinematic behaviour of different materials used in pavement construction.
2. **Enhancing Pavement Durability and Longevity:** Develop road structures that can withstand repeated traffic loads without excessive wear. Reduce common pavement failures such as rutting, cracking, and fatigue damage.
3. **Optimizing Load Distribution and Structural Performance:** Improve the load-bearing capacity of pavements by optimizing material selection and layer design. Ensure effective load transfer mechanisms to minimize localized stress concentrations.
4. **Reducing Maintenance and Repair Costs:** Design more resilient pavements that require less frequent repairs and rehabilitation. Enhance construction techniques to build cost-effective and sustainable roads.
5. **Improving Road Safety and Driving Comfort:** Prevent excessive pavement movement that could lead to surface irregularities and hazardous driving conditions. Ensure smooth and stable road surfaces for better vehicle handling and passenger comfort.
6. **Advancing Computational Modelling and Simulation:** Utilize advanced modelling techniques like finite element analysis (FEA) to predict pavement behaviour under various conditions. Support the development of innovative materials and construction methods for improved pavement performance.



IV. COMPOSITION OF KINETIC PAVEMENT

❖ Material used for kinetic pavement:

1. **Piezoelectric material:** Piezoelectric materials play a crucial role in kinetic pavements by converting mechanical stress from vehicle movement into electrical energy. These materials, such as lead zirconate titanate (PZT), quartz crystals, polyvinylidene fluoride (PVDF), and barium titanate (BaTiO₃), generate electricity when subjected to pressure or vibration. PZT is widely used due to its high energy conversion efficiency, while PVDF offers flexibility for integration into asphalt layers. These materials are embedded within the pavement structure to harvest energy, which can be used for powering streetlights, traffic signals, and smart road systems. The use of piezoelectric materials in kinetic pavements enhances sustainability by promoting renewable energy solutions and improving intelligent transportation systems.
2. **Electromagnetic Systems:** Electromagnetic systems in kinetic pavements utilize inductive and conductive materials to generate electricity from vehicle movement. These systems typically consist of embedded coils, magnets, and conductive plates that create electromagnetic induction as vehicles pass over them. When a vehicle's

weight and motion disturb the magnetic field, electrical energy is generated and stored for various applications such as street lighting, traffic signals, and smart road infrastructure. Common materials used in these systems include copper or aluminum coils, permanent magnets (such as neodymium magnets), and ferromagnetic materials for enhancing efficiency. Electromagnetic kinetic pavements offer a sustainable energy solution by harnessing vehicle motion to produce renewable electricity, improving the efficiency of modern transportation networks.

3. **Rubber Composites:** Rubber composites are widely used in kinetic pavements due to their flexibility, durability, and energy-absorbing properties. These materials, often made from recycled rubber, natural rubber, or synthetic elastomers, help enhance pavement resilience and improve load distribution. Rubber composites are commonly integrated into pavement systems to reduce vibrations, increase surface elasticity, and enhance energy harvesting efficiency when combined with piezoelectric or electromagnetic components. Additionally, their shock-absorbing nature minimizes road wear and extends pavement lifespan while promoting sustainability through the reuse of waste rubber from tires.
4. **Smart Sensors:** Smart sensors play a crucial role in kinetic pavements by monitoring and optimizing energy harvesting, traffic flow, and road conditions. These sensors, including pressure sensors, piezoelectric sensors, inductive loops, and IoT-enabled devices, are embedded within the pavement structure to collect real-time data. They help measure vehicle load, speed, and movement, enabling efficient energy conversion in piezoelectric and electromagnetic systems. Additionally, smart sensors enhance road safety by detecting wear, cracks, and environmental changes, allowing for predictive maintenance.
5. **Reinforced Concrete:** Reinforced concrete is a fundamental material in kinetic pavements, providing high strength, durability, and structural stability. It consists of concrete combined with steel reinforcement bars (rebar) or mesh, enhancing its tensile and compressive strength to withstand heavy traffic loads. In kinetic pavement systems, reinforced concrete serves as a stable base for integrating energy-harvesting technologies such as piezoelectric sensors and electromagnetic coils. Its resistance to environmental stressors like temperature fluctuations and moisture ensures long-lasting performance. Additionally, reinforced concrete supports sustainable infrastructure by reducing maintenance needs and extending pavement lifespan, making it an essential material for smart and energy-efficient roadways.
6. **Conductive Materials:** Conductive materials are essential in kinetic pavements for enabling efficient energy transfer and electrical conductivity. These materials, including copper, aluminium, graphene, carbon nanotubes, and conductive concrete, enhance the functionality of energy-harvesting technologies like electromagnetic induction and piezoelectric systems. Copper and aluminium are widely used in embedded coils and wiring due to their excellent electrical conductivity, while graphene and carbon-based composites improve the efficiency of smart pavement applications.
7. **Thermoelectric Materials:** Thermoelectric materials play a crucial role in kinetic pavements by converting temperature differences into electrical energy through the Seebeck effect. These materials, such as bismuth telluride (Bi_2Te_3), lead telluride (PbTe), and silicon-germanium (Si-Ge) alloys, are embedded within the pavement to harness heat energy from vehicle friction and solar radiation. By utilizing thermoelectric generators (TEGs), kinetic pavements can capture waste heat and transform it into usable power for street lighting, traffic signals, and smart road systems.

V. WORKING OF KINETIC PAVEMENT

❖ WORKING OF KINETIC PAVEMENT:

1. **Energy Capture:** Pressure from footsteps or vehicles activates energy-harvesting materials in the pavement.
2. **Energy Conversion:** Piezoelectric or electromagnetic components convert kinetic energy into electricity.
3. **Electricity Generation:** Generated electricity is collected and directed through circuitry.
4. **Storage and Use:** Electricity powers nearby infrastructure or is stored in batteries.
5. **Data Collection:** Sensors gather traffic data for urban planning and optimization.



VI. ADVANTAGES AND CHALLENGES OF KINETIC PAVEMENT

❖ ADVANTAGES OF KINETIC PAVEMENT: -

1. **Renewable Energy:** It uses people's footsteps to create electricity, reducing the need for non-renewable energy sources.
2. **Sustainable:** It makes use of existing pathways, which is good for the environment and doesn't require building new structures.
3. **Low Maintenance:** Once installed, it doesn't need much upkeep, saving money in the long run.
4. **Eco-Friendly Urban Development:** It helps cities become greener by generating clean energy from everyday activities like walking.
5. **Raises Awareness:** It shows people how small actions can contribute to sustainability.

❖ CHALLENGES IN KINETIC PAVEMENTS:

1. **Efficiency Fluctuations:** The amount of electricity generated can vary depending on how many people are walking and how fast they're walking.
2. **High Initial Costs:** Installing the technology can be expensive because it involves special materials and modifications to existing infrastructure.
3. **Maintenance Challenges:** The materials used might wear out over time and need to be replaced to keep working well.
4. **Aesthetic Considerations:** Making it look good while still being functional can be tricky, especially in established urban areas.
5. **Reliance on Foot Traffic:** It only works well where there's a lot of pedestrian activity, so it might not be reliable in quieter areas.

VII. DISCUSSION

Kinetic pavement is an emerging technology that transforms roads and walkways into energy-generating surfaces by capturing mechanical, thermal, and electromagnetic energy from moving vehicles and pedestrians. This is achieved using advanced materials such as piezoelectric sensors, electromagnetic coils, thermoelectric generators, and conductive materials, which convert motion and pressure into electricity. The generated energy can power streetlights, traffic signals, and smart road systems, promoting sustainability and reducing dependency on conventional power sources.

The implementation of kinetic pavement offers several benefits, including enhanced road durability, improved traffic monitoring through smart sensors, and reduced carbon footprint by utilizing renewable energy. However, challenges such as high initial costs, efficiency limitations, and long-term durability need to be addressed for widespread adoption. Research and technological advancements continue to improve the effectiveness of kinetic pavement, making it a promising solution for smart cities, green energy initiatives, and future sustainable infrastructure.

Paving kinetic is also a substitute for energy from non-renewable natural resources. Although not as a whole, minimizing will be better. So that CO₂ emissions will be reduced and air pollution will be reduced. Transformed energy can also be additional energy for outdoor facilities or buildings. With the existence of kinetic paving, it becomes a source of public education to encourage people to walk more frequently instead of using vehicles ineffectively and producing more CO₂ emissions

The construction cost of kinetic pavement typically ranges between ₹40,000 and ₹1,60,000 per square meter. This conversion is based on the approximate USD range of \$500 to \$2,000 per square meter, with 1 USD around 80 INR (this rate may vary).

The cost includes specialized materials, energy-harvesting components (like piezoelectric or electromagnetic systems), installation, wiring, and energy storage. Although the upfront cost is higher than traditional pavement, it can be offset by long-term energy savings and environmental benefits in urban infrastructure applications.

VIII. CONCLUSION

The results of this study are that energy can still be produced by humans as easily as possible by utilizing existing resources. The use of kinetic paving is very useful in producing electrical energy which is an alternative energy for facilities and buildings. This kinetic paving will become a material technology that will compete with the international market. Kinetic paving is also an educational medium for the cloud community regarding energy conversion and material technology. Kinetic Paving can be an alternative energy that helps outdoor facilities such as USB ports, street lights, and electricity supplies in buildings. Kinetic paving is also a progress in the field of materials technology with a sustainable and futuristic approach.

Kinetic pavement is a promising innovation that harnesses energy from vehicular and pedestrian movement, converting it into usable electricity through advanced technologies like piezoelectric materials, electromagnetic systems, and thermoelectric generators. This sustainable solution supports smart infrastructure, energy efficiency, and environmental conservation by reducing reliance on conventional power sources. While challenges such as high installation costs and efficiency limitations remain, ongoing research and technological advancements continue to improve its feasibility and effectiveness. As cities move towards smart and green infrastructure, kinetic pavement has the potential to revolutionize urban development, making transportation systems more energy-efficient and sustainable for the future.

IX. FUTURE SCOPE

The future of kinetic pavement holds significant potential in the development of sustainable and smart infrastructure. As technology advances, improvements in energy efficiency, material durability, and cost-effectiveness will drive wider adoption of kinetic pavement in urban and highway applications.

1. **Integration with Smart Cities:** Kinetic pavement can be integrated with IoT-based smart transportation systems for real-time traffic monitoring, automated lighting, and adaptive road management.
2. **Enhanced Energy Harvesting Efficiency:** Ongoing research in high-efficiency piezoelectric materials, advanced electromagnetic induction systems, and thermoelectric generators will improve energy conversion rates. The development of nanomaterials like graphene and carbon nanotubes may lead to better conductivity and durability.
3. **Application in High-Traffic Areas:** Airports, highways, and public transit stations can adopt kinetic pavement to generate large amounts of energy from constant vehicular and pedestrian movement.
4. **Sustainable Infrastructure Development:** The use of recycled materials, conductive asphalt, and smart sensors can enhance road longevity and minimize environmental impact. Self-healing materials and temperature-regulating pavement may further increase durability and safety.

ACKNOWLEDGMENT

We extend our heartfelt gratitude to our Principal, **Dr. S. S. Gaikwad**, and our Head of Department, **Mrs. L. K. More**, for their invaluable guidance and unwavering support throughout the completion of our project, 'KINETIC PAVEMENT'. Specially, we express our sincere appreciation to our project guide, **Mrs. Smita Chintamanrao Saraf** and project coordinator, **Mrs. P.S. Parihar**, whose expertise and mentorship have been instrumental in the success of

this endeavour. We also acknowledge and appreciate all staff of the civil department who were indirectly involved in providing guidance and support.

REFERENCES

1. <https://www.ijnrd.org/papers/IJNRD2310094.pdf>
2. https://www.irjmets.com/uploadedfiles/paper/issue_3_march_2024/51609/final/fin_irjmets1711977207.pdf
3. https://www.researchgate.net/publication/354238817_Case_Study_on_Power_Generating_Pavements
4. <https://iopscience.iop.org/article/10.1088/1757-899X/879/1/012152/pdf>
5. <https://ijarsct.co.in/Paper10312.pdf>
6. Shrivastava D, Gorey A, Gupta A, Parandkar P, Dikshit T, 2010. Energy Harvesting via Piezoelectricity,
7. International Journal of Information Technology.
8. Shukla.A, Ansari, S.A, 2018. Energy Harvesting from Road Pavement: A Cleaner and Greener Alternative. International Research Journal of Engineering and Technology (IRJET).



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details