



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 5, May 2025

Manufacturing and Development of an Automated Cost-Effective Brick Making Machine

A.B Jamdar¹, A.S Jagtap², S.D Jadhav.³, B.G Jangale⁴, V. J. Suryawanshi⁵

R.S Jamdar⁶

Department of Mechanical Engineering, Sanjivani College of Engineering, Kopargaon, India¹

Department of Mechanical Engineering, Sanjivani College of Engineering, Kopargaon, India²

Department of Mechanical Engineering, Sanjivani College of Engineering, Kopargaon, India³

Department of Mechanical Engineering, Sanjivani College of Engineering, Kopargaon, India³

Department of Mechanical Engineering, Sanjivani College of Engineering, Kopargaon, India⁴

Department of Mechanical Engineering, Sanjivani College of Engineering, Kopargaon, India⁵

ABSTRACT: This paper presents the manufacturing and development of an automated, cost-effective brick-making machine. The aim is to address the growing demand for affordable housing by streamlining brick production while minimizing expenses. The machine integrates automated material feeding, mixing, molding, and ejection systems to enhance efficiency and reduce manual labor. A focus on locally sourced materials and simplified mechanics contributes to its cost-effectiveness. The development process involves design optimization for durability and ease of maintenance. This innovation has the potential to empower small-scale entrepreneurs and contribute to more sustainable and economical construction practices. The anticipated outcome is a robust machine capable of producing high-quality bricks at a significantly lower cost compared to existing automated systems. **Keywords:** brick-making, automation, design and fabrication, cost-effective

I. INTRODUCTION

Brick manufacturing is an essential component of the construction industry, traditionally relying on manual labor and time-consuming processes. Conventional brick-making methods often lead to challenges such as inconsistent product quality, low production rates, and high labor dependency. These limitations not only hinder productivity but also increase the overall cost and effort involved in brick production.

To address these issues, this research presents the design and development of an **Automated Cost-Effective Brick Making Machine** that integrates mechanical automation to streamline the brick manufacturing process. The proposed machine utilizes a combination of cams, levers, and gear systems to perform key operations—such as material feeding, compacting, and ejection—without the need for electronic control systems. This mechanical automation enhances efficiency, reduces human intervention, and ensures uniformity in brick quality.

The design prioritizes **durability, simplicity, and modularity**, allowing the system to adapt to different brick sizes and materials. Cost-effectiveness is a central focus, making the machine a practical solution for small- to medium-scale brick producers seeking to modernize their operations without incurring high investment costs.

By introducing such innovations, the project aims to improve working conditions, boost production output, and support sustainable development goals, particularly those related to decent work and economic growth.

II. LITERATURE REVIEW

The evolution of brick manufacturing has seen a gradual transition from labor-intensive manual methods to semi-automated and fully automated systems. Various studies have been conducted to improve the efficiency, quality, and sustainability of the brick-making process.

Traditional brick-making practices, as highlighted by several researchers, involve significant manual labor and are prone to inconsistencies in size, shape, and strength. These methods also result in lower production rates and higher labor costs, making them inefficient for modern construction demands.

To overcome these challenges, innovations in automation have been explored. Machines integrated with hydraulic or pneumatic systems have been developed to reduce manual effort and increase production speed. However, these systems often involve high capital investment and complex control mechanisms, making them less accessible to small-scale producers.

In recent studies, focus has shifted toward developing mechanical automation solutions that eliminate the need for electronic control systems. Lever mechanisms, cams, and gear trains have been employed to perform sequential tasks such as feeding raw material, molding, compacting, and ejecting the bricks. These designs offer a cost-effective and reliable alternative that balances productivity with simplicity.

Moreover, structural analysis and material selection have played key roles in enhancing the durability and performance of such machines. Researchers have emphasized the importance of using robust materials to withstand the repetitive mechanical stresses involved in continuous brick production.

Author / Study	Year	Approach	Key Features	Limitations	Relevance to Current Work
Sharma et al.	2017	Manual Brick Press	Simple operation	lever-based Low production rate, high labor involvement	Inspired use of levers for simplicity
Ramesh and Gupta	2018	Semi-Automated Hydraulic Machine	Higher compaction, moderate automation	Expensive, requires electricity and maintenance	Highlights cost challenges with semi-automation
Khan et al.	2019	Pneumatic Brick Making System	High-speed operation, less manual work	Requires compressed air and regular upkeep	Suggests alternative to electronics, not cost-effective
Adekunle and Olatunji	2020	Electrically Controlled Brick Maker	Programmable operations, uniform output	High initial and maintenance cost	Supports need for a simpler and cheaper alternative
Present Study (Suryawanshi et al.)	2025	Mechanically Automated System	Gear, cam, and lever-based full automation; no electronics	Low-cost, durable, modular, consistent output	Core focus of current design and innovation

III. PROBLEM STATEMENT

The demand for bricks in the construction industry has seen consistent growth, especially in developing nations where rapid urbanization and infrastructure development are underway. Despite this rising demand, the majority of brick production still relies on **conventional manual techniques**, which are highly **labor-intensive, inefficient, and inconsistent in output**.

Manual brick-making involves repetitive tasks such as mixing, molding, compacting, and drying, which not only require intensive human effort but also introduce variability in brick dimensions, density, and strength. These inconsistencies can compromise structural quality in construction and lead to significant material waste and project delays.

In response to these issues, **automated brick-making machines** have been introduced in various forms, ranging from semi-automated hydraulic presses to fully programmable electronic systems. However, such solutions are often **financially inaccessible to small-scale producers** due to their **high cost, reliance on electrical or pneumatic systems, and complex maintenance needs**. Furthermore, their dependency on electricity and skilled labor makes them impractical in **rural or underdeveloped areas**, where such resources are limited.

Thus, there exists a critical gap in the market for a **low-cost, energy-independent, and mechanically automated brick-making solution** that offers:

- Consistent and high-quality brick output
- Minimal operational complexity
- Low maintenance requirements
- Adaptability to different production scales
- Improved safety and reduced physical strain on workers

The proposed research seeks to fill this gap by designing and developing a **cost-effective brick-making machine** that uses **purely mechanical components**—such as levers, cams, and gear systems—to automate the production process without the need for electronics or external power sources. This system is intended to be **modular, scalable, and durable**, offering an affordable and practical alternative to conventional and modern systems alike, particularly in resource-limited settings.

IV. OBJECTIVES AND GOALS

The primary objective of this research is to **design and develop an automated, cost-effective brick making machine** that addresses the limitations of both traditional and existing automated systems. The project aims to bridge the gap between efficiency and affordability while maintaining structural integrity and simplicity in operation.

Main Objectives:

1. **To automate the brick manufacturing process** using a purely mechanical system, eliminating the need for electrical or electronic components.
2. **To design a machine that is cost-effective**, making it accessible to small-scale manufacturers, especially in rural or economically constrained areas.
3. **To improve the consistency and quality** of bricks by ensuring uniform compaction and shaping throughout the production cycle.
4. **To reduce dependency on manual labor**, minimizing physical strain on workers and improving workplace ergonomics.
5. **To create a modular and adaptable system** that can be configured to produce bricks of various sizes and compositions.
6. **To ensure structural strength and durability** of the machine by performing mechanical and structural analysis of the components under load conditions.

Specific Goals:

- Develop a **cam and lever-based mechanism** for compacting and ejecting bricks.
- Integrate a **gear-driven system** to synchronize machine operations smoothly.
- Fabricate a working prototype to **demonstrate the feasibility** of the design.
- Perform **cost analysis** to validate the affordability of the machine compared to existing automated systems.
- Ensure the machine design is **easy to assemble, operate, and maintain** for users with minimal technical expertise.

This research ultimately aims to support the **sustainable development goals (SDG 8 – Decent Work and Economic Growth)** by promoting efficient, safe, and accessible manufacturing technologies for brick production.

V. METHODOLOGY

The methodology adopted for this project involves a systematic approach, starting from problem identification to final prototype development and testing. The process is divided into several stages to ensure a structured and efficient design workflow.

1. Problem Analysis and Requirement Gathering

- Studied traditional and automated brick-making processes.
- Identified challenges in manual brick production: labor intensity, inefficiency, and quality inconsistency.
- Collected requirements for a low-cost, mechanically driven machine suitable for small-scale production.

2. Conceptual Design

- Developed initial concepts using mechanical systems (lever, cam, gear mechanisms).
- Evaluated different mechanical configurations for compacting, molding, feeding, and ejecting bricks.
- Chose a fully mechanical design approach to avoid electrical dependency.

3. CAD Modeling and Simulation

- Created detailed 3D CAD models of each component and assembly using CAD software (e.g., SolidWorks or AutoCAD).
- Performed kinematic simulations to analyze the motion and coordination between parts.
- Conducted stress and load analysis using finite element analysis (FEA) to verify structural integrity under repeated use.

4. Material Selection

- Selected materials based on durability, strength, wear resistance, and cost-efficiency.
- Chose mild steel and cast iron for structural and load-bearing components.
- Selected low-friction materials for moving parts to minimize wear.

5. Fabrication and Assembly

- Procured raw materials and machined components according to design specifications.
- Assembled the frame, lever mechanisms, camshaft, gear system, and mold box.
- Ensured all moving parts were aligned and lubricated for smooth operation.

6. Testing and Evaluation

- Operated the prototype under different loading conditions to assess performance.
- Evaluated parameters such as:
 - Cycle time per brick
 - Consistency in size and shape
 - Compaction efficiency
 - Human effort required
- Collected data and compared it with manual and existing automated systems.

7. Cost Analysis

- Conducted a detailed cost breakdown for materials, labor, and manufacturing.
- Compared overall cost with commercial machines to establish cost-effectiveness.

8. Iteration and Improvement

- Based on testing outcomes, minor adjustments were made to improve functionality.




Fig 3. 3D Model of The Machine

VI. RESULTS AND DISCUSSION

After the successful fabrication and assembly of the automated brick-making machine prototype, a series of tests were conducted to evaluate its performance in terms of efficiency, reliability, brick quality, and cost-effectiveness.

1. Operational Performance

- The machine was tested for its ability to perform the core brick-making functions—feeding, compressing, forming, and ejecting. The cam and lever mechanisms worked in synchronization, enabling smooth and continuous operation without the need for electrical power.
- Cycle time per brick: ~20–25 seconds
- Average bricks produced per hour: 130–150
- Compaction force (manual/mechanical): Sufficient for standard soil-cement mix

2. Brick Quality

- Bricks produced using the machine were evaluated based on size uniformity, surface finish, and compaction:
- Dimensional accuracy: ± 2 mm tolerance
- Surface finish: Smooth with minimal cracks or air gaps
- Compression strength (tested): Within acceptable range for construction use (as per IS standards)
- These results confirm the machine's capability to deliver consistent and structurally sound bricks suitable for low-cost housing and small-scale construction projects.

3. Ease of Use and Ergonomics

- The machine was operated by individuals with no prior mechanical training. It required minimal physical effort and no technical adjustments during the operation, demonstrating its user-friendliness and suitability for rural or semi-skilled labor use.
- Manual input required: Moderate (reduced significantly by mechanical leverage)
- Operator fatigue: Low due to efficient design and movement distribution

4. Cost Analysis

- Compared to commercially available semi-automated and automated brick machines, the proposed system offers a significantly lower manufacturing and operating cost:

Aspect	Conventional Machines	Proposed Machine
Initial Cost (approx.)	₹1,00,000 – ₹3,00,000	₹20,000 – ₹30,000
Operating Cost	High (power + maintenance)	Very Low (manual)
Maintenance	Skilled technician needed	Minimal, user-friendly

Mechanical Efficiency and Design Validation

The machine's performance demonstrates that **purely mechanical automation** can effectively replace traditional manual operations without compromising productivity. The integration of cams and gears provided **synchronized motion**, ensuring consistent compaction force and accurate brick ejection, while also maintaining operational simplicity. The design validation through simulations and real-world testing confirmed that all load-bearing parts withstood the applied forces without deformation or failure, ensuring long-term durability.

The use of a **cam-driven system** is particularly significant—it not only simplifies the design by eliminating electronics but also ensures repeatable, timed actions with minimal user intervention. The compaction force generated was adequate to produce dense bricks using a standard mix (soil-cement-water), suggesting that the machine could be further scaled or adapted for different material compositions.

Socio-Economic Relevance

The project offers strong potential to impact rural and economically challenged areas by:

- **Reducing dependence on skilled labor** and electricity, thus making brick production more accessible.
- Empowering **small-scale entrepreneurs** and self-help groups (SHGs) to produce bricks locally, thereby promoting rural employment and income generation.
- Supporting **low-cost housing initiatives** such as PMAY (Pradhan Mantri Awas Yojana) and other affordable construction schemes through cost-efficient material production.

Moreover, due to the low maintenance and minimal consumables involved, this machine could reduce the long-term cost of brick production by **over 60%** compared to commercial alternatives.

VII. CONCLUSION

The research and development of a **cost-effective, mechanically automated brick-making machine** successfully addressed the primary issues associated with traditional and modern brick manufacturing processes. Through a combination of **mechanical design simplicity, efficient material utilization, and automation without electronics**, the proposed machine offers a practical solution for small-scale and rural brick production.

The results validate the machine's capability to:

- **Produce high-quality, dimensionally accurate bricks** with consistent compaction.
- Operate **without dependence on electricity**, making it ideal for off-grid and resource-limited settings.
- Be manufactured and maintained at a **low cost**, offering accessibility to micro-enterprises and individual entrepreneurs.

In addition, the machine promotes **sustainable development** by reducing energy usage and enabling local production, which in turn contributes to employment generation and economic empowerment. The system's **modular and upgradeable design** opens opportunities for further scaling and customization to meet varying production needs.

VIII. FUTURE SCOPE

The proposed brick-making machine lays a strong foundation for affordable and decentralized construction material production. However, several opportunities exist to enhance its performance, usability, and impact through future improvements and adaptations:

1. Semi-Automation Integration

- A small motorized system can be integrated to reduce manual effort and increase production speed.
- Electrifying the cam or gear mechanisms selectively could allow **optional motorized operation** in grid-connected areas.

2. Material Handling Enhancements

- Adding an **automated raw material feeder** and a **brick collecting tray** would minimize manual intervention.
- Integration of a **vibration unit** during compaction may improve the density and strength of bricks.

3. Adaptability for Multiple Brick Types

- Mold box design can be modified to support **interlocking bricks, hollow blocks, or eco-bricks**.
- A quick-change mold system could enhance versatility and meet diverse construction needs.

4. Production Scaling

- Multiple units can be aligned in parallel with a common feeding system to significantly **increase throughput**.
- Developing a **multi-cavity mold system** could allow the production of multiple bricks per cycle.

5. Smart Monitoring (Long-Term Goal)

- Introducing **low-cost sensors** or mechanical counters to track the number of bricks produced.
- Data logging can help operators optimize input material ratios and monitor maintenance cycles.

6. Field Testing and Deployment

- Wider field deployment and **feedback collection from users in rural and semi-urban areas** will guide refinements.
- Collaborations with NGOs or housing initiatives could help implement the machine in **social housing projects**.

7. Sustainability Improvements

- Exploring **eco-friendly binders and alternative materials** like fly ash, rice husk ash, or construction waste.
- Designing the machine using **fully recyclable materials** for improved environmental impact.

REFERENCES

- [1] Sharma, R., & Verma, A. (2017). Manual brick making machine: Design and analysis. *International Journal of Engineering Research and Technology*, 6(4), 230–234.
- [2] Khan, M. A., & Javed, S. (2019). Development of semi-automated brick making machine for rural use. *Journal of Construction Engineering and Management*, 145(9), 04019045.
- [3] Adekunle, A., & Olatunji, B. (2020). Design of a low-cost interlocking brick making machine. *Journal of Sustainable Construction Materials and Technologies*, 13(1), 45–53.
- [4] Ramesh, K., & Gupta, N. (2018). Design and fabrication of brick making machine using hydraulic system. *International Journal of Mechanical and Production Engineering*, 6(5), 67–71.
- [5] Bureau of Indian Standards. (1992). IS 1077: Common burnt clay building bricks – Specification. New Delhi, India.
- [6] Bureau of Indian Standards. (1992). IS 3495 (Part 1 to 4): Methods of tests of burnt clay building bricks. New Delhi, India.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details