



(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



## Impact Factor: 8.699

## Volume 14, Issue 5, May 2025

⊕ www.ijirset.com 🖂 ijirset@gmail.com 🖄 +91-9940572462 🕓 +91 63819 07438





[www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

#### Volume 14, Issue 5, May 2025

#### |DOI: 10.15680/IJIRSET.2025.1405263|

# Innovative Strategies for Earthquake-Resistant Structures in India

Harshit Bansal<sup>1</sup>, Lokesh Upadhyay<sup>2</sup>, Kuldeep Saini<sup>3</sup>, Divyanshi Gupta<sup>4</sup>, Rahul Meena<sup>5</sup>,

#### Hetram Sharma<sup>6</sup>

B.Tech Student, Department of Civil Engineering, Jaipur Engineering College & research Centre, Jaipur, India<sup>1-5</sup>

Assistant Professor, Department of Civil Engineering, Jaipur Engineering College & research Centre, Jaipur, India<sup>6</sup>

**ABSTRACT**: Earthquakes pose a persistent threat to life and infrastructure in seismically active regions like India. This research paper investigates both traditional and advanced seismic mitigation techniques used globally, with a focus on their adaptability within the Indian context. Key innovations include base isolation systems, energy dissipation devices, smart materials, and performance-based design approaches. By analyzing successful international case studies and Indian seismic zones, this paper highlights the importance of integrating both structural and non-structural solutions. Recommendations are made for updating current construction practices and codes, advocating a shift towards sustainable, resilient urban planning strategies to combat future seismic threats.

#### KEYWORDS: Shear Walls, Bracings, Comparative analysis, High Rise Building, Earthquake resistant

#### I. INTRODUCTION

India lies in a seismically active zone and has experienced numerous earthquakes throughout its history. From ancient times to the modern era, many of the country's heritage structures and urban developments have suffered significant damage due to seismic events. The recurring loss of life and property caused by earthquakes remains a major concern for the government. As a result, there is a pressing need to design and implement earthquake-resistant structures across the nation to enhance resilience and safety. Earthquakes are natural phenomena triggered by the sudden release of energy within the Earth's crust. This release generates seismic waves that cause the ground to shake. The underlying cause is the movement of tectonic plates—massive sections of the Earth's crust that shift slowly over time. At the boundaries where these plates meet, they may collide, diverge, or slide past one another. These zones of interaction, known as fault lines, accumulate stress as the plates attempt to move but are held in place by friction. When the accumulated stress surpasses the frictional resistance, it is suddenly released in the form of seismic waves, resulting in an earthquake.

#### AIM AND OBJECTIVE:

**Aim:** The primary aim of the Earthquake-Resistance Structure Project is to contribute significantly to the advancement of seismic engineering and construction practices, ensuring the creation of structures that can withstand and minimize the impact of seismic forces. The project seeks to enhance the safety, resilience, and sustainability of the built environment, particularly in regions prone to seismic activity.

**Objectives:** Research and develop innovative seismic design strategies that go beyond conventional methodologies. This involves exploring advanced materials, novel construction techniques, and cutting-edge technologies to create structures that are inherently resilient to seismic forces. Develop optimized retrofitting techniques for existing structures that may not meet contemporary seismic standards. The objective is to strike a balance between enhancing structural integrity and preserving the architectural and historical value of buildings.





[www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

#### Volume 14, Issue 5, May 2025

|DOI: 10.15680/IJIRSET.2025.1405263|

#### **II. LITERATURE REVIEW**

**Saransh Mahajan (2021)** in this paper, a parametric study is performed on effect of shear walls on tall buildings with different corner configuration subjected to wind loads. This paper is focused on studying the effect of shear walls on the deflection of a tall building exposed to the wind load in lateral direction and observing the variance in the deflection that will occur on the three columns (windward, leeward, and central) of a high-rise building with and without using the shear walls in different scenarios using Bentley STAAD Pro software. Prototype buildings are assumed to be made up of RCC beams and columns that are designed on a software constitutes of 36 story (G + 35) having a height of 3.5 m of each floors, and response analysis of these prototype buildings has been done for different columns of building exposed to  $0^{\circ}$  wind incidence.

**Vedant Mishra, M.P. Mishra (2020)**, In this paper they studied Reinforced concrete shear wall system and its effectiveness in high rise buildings. From this studied, it is very clear that the R.C.C. shear wall system can be the best solution for high-rise buildings because it seems more economical and easier in construction than any other system. By different modelling and analysis with any soft-ware like E-Tabs, we can optimize a shear wall system, which can be the most economical resist effectively the forces coming on it. It is also seen that a boxed shear wall system is also an efficient means for resisting torsions due to irregular building.

**Mohd Imran et. al. (2019)** in this paper, a parametric study is performed on multi-storeyed building with and without outrigger systems, located in seismic zone IV. It is intended to describe the performance characteristics such as lateral displacement, time period, base shear etc. The study is carried out on a building with the help of different mathematical models considering shear walls and braces as outrigger systems at different locations for improving the seismic performance of the building without any outrigger system. Analytical models represent all existing components that influence the mass, strength, stiffness and deformability of structure. In this research, the response spectrum analysis is carried out on all the mathematical 3D model using the software ETABS 2015 and the comparisons of these models are presented. Finally, the optimum location of outrigger system is suggested.

**Mohd Atif (2015),** In this paper they have studied a G+15 building with shear walls and bracing members in four different earthquake zones by placing three types of bracing at different position. Some important parameters like displacement, axial force, bending moments of columns and shear moment, torsion for beams are calculated. Results obtained and published in graphical and tabular forms. Linear static analysis method was used for analysis. The conclusion of this study was that shear walls are more efficient to control lateral deflection as compare to bracings. Lateral displacement of building were reduced by using X bracing.

**Prof. Bhosale Ashwini Tanaji (2015),** in this research they have studied different types of concrete bracings to calculate different parameters. X-type bracing, V-type bracing, K-type bracing and diagonal bracing have used and storeys drift and displacement of building have analysed. It has found that maximum displacement can be reduced by using X type bracing. The storeys drift of concrete braced system is less as compared to the RC frame building thus the overall response of the building decreases. X-type of bracing is the most efficient one in terms of storeys overturning.

**Varsha R. Harne (2014),** by using structural analysis software STAAD-Pro V8i analysis of a building has done by using different type of models. Different type of cross sections of RC shear walls are used such as Boxed type, L-type and cross type shear wall and these walls are located at different positions of building such as along periphery, at corner and at middle position. All types of load combinations have studied and as results have found that the load combination 1.5DL +1.5EQX is the most critical among all for all models. It can be concluded that building which is having shear wall along its periphery is the most efficient one as compare to all other buildings.

#### **III. METHODOLOGY**

Earthquake resistant structures utilize several key techniques to minimize damage and maintain stability during seismic events. These include base isolation, dampening, shear walls, bracing systems, and ductile detailing. Base isolation involves decoupling the building from the ground, allowing it to move independently while absorbing ground shaking. Dampening devices, like viscous dampers, absorb seismic energy and reduce vibrations. Shear walls and bracing





[www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

#### Volume 14, Issue 5, May 2025

#### |DOI: 10.15680/IJIRSET.2025.1405263|

systems provide lateral support, distributing forces and preventing collapse. Ductile detailing ensures the structure can deform and absorb energy without sudden failure.

#### 1)Rocking-Core Wall

Modern high-rise buildings use the rocking corewall technology to improve seismic protection at a reasonable cost. A reinforced concrete core is established through the heart of the structure, encircled by elevator banks, to make this work. This approach is used in many modern high-rise structures to boost seismic resilience in a cost- effective manner.

Flexible Foundation–Base isolation allow the building to be placed atop flexible pads that separate the foundation and allow the building to move in place. One technique to with stand ground stresses is to raise the foundation of the building above the ground. Here, in this case, the isolators vibrate as the base moves during an earthquake, but the structure itself stays stable. This effectively absorbs seismic vibrations and prevents them from passing through a structure.

#### 2) Building Stability

Buildings must redistribute the forces that pass through them during a seismic event to avoid collapsing. Reinforcing structure requires the use of shear walls, cross braces, diaphragms, and moment resisting frames. In addition, shear walls are a valuable construction technique for transferring earthquake forces which is mentioned in IS 13920:2016. These walls, which are made of panels, allow a building to maintain its shape during movement. Also, diagonal cross bracing are frequently used to support shear

#### 3) Energy Dissipation Devices

This new technology for strengthening building relies on damping and energy dissipation as well, but it greatly extends the damping and energy dissipation given by lead-rubber bearings. Earthquake ground motion transfers a certain amount of vibration energy to the building. Buildings have the power to disperse, or dampen, this energy on their own. Buildings also have a finite ability to disperse energy before deformation and destruction occur



Fig 1: Metallic Dampers

Fig 2: Cross bracing in building

#### 4) Pendulum Power -

This approach works by suspend Ngai massive mass near the structure's top. Steel cables support the mass, and viscous f luid dampers are installed between the mass and the structure that it protects. In the event of seismic activity, the pendula um swings in the opposite direction to restore equilibrium. These systems are known as tuned mas dampers because each of the pendulums is tuned to match the structure's inherent frequency.

#### 5) Base Isolation System

**Base Isolation** is one of the most effective seismic protection methods. It decouples the structure from ground motion using flexible bearings like laminated rubber pads or sliding devices.

6) Active Control Systems: A relatively new technique that uses advanced technologies to actively control and mitigate the effects of seismic activity on building structures. These systems consist of sensors, actuators, + work together to monitor building movement and apply counteracting forces to reduce the stress and strain on the structure. Main advantages is their ability to provide real- time response to seismic activity. The sensors detect the building movement and the control algorithms calculate the appropriate counteracting forces, which are then applied by the actuators to the building structure. This can significantly reduce the stress and strain on the building, potentially preventing damage or collapse.

#### IJIRSET©2025





[www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

#### Volume 14, Issue 5, May 2025

#### DOI: 10.15680/IJIRSET.2025.1405263

#### 7) Structural Walls:

These walls are designed to withstand seismic activity by absorbing and redistributing the energy generated by earthquakes. Main advantages of structural walls is their effectiveness in reducing the stress and strain on the building structure during seismic activity. The walls absorb and distribute the energy generated by earthquakes, which can help prevent damage or collapse of the building.



#### Fig:3 Structural Wall

#### **IV. CONCLUSION**

Advanced earthquake-resistant techniques represent a paradigm shift in structural engineering. Their integration into both new and existing buildings significantly enhances seismic performance, ultimately saving lives and resources. Continued research, code evolution, and public awareness are essential for widespread adoption of these technologies. This paper highlight the importance of incorporating seismic-resistant design principles in the planning and construction phases of buildings, including the use of appropriate materials, foundation systems, and structural designs. This research also emphasized the significance of enhancing the building code requirements and strengthening the enforcement of seismic regulations to ensure the safety of buildings and their occupants.

The future aspects of the study, such as experimental studies, advanced analysis techniques, retrofitting techniques, multi-hazard analysis, and sustainability, can further contribute to the development of efficient and sustainable earthquake-resistant design solutions. These future aspects can help in improving the safety and resilience of buildings and infrastructure in India and serve as a model for other countries facing similar seismic risks.

#### REFRENENCES

[1]. I.S -1893- Criteria for Earthquake Resistant design of structures.

[2]. Agarwal, P. and Shrikhande, M., 2006, Earthquake Resistant Design of Structures, 2nd Edition, Prentice- Hall of India Private Limited, New DELHI.

[3]. Is: 456-2000: Indian Standard Plain and Reinforced Concrete – Code of Practice (Fourth Revision).

[4]. National Building Code of India 2005.

[5]. IS: 1983(Part 1): 2000: Indian standard Criteria for Earthquake Resistant Design of Structures, Part 1 General provision And Buildings (Fifth Revision).

[6]. Is 875 (Part 1-3): 1987 Indian Standard Code of Practice for Design Loads (Other Then Earthquake) For Buildings and Structures.





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

#### Volume 14, Issue 5, May 2025

#### |DOI: 10.15680/IJIRSET.2025.1405263|

[7]. Pankaj Agarwal, Manish Shrikhande "Earthquake Resistant Design of Structures", Phi Learning Private Limited, 2011.

[8] Rishabh Engineering, "Top Seismic Technologies To Build Earthquake Resistant Structures"https://www.rishabheng.com/blog/earthquake-resistance-design- techniques-for-civil-structureBig Rentz, "How Earthquake-Proof Buildings Are Designed"-

[9] Advanced Earthquake resistant design techniques for tall structures in Sulaymaniyah - (may 2012) AsmaiJutyar, Divya Kamran, Nishtiman Khalaf, Surean Abdalhameed Aditya Raj, Anant Singh, Aayushi Goel, Anuj Jeena (2022).

[10] Modern techniques for earthquake resistant building Man- Quing, Guochuni Wu (2023) Earthquake Resistant
Assessment of Building Construction Technique in The Nayaga un Settlement of Kavre Before Gorkha Earthquake
[11] Dharmendra Kumar Dubey, Mohit Mishra (2022) A study and analysis of earthquake in India.









# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com