



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 5, May 2025

Innovative Approaches to Stroke Diagnosis using Deep Learning and Neuro Imaging

R.Divya¹, P. Indu², A Nadhiya³, R Sivasri⁴

Assistant Professor, Department of Information Technology, Muthayammal Engineering College (Autonomous),
Rasipuram, Tamil Nadu, India¹

Student, Department of Information Technology, Muthayammal Engineering College (Autonomous), Rasipuram,
Tamil Nadu, India²⁻⁴

ABSTRACT: Stroke identification is a critical area in neurology, where timely diagnosis can significantly improve patient outcomes. This study presents an innovative approach to stroke detection utilizing a deep learning-based diagnostic model that analyzes neuro images. By employing advanced techniques such as Convolutional Neural Networks (CNNs), our model is trained on a comprehensive dataset of MRI and CT scans to learn complex features indicative of both ischemic and hemorrhagic strokes. The deep learning framework enhances the model's ability to generalize across diverse imaging conditions and patient demographics, leading to improved diagnostic accuracy. The proposed model incorporates data augmentation and transfer learning to further enhance performance, addressing challenges related to limited datasets and variability in imaging protocols. Results indicate that the deep learning approach outperforms traditional machine learning methods, demonstrating higher sensitivity and specificity in stroke detection. This automated solution aims to assist healthcare professionals in making rapid and accurate diagnoses, ultimately contributing to better clinical decision-making and improved patient care in stroke management. This automated solution aims to assist healthcare professionals in making rapid and accurate diagnoses, ultimately contributing to better clinical decision-making and improved patient care in stroke management. By integrating deep learning into routine clinical practice, we envision a future where early detection of strokes becomes more accessible and reliable, significantly impacting patient survival rates and quality of life.

I. INTRODUCTION

DEEP LEARNING

Deep learning can be considered as a subset of machine learning. It is a field that is based on learning and improving on its own by examining computer algorithms.. Deep learning models can recognize complex patterns in pictures, text, sounds, and other data to produce accurate insights and predictions. The term Deep Learning was introduced to the machine learning community by Rina Dechter in 1986, and to artificial neural networks by Igor Aizenberg and colleagues in 2000, in the context of Boolean threshold neurons. Deep learning uses neural networks to learn useful representations of features directly from data. For example, you can use a pre trained neural network to identify and remove artifacts like noise from images

TECHNIQUES OF DL

DEEP LEARNING

Deep learning is a subfield of machine learning that focuses on using artificial neural networks to model and solve complex tasks. The term "deep" refers to the use of deep neural networks, which are neural networks with many layers (deep architectures).

SUPERVISED LEARNING

Supervised machine learning, It is defined by its use of labeled datasets to train algorithms that to classify data or predict outcomes accurately.

UNSUPERVISED LEARNING

UL Detects hidden patterns or internal structures in unsupervised learning data. It is used to eliminate datasets containing input data without labeled responses.

CONVOLUTIONAL NEURAL NETWORKS (CNN):

CNN usually refers to Convolutional Neural Networks. Convolutional Neural Networks are a type of deep neural network that are particularly effective in image recognition and processing, but they can also be applied to other types of data .

CONVOLUTIONAL LAYERS:

Convolutional layers are the core building blocks of CNNs. They are responsible for scanning the input data (such as an image) using small filters or kernels.

DL APPLICATIONS

Deep learning has found applications in a wide range of fields, transforming industries and enhancing various processes. Here are some notable deep learning applications.

VIRTUAL ASSISTANCE

Virtual assistance in deep learning is applied across various domains to create intelligent, interactive systems

AUTONOMOUS VEHICLES

In autonomous vehicles, deep learning applications enable cars to operate independently by understanding their environment, making decisions, and ensuring safe navigation.

FACE RECOGNITION

Face recognition in deep learning involves training neural networks to identify and verify individuals based on facial features.

CHATBOTS

Chatbots in deep learning are intelligent computer programs designed to engage in natural language conversations with users. They leverage deep learning techniques to understand and respond to user inputs in a way that simulates human-like conversation.

SOUND ADDITION TO SILENT FILMS

Adding sound to silent films using deep learning involves generating realistic and synchronized audio tracks for movies that were originally produced without sound.

CORRELATION OF BLACK AND WHITE IMAGES

In the context of black and white (grayscale) images in deep learning, the term "correlation" typically refers to how convolutional neural networks (CNNs) learn and utilize patterns and features within these images.

DL CHARACTERISTICS**Hierarchy of Features:**

Deep learning models learn a hierarchy of features from the data. In neural networks with multiple layers, each layer captures increasingly complex and abstract representations of the input data..

END-TO-END LEARNING:

Deep learning models are capable of end-to-end learning, meaning they can learn directly from raw data without the need for manual feature engineering.

SCALABILITY:

Deep learning models can scale with the increasing amount of data and computational resources. Larger datasets and more powerful hardware.

ABILITY TO HANDLE HIGH-DIMENSIONAL DATA

Deep learning is well-suited for high-dimensional data, such as images and sequences, where traditional methods may struggle.

REPRESENTATION LEARNING:

Deep learning excels at representation learning, where the model learns to represent data in a meaningful way.

II. PROPOSED SYSTEM

The proposed system for stroke identification leverages deep learning techniques, specifically utilizing Convolutional Neural Networks (CNNs) to analyze neuroimages from MRI and CT scans. This advanced approach enables the model to automatically learn complex features indicative of ischemic and hemorrhagic strokes, significantly enhancing diagnostic accuracy compared to traditional methods. By employing data augmentation and transfer learning, the model is designed to improve its performance even with limited datasets, allowing for better generalization across diverse clinical scenarios. One of the key advantages of this deep learning-based system is its ability to provide real-time analysis, facilitating rapid decision-making in clinical settings. The automated feature extraction minimizes the reliance on manual input, reducing human error and enhancing consistency in diagnoses. Additionally, the implementation of explainable AI techniques allows healthcare professionals to understand the rationale behind the model's predictions, fostering trust in automated systems. Overall, this innovative solution aims to streamline the diagnostic process, reduce false positives and negatives, and ultimately improve patient outcomes by enabling timely intervention in stroke management. By integrating deep learning into routine practice, we envision a future where accurate and efficient stroke detection becomes the standard of care.


ADVANTAGES

- It perform high accuracy is detected in real time.
- low risk, and cost effective.
- Scope of improvement.

IMPLEMENTATION

To implement the stroke identification system, we first collect and preprocess neuroimages (MRI/CT scans) using techniques like data augmentation and normalization. A deep learning model, primarily a Convolutional Neural Network (CNN), is trained to detect ischemic and hemorrhagic strokes by learning complex image features. Transfer learning can be used to improve performance with limited data. The model is then evaluated using metrics such as accuracy and precision. Explainable AI techniques like Grad-CAM are integrated to visualize decision-making, fostering trust among clinicians. The system is deployed for real-time use, integrated with hospital systems like PACS and EHR, and continuously retrained with new data and feedback. Ensuring compliance with healthcare regulations and scalability for different environments is also crucial for widespread adoption.

SYSTEM ARCHITECTURE



III. MODULES

- Data Collection and Preprocessing Module
- Stroke Classification Module

- Risk Stratification Outcome Prediction Module.
- Validation And Testing Module

MODULES DESCRIPTION

DATA COLLECTION AND PREPROCESSING MODULE

Data Collection and Preprocessing Module is the first step in the stroke identification system, focusing on preparing neuroimaging data for analysis. It involves collecting MRI and CT scans from reliable sources and preprocessing them to ensure consistency. This includes resizing images, normalizing intensity, and removing noise or artifacts. Techniques like data augmentation (e.g., rotating or flipping images) are used to increase the variety of training data, helping the model perform better. By isolating key regions of the brain and ensuring balanced data for different stroke types, this module provides a clean and diverse dataset for accurate model training.

STROKE CLASSIFICATION MODULE

The Stroke Classification Module is a core component of the stroke identification system, designed to differentiate between ischemic and hemorrhagic strokes using deep learning techniques. This module leverages Convolutional Neural Networks (CNNs) to automatically learn and extract complex patterns from neuroimaging data, enabling accurate classification. During training, the model is fine-tuned to recognize subtle differences in MRI and CT scans that indicate the type of stroke. The module employs a softmax activation function for multi-class classification, ensuring precise predictions. By automating the classification process, it reduces the reliance on manual interpretation, minimizes human error, and provides consistent results, enabling faster and more accurate diagnosis in clinical settings.

RISK STRATIFICATION OUTCOME PREDICTION MODULE

The Risk Stratification and Outcome Prediction Module plays a vital role in assessing the severity of a stroke and predicting patient outcomes. Using deep learning models, this module analyzes neuro imaging data alongside clinical parameters to estimate the likelihood of complications, recovery potential, or long-term effects. By stratifying patients based on their risk levels, it helps prioritize critical cases for immediate intervention. Additionally, the module predicts outcomes such as recovery time, potential disabilities, or the need for advanced treatments. This enables personalized care planning, allowing healthcare professionals to make informed decisions that improve patient management and long-term quality of life.

VALIDATION AND TESTING MODULE

The Validation and Testing Module is crucial for ensuring the robustness and reliability of the stroke identification system. This module is responsible for evaluating the performance of the trained model using unseen data to assess its generalization capabilities. It employs techniques such as cross-validation to divide the dataset into multiple subsets, training the model on one while testing it on others to ensure that it doesn't overfit. Additionally, external validation is conducted using different datasets or real-world clinical data to confirm the model's accuracy and performance in diverse scenarios. Key metrics such as accuracy, sensitivity, specificity, and F1-score are used to gauge the model's effectiveness in detecting and classifying strokes. This module helps identify potential weaknesses or areas for improvement, ensuring the system is reliable and ready for clinical deployment.

IV. CONCLUSION

In conclusion, the proposed deep learning-based system for stroke identification represents a transformative approach to modern healthcare, combining the power of Convolutional Neural Networks (CNNs) with advanced techniques like transfer learning and data augmentation. By enabling automated, real-time analysis of neuro images and incorporating explainable AI for transparency, this system significantly enhances diagnostic accuracy and decision-making efficiency in clinical settings. With its ability to reduce human error, streamline workflows, and deliver consistent results, the solution addresses critical challenges in stroke diagnosis. Moreover, its adaptability across diverse datasets and potential integration into routine practice pave the way for widespread adoption. Ultimately, this innovative framework promises to improve patient outcomes by facilitating timely, precise interventions, laying the foundation for more accurate and efficient stroke detection as a standard of care in the future.

V. FUTURE ENHANCEMENT

Future improvements to the stroke identification system could include adding more patient data, like medical history and genetic information, to make the diagnosis more personalized and accurate. Using advanced technologies like 3D imaging and attention-based models could help the system better understand complex brain scans. Making the system explainable would help doctors trust its decisions by showing them how the system arrived at its conclusions. Additionally, deploying the system on mobile devices or edge devices would allow for faster diagnosis in emergencies, even in remote areas. Continuous learning and feedback from doctors would help the system adapt and improve over time. Collaborating with healthcare professionals, ensuring fairness across all patient groups, and meeting regulatory standards would ensure the system is reliable, accessible, and can be used worldwide.

REFERENCES

- [1] World Stroke Organization. (2023). Vision Impairment and Blindness. <https://www.worldstroke.org/world-stroke-day-campaign/why-stroke-matters/learn-aboutstroke>.
- [2] A. Khosla, Y. Cao, C. C.-Y. Lin, H.-K. Chiu, J. Hu, and H. Lee, "An integrated machine learning approach to stroke prediction," in Proc. 16th ACM SIGKDD Int. Conf. Knowl. Discovery Data Mining, Jul. 2010, pp. 183–192.
- [3] Centers for Disease Control Prevention. (2023). Stroke Facts. Accessed: Mar. 25, 2023. [Online]. Available: <https://www.cdc.gov/stroke/facts.htm>.
- [4] Y. Xu, K. Li, Y. Zhao, L. Zhou, Y. Liu, and J. Zhao, "Role of ferroptosis in stroke," Cellular Mol. Neurobiol., vol. 43, no. 1, pp. 205–222, Jan. 2023.
- [5] X. Li and G. Chen, "CNS-peripheral immune interactions in hemorrhagic stroke," J. Cerebral Blood Flow Metabolism, vol. 43, no. 2, pp. 185–197, Feb. 2023.
- [6] Y. Yang, J. Zheng, Z. Du, Y. Li, and Y. Cai, "Accurate prediction of stroke for hypertensive patients based on medical big data and machine learning algorithms: Retrospective study," JMIR Med. Informat., vol. 9, no. 11, Nov. 2021, Art. no. e30277.
- [7] M. Chun, R. Clarke, B. J. Cairns, D. Clifton, D. Bennett, Y. Chen, Y. Guo, P. Pei, J. Lv, C. Yu, L. Yang, L. Li, Z. Chen, and T. Zhu, "Stroke risk prediction using machine learning: A prospective cohort study of 0.5 million Chinese adults," J. Amer. Med. Inform. Assoc., vol. 28, no. 8, pp. 1719–1727, Jul. 2021.
- [8] G. Ntaios, D. Sagris, A. Kallipolitis, E. Karagkiozi, E. Korompoki, E. Manios, V. Plagianakos, K. Vemmos, and I. Maglogiannis, "Machinelearning-derived model for the stratification of cardiovascular risk in patients with ischemic stroke," J. Stroke Cerebrovascular Diseases, vol. 30, no. 10, Oct. 2021, Art. no. 106018.
- [9] K. Uchida, J. Kouno, S. Yoshimura, N. Kinjo, F. Sakakibara, H. Araki, and T. Morimoto, "Development of machine learning models to predict probabilities and types of stroke at prehospital stage: The Japan urgent stroke triage score using machine learning (JUST-ML)," Transl. Stroke Res., vol. 13, no. 3, pp. 370–381, Jun. 2022.
- [10] H. Z. U. Rehman, H. Hwang, and S. Lee, "Conventional and deep learning methods for skull stripping in brain MRI," Appl. Sci., vol. 10, no. 5, p. 1773, Mar. 2020.
- [11] M. Lim, A. Abdullah, N. Z. Jhanjhi, M. K. Khan, and M. Supramaniam, "Link prediction in time-evolving criminal network with deep reinforcement learning technique," IEEE Access, vol. 7, pp. 184797–184807, 2019.
- [12] M. Lim, A. Abdullah, N. Jhanjhi, and M. Supramaniam, "Hidden link prediction in criminal networks using the deep reinforcement learning technique," Computers, vol. 8, no. 1, p. 8, Jan. 2019.
- [13] S. Bacchi, T. Zerner, L. Oakden-Rayner, T. Kleinig, S. Patel, and J. Jannes, "Deep learning in the prediction of ischaemic stroke thrombolysis functional outcomes," Academic Radiol., vol. 27, no. 2, pp. e19–e23, Feb. 2020.
- [14] MR Maria Reethu, Lakshmi Narasimha Raju Mudunuri, Subash Banala, "Exploring the Big Five Personality Traits of Employees in Corporates," 2(1), pp. 1-13, 2024.
- [15] M. Saritha, K. Paul Joseph, and A. T. Mathew, "Classification of MRI brain images using combined wavelet entropy based spider web plots and probabilistic neural network," Pattern Recognit. Lett., vol. 34, no. 16, pp. 2151–2156, Dec. 2013.
- [16] S. Dev, H. Wang, C. S. Nwosu, N. Jain, B. Veeravalli, and D. John, "A predictive analytics approach for stroke prediction using machine learning and neural networks," Healthcare Anal., vol. 2, Nov. 2022, Art. no. 100032.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details