



(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 5, May 2025

⊕ www.ijirset.com ⊠ ijirset@gmail.com 🖄 +91-9940572462 🕓 +91 63819 07438





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 5, May 2025

DOI: 10.15680/IJIRSET.2025.1405421

Blockchain based Voting Dapp

Sneha S R

Assistant Professor, Dept. of CSE, Shridevi Institute of Engineering and Technology, Tumkur, Karnataka, India

Vishnu Thirtha, Tasmiya Banu, Soundarya K A, Zainab Fakruddin

Dept. of CSE, Shridevi Institute of Engineering and Technology, Tumkur, Karnataka, India

ABSTRACT: In recent years, the integrity and security of electoral processes have garnered significant attention, leading to the exploration of innovative technologies that could enhance voting systems. This project presents a Blockchain-Based Online Voting System (BOVS) as a solution to the myriad challenges associated with traditional voting methods, including ballot tampering, privacy concerns, and voter accessibility. By leveraging the decentralized and immutable nature of blockchain technology, the proposed system aims to provide a transparent, secure, and efficient voting process.

Traditional election systems often face challenges related to security, transparency, accessibility, and voter turnout. This paper explores the potential of blockchain technology to address these issues by proposing a secure, transparent, and auditable online voting system. We will examine the fundamental principles of blockchain, its applicability to online voting, the benefits and challenges associated with its implementation, and potential future directions for research and development in this critical domain.

This paper compares existing literature on blockchain voting solutions, analyzing their methodologies, security measures, and user acceptance. The study highlights the unique aspects of BOVS, demonstrating its potential to revolutionize democratic engagement while addressing the limitations of conventional voting systems. The findings suggest that, while promising, the practical implementation of a blockchain-based voting system must navigate legal, technical, and social challenges to realize its full potential.

I. INTRODUCTION

The concept of a voting system has remained a cornerstone of democracy for centuries, providing citizens with a voice in the governance process. However, the mechanisms of casting votes have evolved slowly, often struggling to keep pace with technological advances. The introduction of online voting has emerged as a potential solution to enhance electoral participation, particularly among younger voters and those in remote areas. Nonetheless, traditional online voting systems have faced considerable criticism due to concerns over security, privacy, and the risk of fraud. In response to these challenges, blockchain technology has emerged as a promising alternative for developing secure and transparent online voting systems. For instance, research presents a theoretical framework emphasizing the importance of auditability and transparency, while highlighting the user authentication process as a critical factor for secure online voting. This paper critically reviews and compares existing research on blockchain-based voting systems, emphasizing the strengths and weaknesses of various approaches that have been proposed. The primary objective of this research is to develop a Blockchain-Based Online Voting System (BOVS) that not only ensures the integrity of the voting process but also increases voter accessibility and participation.

II. PROPOSED METHODOLOGY

The system leverages blockchain technology to ensure a secure, transparent, and tamper-proof online voting process. The application incorporates user identity verification, vote casting through smart contracts, and immutable vote storage on a decentralized ledger. Each vote is cryptographically signed and timestamped, ensuring accountability and transparency throughout the election process.

A. Voter Registration and Authentication:

To maintain the integrity of the voting system, a secure voter registration mechanism is implemented. Voters must first register using a government-issued ID, which is verified using Aadhaar/Passport databases or similar trusted sources. A





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 5, May 2025

|DOI: 10.15680/IJIRSET.2025.1405421|

two-factor authentication (2FA) system is integrated, combining biometric verification or OTP-based login with user credentials to prevent unauthorized access.

B. Vote Casting via Smart Contracts:

Voting is facilitated through Ethereum-based smart contracts, ensuring that each registered voter can cast only one vote. The smart contract enforces voting rules, such as one vote per user and candidate eligibility, without requiring manual oversight. The user interface allows voters to select their preferred candidate and submit their vote securely through the blockchain network.

C. Blockchain Ledger and Data Integrity:

All votes are recorded on a public or consortium blockchain using cryptographic hashing to maintain data immutability. Each block contains encrypted voter details, vote choice, and timestamp. This ensures that once a vote is submitted, it cannot be modified or deleted, thereby eliminating the possibility of vote tampering or duplication.

D. MetaMask Integration for Secure Voting:

MetaMask serves as the digital wallet that connects users to the Ethereum blockchain, enabling secure and authenticated transactions. It ensures that only verified users with valid Ethereum accounts can access the voting system. Through MetaMask, voters can sign transactions and cast their votes directly from their browsers, without exposing private keys. The integration guarantees transparency and immutability, while providing a user-friendly interface for managing accounts and interacting with the smart contract securely.

E. Local Blockchain Environment with Ganache

Ganache is used in our system to create a personal Ethereum blockchain for development and testing purposes. It allows developers to deploy smart contracts, simulate transactions, and without incurring real-world gas fees. By using Ganache, we ensure rapid iteration, debugging, and validation of the voting process before deploying it to the live Ethereum network. This setup provides a reliable and efficient way to interact with MetaMask and the smart contract, ensuring the robustness and correctness of the overall solution.

F. Result Compilation and Verification:

Votes are tallied directly from the blockchain ledger using smart contract logic. Since the ledger is decentralized and transparent, real-time vote counts can be accessed and verified by authorized stakeholders without compromising voter anonymity. This enhances trust and speeds up result announcements, while ensuring the credibility of the outcome.

G. Testing, Scalability, and Future Enhancements:

The application is rigorously tested across different devices and blockchain networks to ensure robustness, speed, and fault tolerance. Load testing simulates high voter turnout to validate performance under stress. The architecture is modular, enabling future upgrades like AI-based voter fraud detection, integration with government portals, and mobile wallet voting through decentralized identity (DID) systems.

III. ARCHITECTURE OF PROJECT

The admin begins the process by launching or deploying the voting system on a blockchain network compatible with the Ethereum Virtual Machine (EVM). After deployment, the admin creates an election instance by filling in the required details, including the list of candidates that voters will choose from. Voters who wish to participate connect to the same blockchain network using MetaMask. They register by submitting their blockchain account address, name, and phone number.

Once a voter registers, their details are sent to the admin's verification panel for review. The admin checks whether the submitted information matches their records. If the information is valid, the admin approves the registration, making the user eligible to vote.

Following approval, the registered voter can cast their vote through the voting page using MetaMask. Each user is allowed to vote only once. If a user tries to vote again, the system will display a message saying, "Vote has been recorded," and will not allow another vote. There is no login system in this application; instead, each user's identity is







www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 5, May 2025

|DOI: 10.15680/IJIRSET.2025.1405421|

tied to their MetaMask account, which is used for both registration and voting. Once the voting period is over, the admin ends the election. When the election is closed, the voting process stops, and the results are displayed automatically, with the winning candidate shown at the top of the results page.





IV. RESULTS

Here is the outline of the working process of our project as shown in the form of architecture. We are also going to attach the screenshots of the working website to make it clear for the viewers of this paper.

 e o isolesi 	3866					* •0
			E-VOTING ELECTION	RESULTS	Live	
		10	CANDIDATE NAME	VOTE COUNT		
		1	PARTYA	0		
		2	INNETY B.	4		
		3	PARTY C	4		
			SELECT CANDID	ITE .		
		Fraty A				
			Vote	- 19 J		
			Passe hts the res province of a	NTA IN CARDING		
			YOUR ACCOUNT			
		0	HEATING IN THE PRODUCTION	ETDS FARSSOND		



This is the **Voting Page**, where approved voters can select their preferred candidate and cast their vote. It displays the live election results with vote counts for each candidate in real time.

The user selects a candidate from the dropdown and confirms the vote using the Vote button.

The connected blockchain account is shown below, and votes are recorded securely via MetaMask.

| An ISO 9001:2008 Certified Journal





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

<section-header>

Candidate Selection Page


This page allows verified users to **select a candidate** from the dropdown menu to cast their vote. It displays the **live election results**, showing the vote count for each candidate. The voter's connected **blockchain account** is shown at the bottom for identity reference. After selecting a candidate, the voter can **submit their vote securely using MetaMask**.

					a proste
CAUSTING ELECTION RESULTS Lin CAUSTING ELECTION RESULTS Lin CAUSTING ELECTION RESULTS Lin					Contraction of the local sectors of the local secto
E-VOTING ELECTION RESULTS Der Der Der Der Der Der Der Der					
EVOTING ELECTION RESULTS Lor Example Lor Example Netro Example 1 Netro E					
ENOTING LEACTION RESULTS Line					and the second s
					11045 - 447
10 Automation with the state of the stat		E-VOTING ELECTION	N RESULTS	ive	Entrand fee Color Catronated fee Color
1 MPTA 0 2 MPTA 0 3 MPTA 0 SLECTCADEGOR 0 0 Parts 0 0 Based 0 0 Based 0 0	-	CARPORT CARP	VIEW COLUMN		
					Annual parter Has search 52204
SLET CARGONE	2	PARTY B	0		
	8	PARTY C	٥		
Page 1		SELECT CANDID	ene .		Adam Contra
Mile Here the inclusion and well strength the part					
Page in the control of the standing of the sta			1		
			and the rest of		
		EKABABLAADBERI 29ASDEDCOOD	CET CELLAGORED MAR		

Vote Confirmation Page

This page shows the **final step** in the voting process where the voter confirms their selected candidate. Upon clicking "Vote", MetaMask prompts the user to **approve the transaction** on the blockchain. It shows gas fee details and requires the user to click **"Confirm"** to record their vote securely. This ensures that the vote is **recorded immutably on the Ethereum blockchain** using the connected wallet.

Bites to Biddestees + 4						
		E-VOTING ELECTION	RESULTS	Live		
				Live		
	ND 1	CANENDATE NAME INDEXA	VOTE COUNT 0			
	2	PERTYA	1			
	3	Delitiy C	0			
		Your value has been rea	antez.			
		TOUR ACCOUNT	ÉFLOFFOFBIRINA			



This page confirms that **your vote has been successfully recorded** on the blockchain. The updated vote count is displayed instantly under the **Live Election Results** section. It enhances transparency by showing real-time tally updates for all candidates. Your connected Ethereum account is also shown to ensure **voter identity verification**.





www.ijirset.com |A Monthly, Peer Reviewed & Refereed Journal| e-ISSN: 2319-8753| p-ISSN: 2347-6710|

Volume 14, Issue 5, May 2025

DOI: 10.15680/IJIRSET.2025.1405421

V. CONCLUSIONS AND FUTURE WORK

The blockchain technology presents a transformative opportunity to address persistent challenges within traditional election systems. Its inherent characteristics of decentralization, immutability, and transparency offer the potential to significantly enhance the security and trustworthiness of online voting processes. By leveraging cryptographic techniques and distributed ledgers, blockchain can mitigate risks associated with voter fraud, ballot tampering, and single points of failure, fostering greater confidence in the integrity of electoral outcomes.

However, the widespread adoption of blockchain-based online voting is not without its hurdles. Issues such as scalability to handle national-level elections, the complexities of ensuring robust security at all implementation layers, and the critical need to bridge the digital divide to guarantee equitable access for all eligible voters must be carefully considered and effectively addressed. Furthermore, navigating the existing regulatory landscape and building public trust in a novel digital voting system require thoughtful planning, transparent communication, and rigorous independent audits.

Further enhancement of blockchain-based online voting systems will likely focus on several key areas. Firstly, expect significant advancements in cryptographic techniques to ensure even stronger voter privacy and anonymity through methods like zero-knowledge proofs and homomorphic encryption. Secondly, scalability solutions will be crucial for handling the high transaction volumes inherent in national elections without compromising speed or cost-effectiveness. Thirdly, the development and integration of robust decentralized identity management systems will streamline voter registration and authentication processes, enhancing security and user experience. Fourthly, we will likely see the emergence of more sophisticated hybrid voting models that combine the security and accessibility of online blockchain systems with the familiarity and inclusivity of traditional methods. Fifthly, efforts towards achieving interoperability between different blockchain platforms will foster the creation of more adaptable and modular system.

REFERENCES

[1] Lai, W.J.; Hsieh, Y.C.; Hsueh, C.W.;Wu, J.L. Date: A decentralized, anonymous, and transparent e-voting system. In Proceedings of the 2018 1st IEEE International Conference on Hot Information-Centric Networking (HotICN), Shenzhen, China, 15–17 August 2018.

[2] Private, public, and consortium blockchains - what's the problematic approached difference? https://www.binance.vision/blockchain/ private-public-and-consortiumblockchains-whats-the-difference. Accessed: 2020-01-24.

[3] Sha-256 hashing algorithm. https://www.movable-type.co.uk/scripts/ sha256.html. Accessed: 2020-01-27.

[4] Hardwick, F.S.; Gioulis, A.; Akram, R.N.; Markantonakis, K. E-voting with blockchain: An e-voting protocol with decentralisation and voter privacy. In Proceedings of the 2018 IEEE International Conference on Internet of Things (iThings) and IEEE Green Computing and Communications (GreenCom) and IEEE Cyber, Physical and Social Computing (CPSCom) and IEEE Smart Data (SmartData), Halifax, NS, Canada, 30 July–3 August 2018.

[5] Himanshu Agarwal and GN Pandey. Online voting system for india based on aadhaar id. In 2013 Eleventh International Conference on ICT and Knowledge Engineering, pages 1–4. IEEE, 2013.

[6] Soumyajit Chakraborty, Siddhartha Mukherjee, Bhaswati Sadhukhan, and Kazi Tanvi Yasmin. Biometric voting system using aadhar card in India. International journal of Innovative research in Computer and Communication Engineering, 4(4), 2016.

[7] Basit Shahzad and Jon Crowcroft. Trustworthy electronic voting using adjusted blockchain technology. IEEE Access, 7:24477–24488, 2019.

[8] Muniraju Hullurappa, Sudheer Panyaram, "Quantum Computing for Equitable Green Innovation Unlocking Sustainable Solutions," in Advancing Social Equity Through Accessible Green Innovation, IGI Global, USA, pp. 387-402, 2025.

[9] Scott Wolchok, Eric Wustrow, J Alex Halderman, Hari K Prasad, Arun Kankipati, Sai Krishna Sakhamuri, Vasavya Yagati, and Rop Gonggrijp. Security analysis of india's electronic voting machines. In Proceedings of the 17th ACM conference on Computer.

[10] Mihir Shah and R. V. Dharaskar. A secure electronic voting system using blockchain technology. Procedia Computer Science, 167:375–386, 2020.









INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com