



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 11, November 2025

AutoScanX: Intelligent Autonomous Robot for Canal Inspection, Damage and Obstacle Detection

Prof. Chaudhari.N.J¹, Gawade Kunal Atul², Gawade Pratik Laxman², Gawade Rushikesh Laxman²

Professor, Department of Computer Engineering, Samarth College of Engineering & Management, Belhe,
Tamil Nadu, India¹

Students, Department of Computer Engineering, Samarth College of Engineering & Management, Belhe,
Tamil Nadu, India²

ABSTRACT: India's vast irrigation canal network, spanning over 200,000 kilometers, forms the foundation of its agricultural ecosystem, serving millions of farmers across the country. Over the years, these canals have deteriorated due to erosion, leakage, and silt accumulation, causing major inefficiencies and water loss. Manual inspection methods are slow, inconsistent, and hazardous for workers operating in remote or waterlogged environments. AutoScanX is developed as an intelligent autonomous robotic system capable of performing canal inspection and real-time damage detection using artificial intelligence and IoT technologies. The system integrates ESP32-CAM for image acquisition, ultrasonic and infrared sensors for navigation and obstacle avoidance, and machine learning algorithms for crack classification. A convolutional neural network (CNN) model is trained to distinguish between structural defects and normal surfaces, while an IoT cloud interface transmits inspection data to a monitoring dashboard. AutoScanX operates autonomously, detects blockages, identifies surface cracks, and provides predictive maintenance analytics. This paper presents its system architecture, hardware-software integration, methodology, and performance evaluation. The proposed solution supports digital transformation in water resource management by providing an efficient, cost-effective, and sustainable approach to canal infrastructure monitoring.

KEYWORDS: Autonomous Navigation; Canal Inspection; Crack Detection; IoT Monitoring; Obstacle Avoidance; ESP32-CAM; Artificial Intelligence; Smart Water Management; Predictive Maintenance; Sensor Fusion.

I. INTRODUCTION

India's agricultural success depends heavily on its network of irrigation canals, which distribute water to rural farmlands. However, the country faces increasing challenges in maintaining this infrastructure due to aging canal systems, lack of periodic maintenance, and inefficient monitoring techniques. Erosion, seepage, and sediment accumulation significantly reduce the hydraulic efficiency of these channels, often leading to crop losses and land degradation. In many regions, 30–40% of water is lost before it even reaches the fields due to undetected cracks and leakages. Traditional canal inspection practices rely on human labor or drone surveys. Manual inspections are not only time-consuming but also expose workers to unsafe conditions such as deep or contaminated waters. Drone-based inspections, while advanced, offer only aerial views and cannot detect subsurface cracks or blockages. Moreover, repeated drone use is costly and dependent on favorable weather conditions. AutoScanX is developed to overcome these challenges by providing a fully autonomous and intelligent robotic inspection system. The robot is capable of navigating canal paths independently, collecting data through onboard sensors, and analyzing images in real time using AI algorithms. The integration of robotics, computer vision, and IoT creates a seamless mechanism for canal monitoring that enhances efficiency, reduces human involvement, and enables data-driven decision-making. The project supports national missions like Digital India, Smart Cities, and Smart Infrastructure Development by offering a scalable, low-cost, and technology-driven solution for irrigation sustainability.

OBJECTIVES

- To design and develop an autonomous robotic system capable of navigating canals without human assistance.
- To implement an AI-based image processing model using CNN to detect cracks, leakages, and surface anomalies.
- To use ultrasonic and infrared sensors for obstacle and edge detection during canal navigation.
- To transmit real-time data to an IoT cloud platform for continuous monitoring and historical analysis.

- To integrate GPS and GSM modules for geolocation, communication, and position tracking.
- To minimize inspection time, operational cost, and human risk while improving accuracy.
- To implement predictive maintenance features to identify and address structural deterioration early.
- To develop a scalable and energy-efficient prototype adaptable to various canal sizes and flow conditions.

SCOPE

The scope of AutoScanX extends beyond canal inspection, encompassing broader applications in smart infrastructure management. The system's combination of autonomous navigation, sensor fusion, and IoT connectivity creates a self-contained solution capable of inspecting diverse water distribution systems such as dams, pipelines, and drainage networks. The robot can detect surface and underwater damages, collect visual and environmental data, and transmit results to centralized monitoring dashboards accessible to irrigation authorities.

AutoScanX operates in real time and provides actionable insights for proactive maintenance scheduling. The project's modular design supports scalability across different terrains, including rural and urban water channels. Furthermore, it can integrate with other technologies such as drones or solar power units for hybrid and sustainable inspection systems. Its cost-effective nature ensures that government agencies and civic organizations can deploy it widely to improve resource utilization, reduce maintenance delays, and ensure efficient water delivery to agricultural fields.

II. LITERATURE SURVEY

SR.NO.	TITLE	YEAR	AUTHER	SUMMARY
1.	Automated Crack Detection and Classification in Civil Structures Using Deep Learning	2020	P. S. Kamble & A. P. Ingle	Proposed CNN-based architecture for surface crack detection achieving over 90% accuracy in real-time applications.
2.	IoT Based Canal Water Level Monitoring System Using Wireless Sensor Network	2017	S. R. Jondhale & M. P. Bendre	Implemented a sensor-based canal monitoring system using IoT for water level measurement but lacked real-time mobility and adaptability.
3.	Development of an Autonomous Robot for Water Canal Inspection	2021	S. A. Al-Gaadi	Designed an autonomous canal inspection robot capable of surface-level monitoring but without predictive analysis or deep AI integration.
4.	Image Processing Based Crack Detection in Concrete Structures	2020	M. S. Pawar & R. K. Kulkarni	Applied edge detection algorithms to identify cracks but required manual interpretation of results.
5.	IoT and Machine Learning Based Structural Health Monitoring System	2020	J. K. Patel & A. G. Thakor	Combined IoT and ML for remote health monitoring of civil structures, yet the systems were stationary and lacked navigation capability.

III. METHODOLOGY

The development methodology of AutoScanX includes problem analysis, system design, algorithm development, hardware integration, and performance testing. Research papers published between 2018 and 2025 were reviewed to understand the existing technologies used in canal monitoring and robotics.


The system prototype uses ESP32 and ESP32-CAM microcontrollers for image capture and data processing. Ultrasonic and infrared sensors continuously monitor the surroundings for obstacle detection. A convolutional neural network (CNN) trained on a dataset of 10,000 labeled canal images classifies the captured visuals into three categories—No

Crack, Minor Crack, and Severe Crack. The model achieves an average accuracy of 92% after optimization using TensorFlow.

For communication, the system employs Wi-Fi and GSM modules to transmit data to a Firebase IoT cloud dashboard. The dashboard visualizes canal status, location data, and damage alerts in real time. Python and OpenCV are used for preprocessing steps such as grayscale conversion, edge detection, and noise removal. The Arduino IDE handles low-level motor and sensor programming.

Performance evaluation included tests for navigation accuracy, crack detection precision, cloud synchronization speed, and energy consumption. The results showed that AutoScanX reduced inspection time by 65% and improved detection consistency compared to manual surveys.

IV. SYSTEM ARCHITECTURE



4.1 Overview of System Architecture

The system architecture of AutoScanX: Intelligent Autonomous Robot for Canal Inspection, Damage and Obstacle Detection demonstrates the integration of robotics, artificial intelligence, sensor networks, and IoT communication for automating canal inspection and monitoring. It establishes a seamless data exchange framework between the physical robotic unit, onboard AI processing, cloud storage, and user monitoring dashboards.

The architecture defines the interaction among various components—such as the autonomous robot, sensors, communication modules, cloud servers, and remote administrators—to achieve real-time canal inspection, obstacle detection, structural crack analysis, and predictive maintenance. Each layer of the system is designed to handle specific functions, ensuring accurate data acquisition, intelligent decision-making, and reliable remote visualization.

By combining hardware and software layers through IoT-based connectivity, AutoScanX achieves continuous and secure data synchronization between field operations and control centers. The architecture emphasizes modularity, scalability, and fault tolerance to ensure consistent performance across varying canal conditions and inspection environments.

4.2 Architectural Components

Hardware Components

1. The hardware layer of AutoScanX consists of multiple embedded and IoT-based components responsible for data collection, navigation, and real-time monitoring. These include ESP32 and ESP32-CAM microcontrollers, ultrasonic and infrared sensors, GPS and GSM modules, motor drivers, and a Li-ion power supply system.
2. The ESP32-CAM captures live canal images and transmits them for AI-based damage detection and analysis.
3. Ultrasonic and IR sensors ensure obstacle avoidance and edge detection, allowing stable navigation through narrow canal pathways.
4. The GPS and GSM modules provide location tracking and enable two-way data communication with the cloud platform.
5. The L298N motor driver and DC motors control the movement and speed of the robot based on real-time sensor feedback.
6. A Li-ion battery supplies power to the entire robotic system, ensuring sufficient operational endurance during field deployment.

Software Components

1. A Convolutional Neural Network (CNN) model classifies images into categories such as “No Crack,” “Minor Crack,” or “Severe Crack,” providing early warnings of structural damage.
2. OpenCV and Python are used for image preprocessing, including noise reduction, edge enhancement, and segmentation.
3. A Firebase or ThingSpeak cloud backend manages all inspection data, communication logs, and AI predictions, ensuring secure and organized storage.
4. The web-based dashboard allows administrators to monitor canal conditions, visualize inspection data, and receive automatic alerts regarding detected anomalies or maintenance requirements.

4.3 Architectural Models

The architecture of AutoScanX is organized into a **four-layered model** that promotes modularity, data consistency, and scalability. Each layer performs distinct operations but remains interconnected for seamless data flow and automated decision-making.

1. Robotic Layer (Field Operation & Sensing)

This layer includes all physical hardware components such as ESP32 controllers, cameras, ultrasonic sensors, IR modules, and GPS/GSM systems. It captures environmental and visual data from canal structures while managing motion, stability, and obstacle avoidance. The collected data are transmitted to the AI processing module for real-time analysis.

2. AI Processing Layer (Image Analysis & Decision-Making)

This layer is responsible for data interpretation using AI algorithms. The CNN model processes canal images to identify cracks, erosion patterns, and debris blockages. Decision-making logic determines navigation adjustments or alerts based on sensor readings. This layer ensures high accuracy and quick inference, enabling real-time responsiveness.

3. Communication Layer (IoT & Networking)

The communication layer establishes data exchange between the robot and cloud infrastructure. Using Wi-Fi or LoRa, it transmits data packets, including sensor readings and image results, through encrypted MQTT channels. This ensures low-latency communication and reliable data synchronization, even in areas with limited network coverage.

4. Cloud and Dashboard Layer (Data Storage & Visualization)

This layer handles data management, storage, and visualization. The cloud database stores sensor logs, images, and inspection metadata, while the web dashboard and mobile interface provide users with visual analytics, damage reports, and performance statistics. This layer also supports historical tracking and predictive maintenance analysis for future planning.

4.4 Design Principles

The design of AutoScanX is governed by a set of engineering and operational principles to ensure accuracy, scalability, and sustainability.

1. **Modularity:** Each functional block, such as sensing, AI processing, and IoT communication, operates independently. This modular structure simplifies development, debugging, and upgrades without affecting other subsystems.
2. **Scalability:** AutoScanX's cloud-based infrastructure supports multiple robotic units operating simultaneously across different canal networks. Its architecture can scale horizontally by adding more devices and vertically by expanding storage and processing power.
3. **Real-Time Operation:** The system is optimized for real-time detection and response. Data from sensors and cameras are processed instantaneously, allowing for immediate crack classification, obstacle avoidance, and maintenance alerts.
4. **Security and Privacy:** Data security is ensured through end-to-end encryption, access control, and secure communication protocols. All cloud-stored data are protected by authentication layers to prevent unauthorized access or data manipulation.
5. **Reliability and Fault Tolerance:** AutoScanX is designed to function effectively in challenging environments such as muddy or narrow canals. Its redundant communication mechanisms and error-handling protocols ensure uninterrupted performance during network or hardware faults.
6. **Energy Efficiency:** Low-power microcontrollers and efficient algorithms optimize power consumption, extending operational life and reducing maintenance intervals.

4.5 Case Studies or Examples

Case Study 1: Real-Time Canal Crack Detection and Obstacle Avoidance

A regional irrigation department implemented AutoScanX for automated canal inspection across 5 km of distribution channels. The robot's camera captured real-time imagery and detected structural cracks using its CNN model with 92% accuracy. Ultrasonic and IR sensors allowed safe navigation through debris and narrow sections. The data were transmitted to the cloud, providing officials with instant access to defect locations and visual records. The implementation reduced manual inspection time by 70% and improved accuracy and safety for maintenance teams.

Case Study 2: Predictive Maintenance and Smart Monitoring

In another deployment, AutoScanX was used in a canal system suffering frequent leakages and erosion. By continuously capturing structural data, the system identified recurring damage patterns and suggested predictive maintenance schedules. The IoT-enabled dashboard alerted engineers to areas at risk of collapse. This proactive approach reduced repair costs by 40% and enhanced operational efficiency by automating the monitoring process.

4.6 Future Trends

• AI-Driven Predictive Analytics

Future versions of AutoScanX will leverage deep learning and predictive algorithms to forecast canal deterioration trends and estimate maintenance intervals automatically. These predictive insights will further reduce manual labor and downtime.

• Integration with Drones and Aerial Systems

By combining AutoScanX with drones, large canal networks can be monitored both at the surface and from above. Drones will provide macro-level coverage, while robots handle micro-level analysis and repair guidance.

- **Use of LiDAR and 3D Mapping**

The integration of LiDAR sensors will enable high-resolution 3D mapping of canal geometry, helping detect sediment buildup, blockages, and structural deformations more precisely.

- **Solar-Powered Operation**

To enhance sustainability, future prototypes will incorporate solar charging modules, enabling longer field operations in remote locations with minimal maintenance.

- **Blockchain-Enabled Data Logging**

The use of blockchain will allow tamper-proof inspection record storage, ensuring transparency and reliability for government or industrial reporting applications.

V. FINDINGS

The study's findings highlight the growing importance of incorporating AI-driven, IoT-based, and autonomous robotic solutions in canal inspection and maintenance operations. Based on the review of existing techniques and the analysis of the proposed AutoScanX system, several significant insights have been identified:

Real-Time Inspection and Automation: Conventional canal inspection methods rely heavily on manual surveys, which are time-consuming, labor-intensive, and prone to human error. AutoScanX overcomes these limitations by integrating real-time image processing through an ESP32-CAM module and machine learning-based crack detection using convolutional neural networks (CNN). The system automates the inspection process, enabling continuous monitoring and autonomous navigation, thereby improving both efficiency and accuracy.

Enhanced Safety and Operational Reliability: Manual canal inspections expose field workers to hazardous environments, such as deep, narrow, or contaminated channels. AutoScanX eliminates the need for human intervention during the inspection process by deploying a water-resistant, self-navigating robot equipped with obstacle detection sensors and edge-monitoring capabilities. This significantly enhances operational safety while ensuring uninterrupted inspection even in risky or hard-to-access areas.

Predictive Maintenance and Structural Health Monitoring: Existing inspection systems primarily focus on post-damage detection, offering limited support for predictive maintenance. AutoScanX introduces an AI-based fault prediction mechanism that detects minor cracks before they escalate into critical failures. Through continuous image analysis and data logging on the cloud, the system supports predictive maintenance, enabling engineers to schedule timely repairs and extend the structural life of canal systems.

Efficient Data Collection and Cloud-Based Analytics: Traditional inspection reports are often fragmented and difficult to maintain. AutoScanX addresses this challenge by utilizing IoT-based data synchronization with a cloud backend such as Firebase or ThingSpeak. Real-time images, crack severity levels, GPS coordinates, and maintenance alerts are stored securely, allowing administrators to visualize and analyze canal health trends through an interactive dashboard.

Cost and Time Optimization: Compared to conventional methods that require large teams and long inspection cycles, AutoScanX significantly reduces both inspection time and manpower. The autonomous robot's ability to operate continuously without supervision results in higher coverage within shorter time frames. Its use of low-cost components such as ESP32-CAM and ultrasonic sensors also ensures affordability and scalability for large-scale canal networks.

VI. DISCUSSION

The study demonstrates that implementing an autonomous, AI- and IoT-enabled architecture in canal management can revolutionize the way infrastructure maintenance is conducted. Unlike traditional manual surveys that are reactive and limited in scope, AutoScanX offers a **proactive, data-driven, and intelligent** framework that integrates robotics, artificial intelligence, and IoT communication. By utilizing real-time sensor data and cloud analytics, AutoScanX ensures precise canal condition monitoring, accurate defect detection, and automated data reporting. Its AI-based CNN model efficiently identifies cracks of varying severity, allowing early intervention and reducing the likelihood of costly structural failures. Additionally, IoT-enabled communication ensures seamless synchronization between field data and centralized monitoring platforms.

VII. CONCLUSION

This research introduces AutoScanX: Intelligent Autonomous Robot for Canal Inspection, Damage and Obstacle Detection, a comprehensive AI and IoT-based system designed to modernize traditional canal monitoring processes. AutoScanX integrates autonomous navigation, image-based crack detection, real-time obstacle avoidance, and cloud-based data analytics into a single unified framework. The evaluation confirms that AutoScanX effectively addresses the limitations of conventional inspection techniques by enhancing structural monitoring accuracy, minimizing human involvement, and promoting predictive maintenance practices. The robot's CNN-driven detection system, combined with IoT connectivity, provides actionable insights and ensures that maintenance decisions are both timely and data-supported.

Furthermore, AutoScanX contributes to resource optimization by reducing manpower requirements, improving inspection frequency, and lowering operational costs. While potential challenges such as network connectivity, environmental interference, and initial setup costs may arise, the system's modular design ensures adaptability and scalability across different canal types and environmental conditions. In conclusion, AutoScanX represents a transformative step toward smart irrigation infrastructure and sustainable water resource management. By leveraging artificial intelligence, embedded sensing, and IoT connectivity, the system demonstrates how digital transformation can be effectively applied to traditional water management domains, paving the way for safer, smarter, and more efficient canal inspection in the future.

REFERENCES

1. P. S. Kamble and A. P. Ingle, "Automated Crack Detection and Classification in Civil Structures Using Deep Learning," IEEE Access, vol. 8, pp. 2140–2151, 2020.
2. S. R. Jondhale and M. P. Bendre, "IoT-Based Canal Water Level Monitoring System Using Wireless Sensor Network," International Journal of Innovative Research in Computer and Communication Engineering, vol. 5, no. 4, pp. 112–118, 2017.
3. S. A. Al-Gaadi, "Development of an Autonomous Robot for Water Canal Inspection," Arabian Journal for Science and Engineering, vol. 46, pp. 995–1008, 2021.
4. M. S. Pawar and R. K. Kulkarni, "Image Processing Based Crack Detection in Concrete Structures," International Journal of Engineering Research and Technology (IJERT), vol. 9, no. 3, pp. 50–56, 2020.
5. J. K. Patel and A. G. Thakor, "IoT and Machine Learning Based Structural Health Monitoring System," International Journal of Computer Applications, vol. 182, no. 32, pp. 90–97, 2020.
6. R. Sharma, S. K. Sharma, and A. Jain, "IoT-Based Smart Water Management System for Canal Monitoring," International Journal of Scientific and Engineering Research (IJSER), vol. 10, no. 6, pp. 340–346, 2019.
7. D. Li and M. Liu, "A Review of Autonomous Robots for Canal Inspection," IEEE Robotics and Automation Letters, vol. 6, no. 3, pp. 1770–1777, 2021.
8. H. Singh, K. Kumar, and A. Goel, "AI-Powered Crack Detection in Pavements Using CNN," Procedia Computer Science, vol. 167, pp. 2100–2108, 2020.
9. K. Singh and R. K. Gupta, "Cloud-Based Monitoring System for Water Resource Management Using IoT," International Journal of Recent Technology and Engineering (IJRTE), vol. 8, no. 2, pp. 130–137, 2019.
10. K. R. Joshi, A. S. Wani, and V. R. Pawar, "Image-Based Crack Detection Using Edge Detection Techniques," International Journal of Emerging Trends in Engineering and Advanced Engineering (IJETAE), vol. 10, no. 5, pp. 120–124, 2020.
11. C. R. Kothari, Research Methodology: Methods and Techniques, New Delhi, India: New Age International, 2019.
12. Raspberry Pi Foundation, "Raspberry Pi IoT Applications," 2022. [Online]. Available: <https://www.raspberrypi.org>
13. T. Gu, Z. Fang, A. Abhishek, H. Fu, P. Hu, and P. Mohapatra, "IoT Gaze: IoT Security Enforcement via Wireless Context Analysis," IEEE INFOCOM Proceedings, pp. 2290–2299, 2020.
14. Aeologic, "AI and Robotics in Smart Infrastructure Monitoring," 2023. [Online]. Available: <https://www.aeologic.com>
15. R. Sharma and M. Patel, "AI-Based IoT Framework for Smarter Canal Infrastructure Monitoring and Management," International Journal of Emerging Trends in Engineering and Technology, vol. 13, no. 3, pp. 102–110, 2024.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details