



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 15, Special Issue 1, January 2026

Intelligent Material Sorting using Automation and Sensors

Prof. Vaibhav Dhage¹, Karan Bhagat², Nihal Kene³, Nishant Bororle⁴

Professor, Dept. of CE, Indala College of Engineering, Kalyan, Maharashtra, India¹

Dept. of CE, Indala College of Engineering, Kalyan, Maharashtra, India²

Dept. of CE, Indala College of Engineering, Kalyan, Maharashtra, India³

Dept. of CE, Indala College of Engineering, Kalyan, Maharashtra, India⁴

ABSTRACT: The traditional manual sorting process in industries is time-consuming, labor-intensive, and prone to errors. This project proposes an innovative Color-based Sorting Machine that leverages the principles of Industry 4.0 to automate the sorting process. The system utilizes a camera to capture images of products on a conveyor belt, which are then analyzed using OpenCV, a computer vision library, to detect and classify the colors of the products. The OpenCV library allows the system to accurately identify the color of each product. The system then triggers a servo motor to sort the product into the corresponding bin. The machine features a rack and pinion system with IR sensors that detect the presence of products and guide the servo motors to sort them accurately.

The system's efficiency is further enhanced by its integration with a Learning Management System (LMS) link, which enables users to place orders according to their specific needs. In the second stage, the system receives orders and adjusts its sorting parameters accordingly. In the third stage, a pick-and-place system using a Dobot robotic arm is implemented to further automate the process.

The proposed Color-based Sorting Machine offers a significant improvement over traditional manual sorting methods, providing a faster, more accurate, and cost-effective solution for industries. By leveraging Industry 4.0 principles, the system enables real-time monitoring and analysis of product colors and sorting parameters, reducing the need for manual intervention and minimizing errors. The experimental results promise that the prototype will fulfill the needs for higher production and precise quality in the field of automation.

KEYWORDS: Color-Based Sorting, Industry 4.0, OpenCV, Automation System

I. INTRODUCTION

In modern industrial environments, efficient and accurate sorting processes are essential for maintaining high production rates and ensuring consistent product quality. Traditional manual sorting methods, however, are often slow, labor-intensive, and highly susceptible to human error, leading to reduced productivity and increased operational costs. As industries transition toward smarter and more automated systems under the principles of Industry 4.0, there is a growing need for intelligent solutions capable of addressing these challenges. To meet this demand, the Color-Based Sorting Machine is proposed as an advanced automation system that utilizes computer vision, sensor technology, and robotic mechanisms to streamline the sorting process. By incorporating a camera module and OpenCV-based image processing, the system identifies product colors with high precision and directs items to the correct bins using servo motors integrated with a rack and pinion mechanism. Additional support is provided by IR sensors that enhance detection accuracy and synchronize the sorting movement. The system's functionality is further expanded through integration with a Learning Management System (LMS), allowing users to customize sorting requirements and enabling the machine to adapt its parameters in real time. A pick-and-place stage using a Dobot robotic arm adds another layer of automation, making the system suitable for complex industrial workflows. Overall, this innovative design presents a reliable, fast, and cost-effective alternative to manual sorting, offering significant improvements in efficiency, accuracy, and operational flexibility for modern industrial applications.

II. SYSTEM MODEL AND ASSUMPTIONS

The proposed Color-Based Sorting Machine is modeled as an integrated automation system that combines sensing, image processing, decision-making, and actuation. The system begins with a conveyor belt that transports products under a camera module, which captures images in real time. These images are processed using the OpenCV computer vision library to classify products based on color. IR sensors placed along the conveyor belt detect the presence and position of each item, ensuring proper synchronization between detection and sorting. Once the color is identified, the controller activates a servo motor attached to a rack-and-pinion mechanism, directing each product into its designated bin. The system is further enhanced with a Learning Management System (LMS) interface, allowing users to place customized sorting orders, which the machine uses to automatically update its sorting parameters. In the final stage, a Dobot robotic arm performs pick-and-place operations to increase automation and reduce manual handling.

The system operates under several key assumptions to ensure accurate and efficient performance. It assumes consistent and controlled lighting conditions so that the camera can capture clear images without color distortion. All products must be placed on the conveyor with enough spacing to avoid overlapping, enabling reliable image detection and classification. The conveyor speed is assumed to be constant, allowing the controller to calculate the exact timing for actuation. IR sensors are assumed to function accurately, providing precise product location data. Additionally, it is assumed that the processing unit has sufficient computational capability to handle real-time image processing, and that the communication between sensors, controllers, and actuators remains stable with minimal latency.

III. EFFICIENT COMMUNICATION

Efficient communication is a crucial component of the proposed Color-Based Sorting Machine, ensuring that every stage of the sorting process functions smoothly, accurately, and in real time. The system incorporates a well-coordinated communication network that connects the camera module, IR sensors, processing unit, servo motors, and the main controller. As products move along the conveyor belt, the IR sensors detect their presence and immediately communicate this information to the controller, which triggers the camera to capture images at the precise moment. These images are then transferred to the processing unit, where OpenCV algorithms classify the product's color. This data exchange is optimized for speed, allowing the system to analyze each product within milliseconds.

Once the color classification is complete, the processing unit communicates the sorting decision back to the controller. The controller then instructs the servo motor and rack-and-pinion mechanism to align correctly with the designated sorting bin. This entire communication loop—from detection to actuation—occurs with minimal latency, preventing delays and ensuring that products are sorted accurately even at higher conveyor speeds. The stability of signal transmission between sensors, actuators, and the controller is essential for maintaining synchronization and avoiding sorting errors.

Beyond hardware communication, the integration of a Learning Management System (LMS) enhances user-system interaction. Through the LMS link, users can place customized sorting orders or modify system parameters remotely. The machine receives these updates in real time and adjusts its sorting logic accordingly, enabling flexible operation tailored to specific industrial needs. Furthermore, communication between the controller and the Dobot robotic arm ensures precise coordination during pick-and-place operations in the third stage, allowing the system to handle more complex automation tasks.

Overall, the system's efficient communication framework ensures seamless data flow, rapid decision-making, and synchronized mechanical actions. This results in a highly responsive and reliable sorting process that aligns with the demands of modern Industry 4.0 environments, significantly improving operational productivity and reducing reliance on manual intervention.

IV. SECURITY

Security is an essential aspect of the proposed Color-Based Sorting Machine, ensuring that the system operates safely, reliably, and without unauthorized interference. Since the system integrates multiple hardware components and software modules—including cameras, sensors, servo motors, robotic arms, and a Learning Management System (LMS) link—maintaining secure communication and data integrity is critical. The LMS connection, which allows users to submit sorting orders and modify system parameters, requires strong authentication mechanisms to prevent

unauthorized access. Implementing password protection, role-based access control, and encrypted data transmission (such as HTTPS or TLS protocols) ensures that only authorized personnel can interact with the system's control settings. On the hardware side, the sensors, camera module, and actuators must communicate with the controller through secure channels that prevent data tampering or signal disruption. Ensuring that the system uses shielded cables, noise-resistant communication protocols, and error-checking mechanisms helps protect against electromagnetic interference or unintentional signal manipulation. Additionally, the processing unit running OpenCV must be safeguarded against malware or unauthorized software modifications, which could compromise color detection accuracy or introduce operational faults. Regular software updates, firewalls, and antivirus tools contribute to maintaining system integrity. Physical security also plays a vital role. Access to the control cabinet, robotic arm, and conveyor area should be restricted to trained personnel to prevent accidental damage or safety hazards. Emergency stop mechanisms and fail-safe procedures ensure that the system can halt safely during abnormal conditions, reducing risks to both equipment and operators. Furthermore, the system should include continuous diagnostic monitoring to detect anomalies such as unauthorized parameter changes, abnormal sensor readings, or mechanical malfunctions. Secure data logging ensures traceability and accountability, while regular audits help identify vulnerabilities early. By combining digital, communication, and physical security measures, the Color-Based Sorting Machine ensures reliable, uninterrupted operation and protects sensitive industrial data, making it suitable for deployment in modern automated environments where safety and data protection are paramount.

V. CONCLUSION

The proposed Color-Based Sorting Machine represents a significant advancement in industrial automation by addressing the limitations of traditional manual sorting processes, which are often slow, labor-intensive, and susceptible to human error. By integrating key Industry 4.0 technologies—such as OpenCV-based image processing, IR sensor detection, servo motor control, and LMS-driven customization—the system delivers a highly accurate, efficient, and flexible sorting solution. The incorporation of a Dobot robotic arm further enhances automation by handling pick-and-place operations, reducing the need for manual intervention and improving overall workflow efficiency. Experimental observations indicate that the prototype performs with high precision and reliability, ensuring correct color classification and seamless sorting even under continuous operation. The system's ability to adapt sorting parameters in real time and its capability for remote order management make it well-suited for modern industrial environments striving for higher productivity and consistent quality. In conclusion, the Color-Based Sorting Machine offers a cost-effective, scalable, and intelligent solution that not only increases production speed but also enhances accuracy and operational safety, making it a valuable innovation in the field of automated material handling and smart manufacturing.

REFERENCES

1. M. S. Munna, R. Hasan, and R. Boidya, "Smart Sorting System for Industrial Applications: Combining PLC and Microcontroller for Accurate Color, Length, and Weight Sorting," in Proc. 27th Int. Conf. on Computer and Information Technology (ICCIT), Cox's Bazar, Bangladesh, Dec. 2024. [Online].
2. R. Zulfiqar, B. Mehdi, R. Iftikhar, T. Khan, R. Zia, and N. Saud, "PLC Based Automated Object Sorting System," in Proc. 4th Int. Electrical Engineering Conf. (IEEC 2019), Karachi, Pakistan, Jan. 2019. [Online]. Available: https://ieec.neduet.edu.pk/2019/Papers_IEEC_2019/IEEC_2019_06.pdf
3. K. P. Kshirsagar et al., "Automatic Sorting Machine Using PLC and HMI Technique," Int. J. Recent Innov. Trends Comput. Commun., vol. 11, no. 10, pp. 678–683, Oct. 2023. [Online]. Available: http://www.ijritcc.org/download/browse/Volume_11_Issues/October_23_Volume_11_Issue_10/1698399283_15_Article.pdf
4. OpenCV Documentation. (2025). "Open Source Computer Vision Library." Available at: <https://opencv.org>
5. Arduino Official Documentation. (2025). Arduino Microcontroller Platform. Available at: <https://www.arduino.cc>
6. Raspberry Pi Foundation. (2025). Raspberry Pi Hardware and GPIO Control. Available at: <https://www.raspberrypi.com>
7. Industry 4.0 Research Group. (2018). "Applications of Computer Vision in Smart Manufacturing." Journal of Industrial Information Integration, 11, 1–12. 8. Kim, S., & Lee, J. (2017). "Intelligent Color Sorting System Using Machine Vision." Journal of Mechanical Science and Technology, 31(2), 749–757.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details