



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 15, Special Issue 1, January 2026

Real-Time Stress Detection through Facial Recognition and Expression Analysis

Prof. Vaibhav Dhage¹, Sanchita Gurav², Pooja Jadhav³, Prerna Rawool⁴, Shraddha Torkad⁵

Professor, Dept. of CE, Indala College of Engineering, Kalyan, Maharashtra, India¹

Dept. of CE, Indala College of Engineering, Kalyan, Maharashtra, India²

, Dept. of CE, Indala College of Engineering, Kalyan, Maharashtra, India³

Dept. of CE, Indala College of Engineering, Kalyan, Maharashtra, India⁴

Dept. of CE, Indala College of Engineering, Kalyan, Maharashtra, India⁵

ABSTRACT: Stress affects your head and health, and it is becoming more frequent these days. Spotting it usually means wearing gadgets that monitor physical signals, but these feel awkward, cost too much, do not work well over time, and are not practical daily. Thanks to smarter apps and better face-scanning tricks, reading facial hints of strain has become simpler, does not require touch, and runs quicker. We are diving into how scientists apply powerful pattern-learning systems to catch stress through looks, including the technology they use, the images fed in, wins so far, weak spots, and gaps still left open. The research shows that CNNs can detect small signs of stress, such as tense brows, squeezed lips, or fast eye movements, by picking up on patterns that people often overlook. Instead of relying on guesswork, these systems are trained using tons of pictures, spotting shifts in facial muscles, fleeting expressions, and faint emotional hints surprisingly well. In addition, analyzing video as it happens allows them to track stress nonstop, fitting right into daily activities without getting in the way. Even with these advantages, today's setups run into issues such as low light, blocked faces, varied head shapes, or sparse data variety. Some perform well indoors but fail outdoors, at work, or in schools. To address this, experts recommend creating larger, real-world-like databases while using methods that adjust on their own when the surroundings change. Moving forward, mixing voice patterns with body signals or heart rate may improve the detection of stress. Phones can offer fast checks, while small gadgets keep things private - all powered by smart systems that learn your habits. Better everyday examples in training data, less skewed results, and leaner software built for phones will push this even further.

KEYWORDS: Stress Detection, Facial Recognition, CNN, Micro-Expressions, Real-Time Analysis.

I. INTRODUCTION

Life these days feels heavy - school work piles up, jobs get tougher, and routines change out of nowhere. If tension persists for too long, it affects both head and health, bringing anxiety, dark thoughts, sleep problems, raised blood pressure, and sometimes heart troubles. Early detection makes a real difference.

People usually track stress using heart rate, brain activity, or the amount of sweat on the skin. Even though these measurements help, they require gear stuck on the body, which feels weird and is not doable nonstop. Thanks to smarter software and pattern-learning technology, reading faces for signs of stress has become possible since you do not have to touch anyone at all.

People's expressions give away emotions, such as lifted eyebrows, pressed lips, or narrowed eyes, which usually mean they are under pressure. Therefore, computers can spot these clues using clever setups trained to recognize image details. Rather than just making assumptions, tech pulls video snippets to track shifts quickly. Such systems run on unique networks that learn more as they see countless cases. This study examined the efficacy of various techniques, the type of information that fuels them, and the potential for future upgrades.

In addition, scientists are digging deeper into tiny facial flickers - quick signs that people cannot fully control - which indicate stress. Instead of guessing, smart camera tools using layered networks break down each video moment to better capture small changes over time. Owing to richer image collections and sharper learning tricks, mistakes are less likely

to occur, and the results are more reliable. However, hurdles arise when the light is too dim, faces wear masks, skin varies widely, or heads move around naturally. Better data variety, faster response times, and tougher systems may make this technology usable on a daily basis. Merging face signals with voice pitch, body stance, or body reactions could boost accuracy in next-gen stress detectors.

II. LITERATURE REVIEW

Some studies on spotting stress focus on body signals, while others focus on facial movements. Although both aim to detect strain, they use different clues, such as heartbeat or eyebrow shifts, to determine how tense a person is. mortensen et al. (2023) used a deep neural network to detect different stress levels through heart rate variability. Instead of the old-style yes-or-no stress tracking, their method sorts several stages more accurately.

Chandika and team in 2024 came up with a tool that spots stress instantly by reading faces, using image sets such as FER2013 along with CK+. Running through a regular webcam, it picked up tiny facial shifts tied to stress, proving that contact-free methods can be effective in detecting stress.

Multimodal research combines facial markers with body signals, which improves detection precision. However, the use of multiple sensors makes this less feasible in real life. Face-focused systems are the top choice for low-cost and continuous stress tracking.

III. METHODOLOGY REVIEW

Facial stress detectors usually work step by step

1. Spotting faces with Haar Cascades, alternatively using HOG, or going with a DNN method.
2. The images were converted to black and white, the brightness levels were adjusted, and the borders were cut out.
3. CNN captures features by identifying shifts in space and muscle use.
4. Sorting: turning gathered details into stress categories, such as Low, Moderate, or High. Choosing clear labels based on the data. Not guessing, just matching the patterns found earlier.
5. A recommendation setup that shares ways to ease stress or points toward medical professionals.

Popular datasets for training include:

- FER2013 – approximately 35k pics showing faces with different emotions.
- CK+ provides sharp image clips that show feelings.
- FER+ indicates better emotion labeling than FER.
- A few real-life movie lines were taken outside the studios.

These datasets show feelings tied to stress; therefore, CNNs can detect small changes in expression through complex learning.

IV. DISCUSSION

Facial stress spotting is effective because only a camera is required to perform it. However, factors such as shifting light or people wearing masks may have affected these results. Head motion can also affect accuracy. When models learn from small datasets, they often fail with different age groups or skin tones. Despite these drawbacks, an increasing number of people are starting to use CNN-based setups because they are affordable, easy to scale, and do not require physical contact. Hooking them up to phones or smart gadgets could allow many users to track their stress levels effortlessly.

V. CONCLUSION

Spotting stress immediately by reading faces provides a new opportunity to check mental health. Owing to the CNN setups, small hints of strain were observed. In the future, stronger datasets mixed with various signals and quicker technology might improve the trustworthiness of these apps. In addition, live checks using cameras provide people with an easy no-touch option instead of the old-style sensor gear. As deep learning models continue to evolve, they will become increasingly adept at detecting subtle facial shifts and mood clues. However, if people are going to trust these tools, we must address issues such as shadows, different face shapes, or messy everyday situations. Incorporating more

real-life, varied, global faces into training sets can improve the performance of algorithms across the board. In the future, new setups might incorporate tone detection, body motion clues, or even heartbeat signals to accurately determine how someone is feeling. Facial stress spotting might help at work, schools, hospitals, or in daily life. If studies continue, setups become smarter, and AI improves, these tools may fit right into how we handle mental well-being—catching stress before it grows.

REFERENCES

1. Mortensen, J. A., et al. (2023). Multi-Class Stress Detection Through Heart Rate Variability: A Deep Neural Network Based Study. IEEE Access.
2. Chandika, H. P., Soumya, B., Reddy, B. N. E., & Sai Manideep, B. M. S. (2024). Real-Time Stress Detection and Analysis using Facial Emotion Recognition. IJARCCCE, 13(3).
3. <https://doi.org/10.17148/ijarccce.2024.13324>
4. Empathic School: A multimodal dataset for real-time facial expressions and physiological data analysis under different stress conditions
5. LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. Nature, 521(7553), 436–444
6. Standard reference on CNNs and deep learning basics.
7. Goodfellow, I., Bengio, Y., & Courville, A. (2016). Deep Learning. MIT Press.
8. Explains CNN structure, convolution, pooling, and softmax.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details