



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 15, Special Issue 1, January 2026

Smart Refrigerator Case Study

Prof. Mrs. Nikhita A. Kolhe¹, Harshal Anil Bhare², Manas Ganesh Bhosle³, Karan Ravindra Jadhav⁴,
Kunal Vilas Ingale⁵

Professor Dept. of ELE, Indala Engineering College, Mumbai, Maharashtra, India¹

Dept. of ELE, Indala Engineering College, Mumbai, Maharashtra, India²

Dept. of ELE, Indala Engineering College, Mumbai, Maharashtra, India³

Dept. of ELE, Indala Engineering College, Mumbai, Maharashtra, India⁴

Dept. of ELE, Indala Engineering College, Mumbai, Maharashtra, India⁵

ABSTRACT: This project presents the design and implementation of a Smart Refrigerator system that leverages IoT, adaptive cooling algorithms, and sensor-based monitoring to optimize refrigeration performance. The system uses ESP32, DHT22, DS18B20, and HX711 sensors to detect environmental parameters and adjust cooling dynamically.

The goal is to reduce energy consumption, improve cooling efficiency, provide remote monitoring, and create an intelligent and user-assisted refrigeration environment. Additional functionalities such as door-status sensing, load analysis, and cloud-based alerts further enhance usability and reliability.

KEYWORDS: Smart Refrigerator, IoT, ESP32, DHT22, DS18B20, HX711, Sensor Monitoring, Adaptive Cooling, Energy Efficiency, Smart Home, Cloud Dashboard

I. INTRODUCTION

A smart refrigerator uses IoT to enable remote monitoring, inventory management, and optimized energy consumption. Integrated sensors, cameras, and smart features transform traditional appliances into intelligent systems for modern households. These features help reduce spoilage, improve convenience, and enhance overall food management efficiency. With rising energy demands and food wastage concerns, smart cooling systems provide a sustainable, automated, and highly responsive solution for modern-day users.

The proposed smart refrigerator enhances traditional models by incorporating temperature-aware cooling adjustment, real-time alerts, weight-based item detection, and cloud connectivity. These features collectively improve user convenience, food preservation, and system intelligence.

II. SYSTEM MODEL ASSUMPTION

The system model follows a three-layer IoT architecture:

1. Perception Layer – Contains sensors such as DHT22 for humidity and temperature, DS18B20 for precise cooling compartment temperature, load cell with HX711 for weight sensing, reed switch for door monitoring, and ESP32 as the controller.
2. Network Layer – Wi-Fi-based communication using MQTT/HTTP for low-latency and energy efficient data transmission.
3. Application Layer – Cloud dashboard (Blynk) for real time monitoring, historical data visualization, and alert notifications.

III. ADDITIONAL SYSTEM ASSUMPTIONS

- Stable Wi-Fi connectivity ensures uninterrupted cloud communication.
- Sensors are calibrated and placed at optimal positions for accurate readings.
- Power supply remains stable during operation.

- Cloud platform remains functional for remote monitoring and data logging.
- Users interact with the system primarily via a smartphone dashboard.
- Efficient Communications
- Communication efficiency is ensured by:
 - Lightweight MQTT/HTTP protocols for minimal overhead.
 - JSON-based structured data transmission for compact, readable communication.
 - ESP32's optimized Wi-Fi handling for faster reconnection and reduced packet loss.
- Real-time cloud connectivity enabling instant alerts and updates.

The system uses event-triggered communication to reduce bandwidth usage and ensure low latency. For example, sudden temperature rise, continuous door-open status, or rapid weight change triggers immediate data transmission instead of periodic updates. This design significantly reduces energy consumption and ensures timely notifications.

IV. SECURITY MEASURES

The system integrates essential IoT security practices:

- Secured Wi-Fi authentication (WPA2) prevents unauthorized access.
- Blynk cloud authentication tokens ensure secure device cloud pairing.
- Encrypted communication channels protect sensitive data like sensor logs and user interactions.
- Sensor failure detection mechanisms automatically notify users and prevent false data interpretation.
- Access-controlled mobile dashboard ensures only authorized users can access refrigerator data.

Future security enhancements can include end to end encryption, multi-factor authentication, and anomaly detection algorithms.

V. CONCLUSION

The Smart Refrigerator project successfully demonstrates the application of IoT in home automation. By integrating sensors, ESP32, cloud connectivity, and adaptive monitoring, the system enhances food safety, reduces energy consumption, and offers modern convenience. It lays a strong foundation for future advancements such as AI-based food recognition, automatic grocery ordering, predictive maintenance, voice assistant integration, and complete smart home ecosystem interoperability.

REFERENCES

Books

1. J. Iovine, Arduino Robotics, New York, NY, USA: McGraw-Hill Education, 2013.
2. M. Margolis, Arduino Cookbook, 2nd ed., Sebastopol, CA, USA: O'Reilly Media, 2011.
3. T. Igoe, Making Things Talk: Using Sensors, Networks, and Arduino to See, Hear, and Feel Your World, Sebastopol, CA, USA: O'Reilly Media, 2007.

Research Papers

1. R. Kumar and S. Gupta, "Design and Implementation of Fire Fighting Robot," International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering (IJAREEIE), vol. 5, no. 5, 2016.
2. S. Patel and H. Shah, "Autonomous Fire Fighting Robot Using Arduino," International Journal of Engineering Research & Technology (IJERT), vol. 4, no. 12, 2015.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details