

AgriPulse: An Autonomous Multi-Function System for Precision Agriculture and Crop Monitoring

Vaishali Shinde¹, V. M. Joshi²

ME Student, Department of Computer Engineering, Vishwabharti Academy's College of Engineering, Ahilyanagar,
Maharashtra, Savitribai Phule Pune University, Pune, India¹

Professor, Department of Computer Engineering, Vishwabharti Academy's College of Engineering, Ahilyanagar,
Maharashtra, Savitribai Phule Pune University, Pune, India²

ABSTRACT: The project aims to design and develop an intelligent IoT-based agricultural monitoring system that automates essential farming activities. The system integrates multiple sensors and modules such as the NPK sensor (for nitrogen, phosphorus, and potassium detection), soil moisture sensor, temperature DS18B sensor, motor driver, dual water pumps, pesticide sprayer, and ESP32 controller with an LCD (I2C) display. Real-time data from these sensors are collected and transmitted to the ThingSpeak IoT cloud platform, enabling continuous monitoring and data analytics. Based on the data, the system autonomously controls irrigation, temperature regulation, and pesticide spraying to maintain optimal crop conditions. This enhances resource utilization, improves crop health, and reduces manual intervention in farming operations. The proposed system provides an efficient and smart solution for modern precision agriculture by combining IoT technology with automated decision-making mechanisms. By utilizing sensor data and cloud analytics, AgriPulse helps farmers make informed decisions regarding soil nutrients, water requirements, and environmental conditions. This leads to improved productivity, sustainable resource use, and reduced operational costs. The system's real-time monitoring and automation capabilities make it a reliable and scalable approach toward achieving smart and sustainable farming practices.

KEYWORDS: IoT (Internet of Things), Precision Agriculture, Smart Farming, NPK Sensor (Nitrogen, Phosphorus, Potassium), Soil Moisture Sensor, Temperature DS18B Sensor, ESP32 Microcontroller, Motor Driver and Water Pumps, Pesticide Sprayer, LCD with I2C Interface, ThingSpeak Cloud Server, Real-Time Monitoring, Automation in Agriculture, Sustainable Farming, Data Analytics in Agriculture, etc.

I. INTRODUCTION

Agriculture has always been the backbone of the economy, yet traditional farming methods often face challenges related to inefficiency, overuse of resources, and lack of real-time monitoring. With the growing demand for sustainable food production, smart agriculture using the Internet of Things (IoT) has become a promising approach to address these issues. The AgriPulse system is designed to bridge the gap between manual farming practices and digital automation. By using IoT-based sensors and intelligent control units, the system enables accurate monitoring of soil nutrients, moisture levels, and temperature conditions, which are vital parameters for healthy crop growth.

The system utilizes advanced sensors such as the NPK sensor to measure soil nutrients (Nitrogen, Phosphorus, and Potassium), the soil moisture sensor to track water content, and the DS18B temperature sensor to monitor environmental temperature. These sensors are connected to the ESP32 microcontroller, which processes data and triggers actions like irrigation or pesticide spraying through a motor driver and water pumps. The data is also transmitted to the ThingSpeak IoT server, where it can be visualized and analyzed remotely by the farmer. The LCD with I2C interface provides real-time local display of sensor readings for immediate field assessment.

Through automation and data-driven decision-making, the AgriPulse system reduces human effort, saves water and fertilizers, and enhances overall productivity. The system can autonomously operate irrigation and pesticide spraying based on sensor readings, ensuring crops receive the right amount of nutrients and protection at the right time. In the future, this framework can be expanded with AI algorithms and wireless sensor networks for predictive analysis and large-scale farm management. Thus, AgriPulse represents a step forward in realizing the vision of precision agriculture and sustainable farming.

II. PROBLEM STATEMENT

Traditional farming methods rely heavily on guesswork and manual monitoring, which often leads to overuse or underuse of water, fertilizers, and pesticides. Farmers cannot always measure the exact soil nutrient levels or crop health conditions, which affects productivity and results in resource wastage. There is a need for an automated, reliable, and cost-effective system that continuously monitors soil and crop conditions and takes timely action to support precision farming.

III. LITERATURE SURVEY

- **Gamal et al. (2023)** provide a comprehensive overview of smart irrigation systems, emphasizing the integration of wireless communication technologies, monitoring devices, and advanced control techniques to enhance irrigation efficiency. The study highlights the significance of real-time data acquisition and decision-making in optimizing water usage for crop cultivation. By examining various methodologies and technologies, the paper underscores the importance of adopting intelligent irrigation systems to address challenges related to water scarcity and sustainable agricultural practices. The authors discuss the evolution of irrigation systems, from traditional methods to modern, technology-driven approaches, and present case studies demonstrating the effectiveness of smart irrigation in diverse agricultural settings.
- This survey by **A. K. S. et al. (2023)** delves into the role of wireless sensor networks (WSNs) in smart agriculture, exploring their applications in monitoring soil conditions, climate parameters, and crop health. The paper reviews various sensor technologies, communication protocols, and network architectures employed in agricultural settings to facilitate real-time data collection and analysis. It also addresses the challenges associated with deploying WSNs in agricultural environments, such as energy consumption, data reliability, and scalability. The authors provide insights into the integration of WSNs with cloud computing and IoT platforms, enabling remote monitoring and decision-making for precision farming.
- **Gunawan et al. (2022)** present an automatic watering system designed for smart agriculture, utilizing the ESP32 platform for efficient irrigation management. The system incorporates sensors to monitor soil moisture levels and environmental conditions, enabling automated watering based on real-time data. The paper discusses the integration of the ESP32 microcontroller with various sensors and actuators, highlighting its capabilities in processing data and controlling irrigation systems. Experimental results demonstrate the effectiveness of the proposed system in maintaining optimal soil moisture levels, thereby enhancing crop growth and resource utilization.
- **Sushma et al. (2024)** propose an IoT-based system for monitoring and analyzing soil nutrients, aiming to provide real-time insights into soil health for precision agriculture. The system employs sensors to detect levels of essential nutrients such as nitrogen, phosphorus, and potassium, transmitting the data to a central platform for analysis. The paper discusses the integration of IoT technologies with soil nutrient monitoring, emphasizing the benefits of continuous data collection and remote access for farmers. The authors highlight the potential of the system in optimizing fertilizer application, improving crop yields, and promoting sustainable farming practices.
- **Yadav et al. (2024)** introduce a cloud-based agricultural monitoring system designed for precision farming, leveraging sensor networks and cloud data analytics to provide comprehensive insights into agricultural operations. The system integrates various sensors to monitor parameters such as soil moisture, temperature, and humidity, transmitting the data to a cloud platform for analysis and visualization. The paper discusses the advantages of cloud computing in managing large-scale agricultural data, enabling real-time monitoring and decision-making. The authors highlight the scalability and flexibility of the proposed system, making it suitable for diverse agricultural settings and contributing to the advancement of precision agriculture.

IV. SYSTEM OVERVIEW

The AgriPulse system architecture consists of three main layers: the sensing layer, control layer, and IoT monitoring layer. The sensing layer includes NPK sensors, soil moisture sensors, and temperature sensors that continuously capture field data. These sensors are interfaced with the ESP32 microcontroller, forming the control layer, which analyzes the incoming data and decides on automated actions. Motor drivers connected to water pumps and pesticide sprayers execute precise irrigation and spraying tasks based on the analyzed sensor data.

The IoT monitoring layer uses the ThingSpeak platform to store, visualize, and analyze real-time data. Farmers can access the system remotely through a web dashboard or mobile app, allowing them to monitor soil health, track irrigation schedules, and adjust system parameters. Alerts and notifications are generated for abnormal conditions, ensuring timely intervention.

By integrating advanced sensing technologies, automation components, and IoT server analytics, the system ensures optimized resource utilization, reduced wastage of water and chemicals, and improved crop growth. Furthermore, the modular design allows scalability to larger farms and supports the addition of future sensors or actuators. Overall, AgriPulse represents a smart, autonomous, and efficient agricultural system that bridges traditional farming with modern precision agriculture practices.

V. PROPOSED SYSTEM

The AgriPulse system proposes a comprehensive IoT-based solution for precision agriculture by integrating multiple sensors, controllers, and actuators. The system will use an NPK sensor to continuously monitor soil nutrients — nitrogen (N), phosphorus (P), and potassium (K) — which are critical for healthy crop growth. A soil moisture sensor will detect real-time soil moisture levels, while the DS18B temperature sensor will monitor ambient and soil temperature to ensure optimal crop conditions. All sensor data will be collected and processed using an ESP32 microcontroller, which will act as the central control unit.

Based on sensor readings, the system will automatically trigger actions through a motor driver controlling two water pumps for precise irrigation and a pesticide sprayer for pest management. The LCD with I2C interface will provide local real-time updates of soil parameters and system status. Additionally, all data will be transmitted to an IoT server such as ThingSpeak, enabling remote monitoring, trend analysis, and alert notifications to the farmer's mobile or computer. The system aims to ensure the highest level of accuracy in soil monitoring and actuation, while being energy-efficient and reliable.

The system also incorporates logic to automate decision-making, such as triggering irrigation when moisture falls below a threshold or activating nutrient-specific interventions when the soil NPK levels are unbalanced. By combining hardware automation with IoT-enabled analytics, AgriPulse provides a seamless, intelligent framework for precision farming that reduces human intervention and maximizes productivity.




Fig.1: System Architecture Design

VI. CONCLUSION

In this paper AgriPulse system demonstrates how IoT and automation can revolutionize modern agriculture by enabling real-time monitoring and precise control of crop fields. By integrating sensors for NPK, soil moisture, and temperature with actuators such as water pumps and pesticide sprayers, the system provides accurate and timely interventions that optimize irrigation, fertilization, and pest management. The use of the ESP32 microcontroller and ThingSpeak IoT server ensures efficient data collection, remote monitoring, and decision-making, making farming more intelligent and resource-efficient.

The implementation of AgriPulse addresses key challenges in traditional farming, such as overuse of water and chemicals, labor-intensive processes, and delayed response to crop needs. By automating critical agricultural operations and providing actionable insights, the system helps increase crop yield, reduce operational costs, and promote sustainable farming practices.

Overall, AgriPulse represents a significant step toward precision agriculture, combining technology, data analytics, and automation to create a smart farming ecosystem. The modular and scalable design allows for future enhancements, including the addition of new sensors or advanced AI-based analytics, ensuring that the system can adapt to the evolving needs of modern agriculture.

VII. ACKNOWLEDGEMENT

I would like to sincerely thank the researchers and publishers for making their valuable resources available. I am also grateful to my guide for their constant support and guidance, and to the reviewers for their insightful suggestions. Finally, I thank the college authorities for providing the necessary infrastructure and support throughout the course of this project.

REFERENCES

1. Y. Gamal, A. Soltan and L. A. Said, "Smart Irrigation Systems: Overview," IEEE Access, Jan. 2023. doi:10.1109/ACCESS.2023.3251655.
2. K. S. et al., "Wireless sensor networks for smart agriculture applications: A survey," IEEE Access, 2023, pp. 145813–145852. doi:10.1109/ACCESS.2023.3346299.
3. T. S. Gunawan, N. N. Kamarudin, M. Kartiwi and M. R. Effendi, "Automatic Watering System for Smart Agriculture using ESP32 Platform," 2022 IEEE 8th International Conference on Smart Instrumentation, Measurement and Applications (ICSIMA), Melaka, Malaysia, 2022, pp. 185-189, doi: 10.1109/ICSIMA55652.2022.9928950.
4. Y. Sushma, C. J. Lakshmi, K. Rajesh, V. Hemanth and V. Sowmyarao, "IoT Based Soil Nutrient Monitoring and Analysis System," 2024 International Conference on IoT Based Control Networks and Intelligent Systems (ICICNIS), Bengaluru, India, 2024, pp. 348-353, doi: 10.1109/ICICNIS64247.2024.10823219.
5. L. Yadav, S. Khare and N. S. Talwandi, "Cloud-based agricultural monitoring system for precision farming," 2024 11th International Conference on Reliability, Infocom Technologies and Optimization (Trends and Future Directions) (ICRITO), Noida, India, 2024. doi:10.1109/ICRITO61523.2024.10522252.
6. P. D. Singh et al., "Justifiable agriculture productivity with nimble, cost-effective, and optimized resource framework — A MIST computing approach for smart agriculture," 2024 International Conference on Smart Devices (ICSD), 2024. doi:10.1109/ICSD60021.2024.10751375.
7. D. Botturi et al., "LoRaVine: Using LoRaWAN for smart vine yards microclimate monitoring," 2023 IEEE Sensors Applications Symposium (SAS), Ottawa, ON, Canada, 2023, pp. 1–6. doi:10.1109/SAS58821.2023.10254177.
8. K. Valarmathi et al., "Secure social healthcare system over cloud," 2024 7th International Conference on Circuit Power and Computing Technologies (ICCPCT), Kollam, India, 2024, pp. 592–599. doi:10.1109/ICCPCT61902.2024.10673258.
9. T. Amado and A. E. D. Alvarez, "Development of an IoT-Based Soil Macronutrient Analysis System Utilizing Electrochemical Sensors and Machine Learning Algorithms," 2023 International Conference on Network, Multimedia and Information Technology (NMITCON), Sep. 2023. doi:10.1109/NMITCON58196.2023.10275821.
10. G. Mohyuddin, M. A. Khan, A. Haseeb, S. Mahpara, M. Waseem and A. M. Saleh, "Evaluation of Machine Learning Approaches for Precision Farming in Smart Agriculture System: A Comprehensive Review," in IEEE Access, vol. 12, pp. 60155-60184, 2024, doi: 10.1109/ACCESS.2024.3390581.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details