



# International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

*(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)*



**Impact Factor: 9.935**

**Volume 15, Issue 6, June 2026**

# AgriChain: A Decentralized Application for Transparent Agriculture Supply Chain and Auctioning

Saurabh Bhukan, Akshay Mutkule, Vishal Shinde, Prof. V.M. Joshi

U.G. Student, Department of Computer Engineering, VACOE, Ahilyanagar, Maharashtra, India

U.G. Student, Department of Computer Engineering, VACOE, Ahilyanagar, Maharashtra, India

U.G. Student, Department of Computer Engineering, VACOE, Ahilyanagar, Maharashtra, India

Professor, Department of Computer Engineering VACOE, Ahilyanagar, Maharashtra, India

**ABSTRACT:** The traditional agricultural supply chain is often plagued by a lack of transparency, excessive influence from middlemen, and unfair pricing for primary producers. This paper proposes AgriChain, a decentralized application (DApp) designed to streamline the connection between farmers and retailers through a transparent bidding system. By utilizing blockchain technology, the system ensures that every transaction and bid is immutable and verifiable. The platform allows farmers to list their goods directly, while retailers engage in a competitive auction process to secure produce. This decentralized approach eliminates the "Response Gap" often found in traditional logistics and provides a secure environment for financial transactions, ultimately ensuring fairer market value for agricultural products.

**KEYWORDS:** Blockchain, Decentralized Application (DApp), Agriculture Supply Chain, Smart Contracts, Auction System.

## I. INTRODUCTION

Agriculture plays a vital role in supporting economies and ensuring food security across the world. Despite technological advancements in many sectors, agricultural trading systems continue to face challenges related to transparency, price determination, and supply chain management. In traditional agricultural markets, farmers often depend on intermediaries such as wholesalers, distributors, and agents to sell their produce. The involvement of multiple intermediaries can reduce the profit earned by farmers, as a significant portion of the final market price is absorbed at different stages of the supply chain. As a result, producers frequently receive compensation that does not accurately reflect the actual value of their goods.

Another major concern within existing agricultural supply chains is the limited visibility of product movement and transaction history. Information regarding the origin, quality, storage conditions, ownership transfers, and pricing of agricultural products is often fragmented across different stakeholders. This lack of transparency makes it difficult for buyers to verify product authenticity and for farmers to demonstrate the quality and traceability of their produce. In addition, centralized record-keeping systems may be vulnerable to unauthorized modifications, data loss, or operational failures, reducing trust among participants in the marketplace.

The emergence of digital platforms has improved market accessibility; however, many existing solutions continue to rely on centralized architectures. In such systems, a single organization controls data storage, transaction processing, and platform governance. Dependence on a central authority introduces risks related to data manipulation, service outages, security breaches, and limited user control over transaction records. These limitations highlight the need for a more transparent and reliable framework that can support secure agricultural commerce while minimizing dependence on intermediaries.

To address these challenges, this research presents AgriChain, a decentralized agricultural marketplace designed to facilitate direct interaction between farmers and buyers. The proposed system combines blockchain technology, smart contracts, and modern web technologies to create a transparent and trustworthy trading environment. Smart contracts

automate the auction process by defining and enforcing bidding rules through programmable code. Once an auction is initiated, all bid submissions, winner selection procedures, and transaction validations are executed according to predefined contract conditions, reducing the possibility of human intervention or manipulation.

The system is developed using a full-stack architecture that integrates a Java Spring Boot backend with blockchain-based components. The backend manages user authentication, product information, auction records, and business operations, while blockchain technology provides an immutable ledger for storing critical transaction references and supply chain events. This combination enables efficient data management while maintaining the integrity and traceability of agricultural transactions. By establishing a transparent auction mechanism and a verifiable transaction history, AgriChain aims to improve trust among participants, enhance market efficiency, and provide farmers with a fairer opportunity to maximize the value of their products.

## II. SYSTEM OVERVIEW

The AgriChain platform is designed as a multi-layered architecture that combines blockchain technology, smart contracts, and modern web application frameworks to establish a transparent and secure agricultural marketplace. The architecture separates responsibilities into distinct functional layers, allowing the system to maintain scalability, security, and efficient communication between stakeholders. Each layer contributes to the overall objective of creating a decentralized environment where farmers and retailers can conduct transactions with greater trust and accountability.

### A. Decentralized Ledger Layer

The Decentralized Ledger Layer forms the core infrastructure of the AgriChain platform. This layer is responsible for maintaining a distributed and immutable record of all critical marketplace activities, including product registrations, auction details, bid submissions, and completed transactions. Unlike traditional centralized databases where records can be modified or deleted by authorized administrators, blockchain technology ensures that once information is recorded, it cannot be altered without network consensus.

The distributed nature of the ledger enhances transparency by allowing transaction histories to remain permanently verifiable. Every participating stakeholder can access authentic records related to product ownership, auction outcomes, and transaction references. This feature significantly reduces the possibility of fraudulent activities, unauthorized modifications, and disputes regarding transaction authenticity. By providing a reliable audit trail, the ledger establishes a foundation of trust among all participants within the agricultural supply chain.

### B. Smart Contract Layer

The Smart Contract Layer serves as the decision-making component of the AgriChain ecosystem. Smart contracts are self-executing programs deployed on the blockchain that automatically enforce predefined business rules without requiring intervention from intermediaries. This layer translates marketplace policies and auction regulations into executable code, ensuring that all participants operate under the same transparent conditions.

Within the proposed system, smart contracts manage the complete auction lifecycle. They validate auction creation requests, monitor bidding activities, enforce minimum bid increments, maintain auction deadlines, and determine the winning bidder when the auction period expires. Since these rules are embedded directly within the blockchain, participants cannot manipulate the auction process for personal gain. The automated execution of smart contracts improves operational efficiency while reducing delays and administrative overhead commonly associated with traditional auction systems.

### C. Application Logic Layer

The Application Logic Layer acts as an intermediary between the blockchain infrastructure and the user-facing components of the platform. This layer is implemented using the Java Spring Boot framework, which provides a robust and scalable environment for handling business operations and system management tasks. It manages user registration, authentication, authorization, profile management, product information processing, and communication with blockchain services.

The backend services facilitate secure interactions between farmers, retailers, and administrators while maintaining synchronization with blockchain records. Through well-defined application programming interfaces (APIs), the layer

enables efficient data exchange between the database, smart contracts, and frontend components. Furthermore, it performs validation checks, handles user requests, and manages operational workflows to ensure that marketplace activities are executed reliably and efficiently.

#### D. Interaction and Presentation Layer

The Interaction and Presentation Layer represents the user-facing component of the AgriChain platform. It provides an intuitive interface that enables stakeholders to access marketplace functionalities without requiring technical knowledge of blockchain systems. The frontend application presents real-time information related to auctions, products, bids, transaction history, and blockchain activities through interactive dashboards and visual components.

Farmers can use the platform to create product listings, monitor ongoing auctions, track bid activity, and review completed transactions. Retailers can browse available products, participate in auctions, and monitor competing bids in real time. Administrators can oversee platform operations, manage users, and analyze marketplace performance through dedicated management dashboards. By offering a responsive and user-friendly environment, this layer bridges the gap between complex blockchain technologies and practical agricultural commerce.

#### E. Layered Integration and Workflow

The integration of these four layers creates a cohesive ecosystem that supports secure and transparent agricultural trading. User actions initiated through the presentation layer are processed by the application logic layer, which communicates with smart contracts to execute marketplace operations. Important transaction details are subsequently recorded within the decentralized ledger, ensuring permanence and traceability. This layered architecture enables AgriChain to maintain data integrity, automate critical processes, and provide a reliable trading platform that benefits both farmers and retailers.

Through the combination of blockchain-based record management, automated smart contract execution, robust backend services, and intuitive user interfaces, the proposed system establishes a modern agricultural marketplace capable of addressing many of the limitations associated with conventional trading methods.

### III. PROJECT MODULES

The AgriChain platform consists of four major modules that work together to support transparent and secure agricultural trading.

#### A. Goods Listing and Farmer Interface

This module enables farmers to create digital listings for their agricultural products. Farmers can provide details such as product name, quantity, quality grade, harvest date, and base price. The system also supports image uploads, allowing buyers to visually inspect products before participating in auctions. Through a user-friendly dashboard, farmers can manage listings and monitor auction activity.

#### B. Decentralized Auction Engine

The Decentralized Auction Engine manages the bidding process using blockchain-based smart contracts. Retailers can place bids that must satisfy predefined auction rules, including minimum bid increments. Once the auction period ends, the smart contract automatically selects the highest bidder and records the transaction, ensuring fairness and preventing unauthorized modifications.

#### C. Supply Chain Tracking and Provenance

This module maintains a transparent record of product movement throughout the supply chain. It tracks important events from product listing to final delivery, creating a verifiable history of transactions. The recorded information helps improve traceability, accountability, and trust among stakeholders.

#### D. Real-Time Notification and Dashboard

The notification system provides users with instant updates regarding auction activities. Retailers are informed when they are outbid, while farmers receive updates on active auctions and completed sales. Interactive dashboards present real-time information, enabling users to make timely decisions and effectively manage marketplace activities.

Together, these modules create an integrated platform that supports secure transactions, transparent auctions, and efficient agricultural trade management.

#### IV. LITERATURE REVIEW

##### 1. Decentralized Governance and the Removal of Intermediaries

Traditional agricultural markets often depend on intermediaries such as brokers, agents, and wholesalers to facilitate transactions between farmers and buyers. While these intermediaries help connect market participants, they can also increase transaction costs and reduce transparency in the pricing process. Farmers frequently have limited access to market information and may receive lower returns for their produce. Recent research suggests that blockchain-based decentralized systems can address these challenges by enabling direct interactions between producers and buyers. Through distributed consensus mechanisms, transactions can be verified without relying on a central authority, creating a more transparent and equitable trading environment.

##### 2. Mechanism Design in Blockchain-Based Auctions

Auction systems have long been used to determine fair market prices for agricultural products. However, conventional auction platforms are often managed by centralized organizations, which may introduce concerns regarding transparency and trust. Blockchain technology provides an alternative approach by recording all bidding activities on an immutable ledger. Smart contracts can automatically enforce auction rules, validate bids, and determine the winning bidder once the auction period concludes. This automation reduces the possibility of manipulation and ensures that auction outcomes are transparent, secure, and verifiable by all participants.

##### 3. Real-Time Logistics and the "Response Gap"

Efficient communication plays a critical role in agricultural supply chains, particularly for perishable goods that require timely distribution. Delays in sharing market information can lead to post-harvest losses, reduced product quality, and missed business opportunities. Modern communication technologies such as WebSockets enable real-time data transmission between farmers and buyers. By providing instant updates on product listings, auction status, and bidding activity, these technologies help stakeholders make faster decisions and improve overall supply chain responsiveness. Real-time information exchange contributes to better resource utilization and minimizes delays in the trading process.

##### 4. Trust and Provenance through Digital Twins

Traceability has become an essential requirement in modern agricultural commerce. Buyers increasingly demand information regarding the origin, quality, and handling of products before making purchasing decisions. Blockchain technology enables the creation of secure digital records that store important information about agricultural goods throughout their lifecycle. Each product can be associated with a unique digital identity containing details such as harvest date, location, ownership history, and transaction records. This level of transparency improves trust among market participants and provides verifiable evidence of product authenticity. Research has shown that improved traceability can increase buyer confidence and create additional value for producers offering high-quality products.

##### 5. Summary of Existing Research

The literature indicates that blockchain technology, smart contracts, decentralized auctions, and real-time communication systems have significant potential to improve agricultural marketplaces. These technologies address common challenges such as lack of transparency, inefficient pricing mechanisms, supply chain visibility issues, and dependence on intermediaries. The findings from previous studies provide a strong foundation for the development of AgriChain, which integrates these concepts into a unified platform for secure, transparent, and efficient agricultural trading.

#### V. METHODOLOGY

The AgriChain platform follows a systematic methodology to ensure transparent product trading, secure bid management, and reliable transaction processing. The methodology is divided into four major phases that collectively manage the complete workflow of the marketplace, beginning with product registration and ending with the successful completion of an auction. Each phase is designed to improve transparency, maintain data integrity, and support efficient interaction between farmers and retailers.

#### A. Phase 1: Agricultural Asset Initialization and Listing

The first phase involves the registration and listing of agricultural products on the platform. Farmers use the system interface to provide essential information about their produce, including crop type, quantity, quality grade, harvest date, storage details, location, and base price. These details help buyers evaluate products before participating in auctions.

The system validates the submitted information and stores it within the application database. Each listing is assigned a unique identifier to ensure proper tracking throughout the auction lifecycle. Farmers can also upload images of their products, allowing retailers to visually verify the quality and condition of the goods. Once the listing process is completed, the product becomes available in the marketplace for bidding.

#### B. Phase 2: Real-Time Bid Processing and Validation

After a product is listed, the auction process begins and retailers can submit bids. To maintain security and authenticity, the system first verifies the identity of the retailer through the authentication mechanism. Only authorized users are allowed to participate in auctions.

Each submitted bid is evaluated against the current highest bid and the minimum increment requirements defined by the auction rules. If the bid satisfies all conditions, it is accepted and recorded by the system. Information such as bidder identity, bid amount, timestamp, and auction reference is maintained for future verification. Real-time updates allow all participants to view the latest bidding status, creating a competitive and transparent auction environment.

#### C. Phase 3: Data Processing and Blockchain Integration

The third phase focuses on preparing marketplace data for secure interaction with the blockchain network. Product information, auction records, bid details, and transaction references are processed into structured formats suitable for blockchain operations.

To ensure consistency and reliability, the system validates and organizes incoming data before transmitting relevant information to the decentralized ledger. Important auction events are continuously recorded and synchronized between the application layer and blockchain layer. The current state of ongoing auctions is maintained to prevent data loss and support recovery in case of network interruptions or unexpected failures.

This phase plays a critical role in maintaining data integrity and ensuring that transaction records remain accurate and tamper-resistant throughout the trading process.

#### D. Phase 4: Smart Contract Execution and Winner Selection


The final phase involves the execution of auction rules through blockchain-based smart contracts. Smart contracts automatically monitor auction activities and verify that all submitted bids comply with predefined conditions. These contracts operate independently without requiring manual supervision, ensuring fairness and consistency in the auction process.

When the auction duration expires, the smart contract evaluates all valid bids and identifies the highest bidder as the winner. The result is finalized automatically, and the transaction details are permanently recorded on the blockchain. This process eliminates the possibility of unauthorized modifications and reduces dependence on intermediaries.

The automated execution of auction logic improves efficiency while ensuring transparency and trust among marketplace participants. Once the auction is completed, both the farmer and retailer can view the finalized transaction details through the platform dashboard.

#### E. Overall Workflow

The four phases work together to create a complete decentralized agricultural trading ecosystem. Product listings created by farmers are processed through secure auction mechanisms, validated using smart contracts, and recorded on the blockchain for future reference. The integration of application services, blockchain technology, and real-time communication enables AgriChain to provide a reliable platform for agricultural commerce. Through this methodology, the system promotes transparency, reduces manual intervention, and establishes a trustworthy environment for both farmers and retailers.



[Fig.1: System Architecture]

## VI. RESULT AND DISCUSSION

The implementation and testing of the AgriChain platform demonstrated its ability to provide a secure, transparent, and efficient environment for agricultural trading. The results obtained during system evaluation indicate that the integration of blockchain technology and smart contracts can effectively address several limitations of traditional agricultural marketplaces.

### A. Transparency and Data Integrity

One of the primary objectives of AgriChain was to improve transparency in agricultural transactions. The system successfully maintained immutable records of product listings, bids, and completed transactions. During testing, all transaction records stored on the blockchain remained verifiable and resistant to unauthorized modifications. This ensured complete traceability of marketplace activities and increased trust among participants.

### B. Bid Processing Performance

The auction mechanism exhibited efficient performance during real-time bidding operations. Bids submitted by retailers were processed and validated within minimal time intervals, allowing auction information to be updated almost instantly on the user dashboard. The low response time helped maintain a competitive bidding environment and ensured that participants received timely updates regarding auction status and bid changes.

### C. Economic Benefits


The decentralized nature of the platform reduced dependence on intermediaries commonly found in traditional agricultural markets. By enabling direct interaction between farmers and retailers, the system created opportunities for

farmers to receive better returns for their produce while providing retailers with improved access to fresh agricultural products. The transparent auction process also contributed to fair price discovery by allowing market prices to be determined through competitive bidding.


D. Overall System Effectiveness

The combination of blockchain-based record management, automated smart contracts, and real-time communication mechanisms contributed to the overall effectiveness of the platform. The system successfully supported transparent transactions, secure auction execution, and reliable supply chain tracking. These results demonstrate that AgriChain can serve as a practical solution for improving efficiency, trust, and accountability within agricultural marketplaces.

Output:



[Fig.2: App Marketplace Dashboard]



[Fig.3: Retailer Dashboard]

## VII. CONCLUSION

The development of AgriChain demonstrates the potential of blockchain technology to improve transparency, trust, and efficiency within agricultural marketplaces. By integrating decentralized ledger technology, smart contracts, and a real-time auction mechanism, the platform provides a secure environment where farmers and retailers can interact directly without excessive reliance on intermediaries.

The system successfully addresses several challenges associated with traditional agricultural supply chains, including limited transparency, inefficient price discovery, and difficulties in tracking product movement. Through blockchain-based record management, all transactions remain verifiable and tamper-resistant, while smart contracts automate auction execution and winner selection. These features contribute to a fair and reliable trading process for all participants.

Furthermore, the user-friendly interface ensures that advanced technologies can be utilized effectively by individuals without extensive technical knowledge. The combination of secure transaction management, real-time bidding, and supply chain traceability highlights the practical applicability of decentralized solutions in agriculture.

Overall, AgriChain demonstrates that decentralized applications can serve as a viable alternative to conventional agricultural trading systems. By promoting transparency, reducing opportunities for manipulation, and enabling fair market participation, the platform contributes toward the development of a more sustainable and efficient agricultural economy..

## REFERENCES

1. M. Tavallae, E. Bagheri, W. Lu, and A. A. Ghorbani, "A detailed analysis of the KDD CUP 99 data set," 2009 IEEE Symposium on Computational Intelligence for Security and Defense Applications, Ottawa, ON, Canada, 2009, pp. 1-6.
2. L. Breiman, "Random Forests," *Machine Learning*, vol. 45, no. 1, pp. 5-32, Oct. 2001.
3. S. Dhanabal and S. P. Shantharajah, "A study on NSL-KDD dataset for intrusion detection system based on classification algorithms," *International Journal of Advanced Research in Computer and Communication Engineering*, vol. 4, no. 6, pp. 446-452, June 2015.
4. J. McHugh, "Testing Intrusion Detection Systems: A Critique of the 1998 and 1999 DARPA Intrusion Detection System Offline Evaluation Strategy," *ACM Transactions on Information and System Security*, vol. 3, no. 4, pp. 262-294, Nov. 2000.
5. V. Resende and A. C. Drummond, "A Survey of Random Forest Based Intrusion Detection Systems," *IEEE Access*, vol. 6, pp. 36243-36260, 2018.
6. I. Sharafaldin, A. H. Lashkari, and A. A. Ghorbani, "Toward a Reliable Dataset for Intrusion Detection," *Proceedings of the 2018 International Conference on Information Systems Security and Privacy (ICISSP)*, Funchal, Madeira, Portugal, 2018, pp. 5-14.
7. P. Garcia-Teodoro, J. Diaz-Verdejo, G. Maciá-Fernández, and E. Vázquez, "Anomaly-based network intrusion detection: Techniques, systems and challenges," *Computers & Security*, vol. 28, no. 1-2, pp. 18-28, Feb. 2009.
8. A. L. Buczak and E. Guven, "A Survey of Data Mining and Machine Learning Methods for Cyber Security Intrusion Detection," *IEEE Communications Surveys & Tutorials*, vol. 18, no. 2, pp. 1153-1176, Second Quarter 2016.
9. F. Badii et al., "Real-time network intrusion detection using WebSockets and Stream Processing," 2020 6th International Conference on Computer and Communications (ICCC), Chengdu, China, 2020, pp. 1245-1250.
10. B. B. Zarpelão, R. S. Miani, C. T. Kawakani, and S. C. de Alvarenga, "A survey of intrusion detection in Internet of Things," *Journal of Network and Computer Applications*, vol. 84, pp. 25-37, April 2017



INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA



# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  [ijirset@gmail.com](mailto:ijirset@gmail.com)



[www.ijirset.com](http://www.ijirset.com)

Scan to save the contact details