



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 15, Issue 3, March 2026

Piezoelectric Footstep Energy Harvesting System for Sustainable Micro Power Generation

Dr.S.Velmurugan¹, Ashwin Sathappan V², Bala M³, Ramanan S⁴

Associate Professor, Department of Information Technology, R.M.D Engineering College, Chennai,
Tamil Nadu, India¹

U.G. Student, Department of Information Technology, R.M.D Engineering College, Chennai, Tamil Nadu, India^{2,3,4}

ABSTRACT: The increasing demand for energy and the depletion of conventional energy sources have motivated researchers to explore alternative and renewable energy generation methods. Energy harvesting technologies capture small amounts of energy from environmental sources such as vibration, pressure, and motion. Among these technologies, piezoelectric energy harvesting has emerged as a promising approach for converting mechanical stress into electrical energy. This paper presents the design and implementation of a piezoelectric footstep energy harvesting system capable of converting human footsteps into electrical power. The system uses piezoelectric sensors placed beneath a walking platform to generate electrical voltage when mechanical pressure is applied. The generated voltage is rectified, regulated, and stored using an energy storage module. A microcontroller-based monitoring system is used to observe the voltage output and demonstrate practical applications of the generated power. Experimental observations show that piezoelectric sensors can generate usable electrical energy sufficient to power low-power devices such as LEDs and small sensors. The proposed system provides an eco-friendly and sustainable solution for utilizing otherwise wasted mechanical energy in crowded public areas such as railway stations, shopping malls, and sidewalks.

KEYWORDS: Piezoelectric sensors, Energy harvesting, Footstep power generation, Renewable energy, Arduino.

I. INTRODUCTION

The rapid growth of urbanization and technological development has significantly increased global energy demand. Traditional energy sources such as fossil fuels are limited and contribute to environmental pollution. Therefore, researchers are increasingly focusing on renewable and sustainable energy generation methods to address future energy challenges. Energy harvesting is a technique that captures small amounts of energy from the surrounding environment and converts it into electrical energy that can be used for low-power electronic devices. Common energy harvesting sources include solar radiation, thermal gradients, vibrations, and mechanical motion. Among these sources, mechanical energy harvesting using piezoelectric materials has gained significant attention due to its ability to convert mechanical stress directly into electrical energy [1][2].

Piezoelectric materials generate electrical voltage when mechanical pressure or deformation is applied to them. This phenomenon, known as the piezoelectric effect, enables the conversion of mechanical energy into electrical energy [3]. Researchers have explored the use of piezoelectric materials for various applications such as vibration energy harvesting, wireless sensor networks, and micro-power generation systems [4]. One innovative application of piezoelectric technology is footstep power generation. Human walking produces mechanical pressure that can be converted into electrical energy using piezoelectric sensors embedded beneath walking surfaces. This approach enables the generation of renewable electricity in crowded public areas where thousands of footsteps occur every day [5].

The remainder of this paper is organized as follows. Section II presents the literature review related to piezoelectric energy harvesting technologies. Section III describes the proposed footstep power generation system and its components. Section IV explains the system design and working principle of the piezoelectric sensors and associated circuitry. Section V presents the experimental results and discussion based on the developed prototype system. Finally, Section VI concludes the paper and highlights possible future improvements.

II. LITERATURE SURVEY

Several researchers have investigated the use of piezoelectric materials for energy harvesting applications. Priya and Inman discussed various energy harvesting techniques and highlighted the importance of piezoelectric systems in micro-energy generation [1]. Roundy et al. studied energy scavenging methods for powering wireless sensor networks using mechanical vibrations [2].

Sodano et al. presented a comprehensive review of piezoelectric materials used for vibration-based energy harvesting and analyzed their electrical output characteristics [3]. Ramadass and Chandrakasan proposed efficient power interface circuits that improve the performance of piezoelectric energy harvesting systems [6].

Recent studies have also explored the application of piezoelectric energy harvesting in public infrastructure. Mitcheson et al. demonstrated the feasibility of harvesting energy from human motion for powering small electronic devices [7]. Khaligh et al. analyzed kinetic energy harvesting systems and highlighted their potential for sustainable energy generation [8]. These studies show that piezoelectric energy harvesting is a promising method for generating renewable energy from mechanical motion, particularly in areas with high human activity.

III. PROPOSED SYSTEM

The proposed system aims to capture mechanical energy generated by human footsteps and convert it into electrical energy using piezoelectric sensors. The system consists of the following components:

- Piezoelectric sensors
- Bridge rectifier circuit
- Voltage regulator
- Rechargeable battery or capacitor
- Arduino microcontroller
- LED or small load device

When a person steps on the surface containing the piezoelectric sensors, mechanical pressure is applied to the sensors. This pressure causes deformation in the piezoelectric material, generating an alternating voltage. The generated voltage is then converted into direct current using a bridge rectifier circuit.

The rectified voltage is filtered using capacitors to remove fluctuations and provide stable DC output. This energy is then stored in a rechargeable battery or capacitor for later use. A microcontroller such as Arduino can be used to monitor the voltage output and display it on an LCD display or use it to power small electronic loads.

The proposed system provides an efficient and eco-friendly method for utilizing otherwise wasted mechanical energy in public areas such as sidewalks, shopping malls, and railway stations.

IV. SYSTEM DESIGN AND WORKING PRINCIPLES

1. Piezoelectric Effect :

The piezoelectric effect refers to the ability of certain materials to generate electrical voltage when mechanical stress is applied. Materials such as quartz, lead zirconate titanate (PZT), and polyvinylidene fluoride (PVDF) exhibit strong piezoelectric properties and are widely used in energy harvesting systems [3][8]. When mechanical pressure is applied to these materials, their internal crystal structure becomes distorted, resulting in the generation of an electrical potential difference across their surfaces.

2. Hardware Architecture :

The hardware architecture of the proposed system includes several modules working together to convert mechanical energy into electrical energy.

3. Piezoelectric Sensor Module

Piezoelectric sensors are placed beneath a walking platform where mechanical pressure from footsteps can be captured.

4. Rectifier Circuit

The voltage generated by piezoelectric sensors is alternating current. A bridge rectifier circuit converts this AC voltage into DC voltage.

5. Energy Storage Module

Capacitors or rechargeable batteries are used to store the generated electrical energy.

6. Monitoring Unit

An Arduino microcontroller can be used to monitor the generated voltage and display output readings.

7. Load Module

The stored electrical energy can power small electronic devices such as LEDs, sensors, or low-power microcontrollers.

V. RESULTS AND DISCUSSION

The developed prototype of the piezoelectric footstep energy harvesting system was implemented using piezoelectric sensors, a rectifier circuit, an Arduino microcontroller, and an LCD display module. The sensors were placed beneath a walking surface so that mechanical pressure from human footsteps could be captured and converted into electrical energy.

When a user stepped on the platform containing the piezoelectric sensors, mechanical stress was applied to the sensors, resulting in the generation of electrical voltage due to the piezoelectric effect. The generated alternating voltage was converted into direct current using a bridge rectifier circuit and then regulated before being stored in the battery module.

The working prototype of the system is shown in Figure 1, where the piezoelectric sensors are connected to the signal conditioning circuit and the microcontroller unit. The LCD display module is used to indicate the system operation and confirm the generation of electrical energy from footsteps.

The experimental observations indicate that the voltage output depends on the magnitude of force applied to the sensors as well as the number of piezoelectric elements used in the system. A single piezoelectric sensor produces a relatively small voltage output; however, connecting multiple sensors in series or parallel can significantly increase the generated voltage and improve overall energy harvesting efficiency.

The prototype system successfully demonstrated the feasibility of converting mechanical energy generated from human footsteps into electrical energy capable of powering low-power electronic devices such as LEDs and sensors. These findings are consistent with previous studies on piezoelectric energy harvesting systems for micro-power generation applications [7].




Figure 1 Prototype setup of the piezoelectric footstep energy harvesting system.

VI. CONCLUSION

This paper presented the design and implementation of a piezoelectric footstep energy harvesting system capable of converting mechanical energy from human footsteps into electrical energy. The system demonstrates an environmentally friendly and sustainable approach for capturing wasted mechanical energy.

Experimental results show that piezoelectric sensors can generate usable electrical energy when subjected to mechanical pressure. The generated energy can be stored and used to power low-power electronic devices.

Future improvements may include increasing the number of piezoelectric elements, improving energy storage systems, and integrating wireless monitoring systems. With further development, piezoelectric energy harvesting technology can play an important role in smart city infrastructure and renewable energy solutions.

REFERENCES

- [1] S. Priya and D. J. Inman, "Energy harvesting technologies and applications," *Journal of Intelligent Material Systems and Structures*, 2010.
- [2] S. Roundy, P. Wright, and J. Rabaey, "Energy scavenging for wireless sensor networks," *Wireless Sensor Networks Journal*, 2004.
- [3] H. A. Sodano, D. J. Inman, and G. Park, "A review of power harvesting from vibration using piezoelectric materials," *Shock and Vibration Digest*, 2004.
- [4] N. Elvin and A. Erturk, "Advances in piezoelectric energy harvesting," *Smart Materials and Structures*, 2013.
- [5] S. Beeby, M. Tudor, and N. White, "Energy harvesting vibration sources for microsystems applications," *Measurement Science and Technology*, 2006.
- [6] Y. Ramadass and A. Chandrakasan, "An efficient piezoelectric energy harvesting interface circuit," *IEEE Journal of Solid-State Circuits*, 2010.
- [7] P. Mitcheson et al., "Energy harvesting from human motion," *Proceedings of the IEEE*, 2008.
- [8] A. Khaligh, P. Zeng, and C. Zheng, "Kinetic energy harvesting using piezoelectric systems," *IEEE Transactions on Industrial Electronics*, 2010.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details