



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 15, Issue 3, March 2026

An AI-Powered Robotic Arm for Smart Agriculture

Dr. V. Prasanna Srinivasan¹, Ramya A², Rashmi S³, Sathyapriya S⁴

Professor, Department of Information Technology, R.M.D Engineering College, Chennai, Tamil Nadu, India¹

U.G. Student, Department of Information Technology, R.M.D Engineering College, Chennai, Tamil Nadu, India^{2,3,4}

ABSTRACT: Agriculture is gradually evolving with the integration of automation and intelligent technologies to improve productivity and reduce human effort. This paper presents the design and development of an AI-powered robotic arm for smart agricultural applications. The proposed system consists of a 360° rotating robotic arm capable of performing tasks such as crop picking, seed sowing, and weed removal with minimal human intervention. The robotic arm is controlled using an Arduino-based microcontroller and continuous rotation servo motors. A camera module integrated with image processing techniques is used to identify crops and weeds for automated targeting. The system can also be monitored and controlled remotely using IoT technology through an ESP32 module and mobile application. The prototype demonstrates how low-cost hardware and basic programming can be used to introduce automation in agricultural environments. The system provides a flexible and affordable solution for improving efficiency and promoting sustainable farming practices.

KEYWORDS: Smart Agriculture, Robotic Arm, Agricultural Automation, Arduino, IoT, Image Processing.

I. INTRODUCTION

Agriculture plays a vital role in ensuring global food security and supporting economic development. However, traditional farming methods depend heavily on manual labor, which can be time-consuming, physically demanding, and inefficient for large-scale agricultural operations. With the rapid advancement of technology, modern agriculture is gradually adopting automation and intelligent systems to improve productivity and sustainability. Technologies such as robotics, artificial intelligence, and sensor-based monitoring are increasingly being used to optimize farming operations and reduce human effort [1][2].

Robotic systems have gained significant attention in agriculture due to their ability to perform repetitive and precision-based tasks with high accuracy. Agricultural robots can assist farmers in activities such as crop monitoring, fruit harvesting, seed planting, and weed removal. By integrating sensors, cameras, and machine learning algorithms, robotic systems can detect crops, analyze environmental conditions, and perform automated actions based on real-time data [3][4]. These technologies not only improve operational efficiency but also help in reducing labor costs and increasing agricultural productivity.

The remainder of this paper is organized as follows. Section II presents the literature survey related to agricultural robotics and automation technologies. Section III describes the proposed robotic arm system and its components. Section IV explains the system design and working principles of the robotic arm and its control modules. Section V presents the experimental results and discussion based on the developed prototype system. Finally, Section VI concludes the paper and highlights possible future improvements.

II. LITERATURE SURVEY

Several researchers have explored the application of robotics and automation technologies in modern agriculture. Blackmore et al. discussed the concept of precision agriculture and highlighted how robotic systems can improve farming efficiency by automating repetitive agricultural tasks [1]. Duckett et al. studied the development of autonomous agricultural robots capable of performing crop monitoring, harvesting, and spraying operations with minimal human intervention [2].

Bac et al. presented a detailed review of robotic harvesting systems used in agriculture and analyzed the challenges involved in fruit detection, localization, and picking using robotic arms [3]. Bechar and Vigneault investigated the design and implementation of agricultural robots and emphasized the role of sensors, machine vision, and intelligent control systems in improving agricultural productivity [4].

Recent studies have also focused on integrating artificial intelligence and IoT technologies in agricultural robotics. Jin et al. discussed the use of robotic arms in precision agriculture and highlighted their ability to perform tasks such as fruit picking, weed removal, and crop monitoring [5]. Wakchaure et al. analyzed the application of artificial intelligence techniques in agriculture and demonstrated how machine learning and image processing can assist robotic systems in identifying crops and improving farming efficiency [6]. These studies show that agricultural robotics combined with AI and IoT technologies can significantly improve productivity and support the development of sustainable and smart farming practices.

III. PROPOSED SYSTEM

The proposed system is designed to develop a robotic arm prototype capable of performing multiple agricultural tasks using automation and intelligent control systems.

The system includes the following components:

- Continuous rotation servo motor for 360° base movement
- Multi-joint robotic arm with gripper mechanism
- Arduino microcontroller for motion control
- Camera module for crop detection
- IoT module (ESP32) for remote monitoring
- Environmental sensors for agricultural data collection

The robotic arm is mounted on a rotating base that allows it to cover a wide working area. The camera module captures images of crops and weeds, which are analyzed using image processing algorithms. Based on the detected coordinates, the robotic arm performs the required operation such as picking or planting.

The microcontroller coordinates the movements of the robotic arm and base rotation while ensuring accurate positioning. The IoT module allows remote monitoring of system performance and task completion through a mobile application or web interface.

This system demonstrates how a low-cost robotic platform can be used for agricultural automation and intelligent farming assistance.

IV. SYSTEM DESIGN AND WORKING PRINCIPLES

Robotic Arm Motion System

The robotic arm consists of multiple joints that allow movement in different directions. Continuous rotation servo motors control the base rotation, enabling the arm to cover a 360-degree workspace. Additional servo motors control the joints of the arm for lifting, extending, and gripping objects.

Image Processing Module

A camera module is used to capture images of crops and surrounding areas. Image processing algorithms analyze the captured images to detect crops, weeds, or fruits. The detected coordinates are sent to the robotic arm controller for precise movement.

Control System

The control system is implemented using an Arduino microcontroller that coordinates the movement of motors and sensors. The microcontroller processes input data from the camera module and sensors and generates control signals for the servo motors.

IoT Monitoring Module

An ESP32 module enables wireless communication between the robotic arm system and a mobile application or web dashboard. This allows remote monitoring, data logging, and control of agricultural operations.

Sensor Module

Environmental sensors such as soil moisture sensors and temperature-humidity sensors are integrated into the system to monitor farming conditions. These sensors provide useful data that can help optimize agricultural operations.

V. RESULTS AND DISCUSSION

The developed prototype of the AI-powered robotic arm was successfully implemented using an Arduino microcontroller, servo motors, sensors, and a camera module. The robotic arm was mounted on a rotating base capable of providing 360-degree movement.

During testing, the robotic arm demonstrated the ability to perform basic agricultural tasks such as picking objects, placing them at designated locations, and simulating seed planting operations. The camera module successfully captured images of the environment, allowing the system to identify objects for automated actions.

The experimental observations showed that the robotic arm could accurately perform pick-and-place operations within its working range. The integration of IoT technology enabled remote monitoring and control through a connected mobile device.

The prototype demonstrates the feasibility of using robotic arms for agricultural automation, especially in controlled environments such as greenhouses or small-scale farms. The results confirm that low-cost robotic systems can assist farmers in reducing manual labor while improving operational efficiency.




Figure 1 GreenGrabber - AI Powered Robotic Arm

VI. CONCLUSION

This paper presented the design and development of an AI-powered robotic arm system for smart agricultural applications. The proposed system demonstrates an automated approach for performing agricultural tasks such as crop picking, seed sowing, and weed removal with minimal human intervention. The integration of robotic arm mechanisms, microcontroller-based control systems, and image processing techniques enables efficient and precise agricultural operations.

Experimental implementation of the prototype shows that the robotic arm can successfully perform pick-and-place operations and simulate agricultural activities within its working range. The use of sensors and camera modules allows the system to identify objects and respond accordingly, while IoT integration enables remote monitoring and control of the agricultural process.

Future improvements may include enhancing the image processing algorithms for more accurate crop detection,

integrating machine learning techniques for intelligent decision-making, and improving the mechanical design for larger agricultural environments. With further development, AI-powered robotic systems can play an important role in modernizing agriculture, reducing labor dependency, and supporting sustainable farming practices.

REFERENCES

- [1] S. Blackmore, B. Stout, M. Wang, and B. Runov, "Robotic agriculture – The future of agricultural mechanisation," *Agricultural Engineering International*, 2005.
- [2] T. Duckett, S. Pearson, S. Blackmore, and B. Grieve, "Agricultural robotics: The future of robotic agriculture," *UK Robotics and Autonomous Systems Network*, 2018.
- [3] C. Bac, J. Hemming, and E. J. Van Henten, "Harvesting robots for high-value crops: State-of-the-art review," *Journal of Field Robotics*, 2014.
- [4] A. Bechar and C. Vigneault, "Agricultural robots for field operations: Concepts and components," *Biosystems Engineering*, 2016.
- [5] T. Jin and X. Han, "Robotic arms in precision agriculture: Technologies, applications, challenges, and future prospects," *Precision Agriculture Journal*.
- [6] M. Wakchaure, B. K. Patle, and A. K. Mahindrakar, "Application of AI techniques and robotics in agriculture: A review," *Artificial Intelligence in Agriculture*.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details