



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 15, Issue 3, March 2026

IoT Based Smart Parking System

Sai Mahadik, Pranay Mhabdi, Sandesh Patil, Om Jadhavar, Prof. Chetna Sharma

Department of Electronic & Telecommunication Engineering, JSPM's Bhivrabai Sawant Polytechnic Wagholi,
Maharashtra, India

ABSTRACT: The rapid growth of vehicles in urban areas has made parking difficult and inefficient. Traditional parking methods often cause traffic congestion, waste fuel, and increase air pollution because drivers spend too much time searching for available spaces. The IoT-Based Smart Parking System provides a smarter solution by using ultrasonic sensors to detect whether parking slots are occupied or empty. A microcontroller processes this data and sends it through a Wi-Fi module to a cloud platform and mobile application. Users can check parking availability in real time, helping them find spaces quickly. This system saves time, reduces congestion, improves space usage, and supports smart city development.

I. INTRODUCTION

Parking has become a major issue in growing cities due to the increasing number of vehicles and limited parking spaces. Drivers often waste time searching for parking, causing traffic congestion, fuel wastage, and pollution. An IoT-based Smart Parking System helps solve this problem by using ultrasonic sensors to detect vehicle presence in parking slots. A microcontroller processes the data and sends it through a Wi-Fi module to a mobile application. Users can check parking availability in real time, making parking easier and faster. This system improves convenience, reduces environmental impact, and supports smarter and more efficient urban transportation management.

II. LITERATURE SURVEY

RESEARCHERS HAVE EXPLORED SMART PARKING SOLUTIONS TO SOLVE URBAN PARKING PROBLEMS CAUSED BY INCREASING VEHICLES AND LIMITED SPACE. IOT-BASED PARKING SYSTEMS USE SENSORS, WIRELESS COMMUNICATION, AND CLOUD PLATFORMS TO AUTOMATE PARKING MANAGEMENT AND PROVIDE REAL-TIME SPACE AVAILABILITY. STUDIES SHOW THAT ULTRASONIC SENSORS WITH MICROCONTROLLERS CAN ACCURATELY DETECT PARKING STATUS AND REDUCE CONGESTION. OTHER RESEARCH HIGHLIGHTS RFID AND CAMERA-BASED SYSTEMS, THOUGH THEY ARE OFTEN COSTLY. WI-FI MODULES LIKE ESP8266 OFFER A BALANCED AND AFFORDABLE COMMUNICATION OPTION. DESPITE THEIR BENEFITS, CHALLENGES SUCH AS POWER CONSUMPTION, NETWORK SECURITY, AND DATA MANAGEMENT REMAIN. OVERALL, IOT SMART PARKING SYSTEMS ARE CONSIDERED EFFECTIVE FOR IMPROVING URBAN MOBILITY AND SUPPORTING SUSTAINABLE CITY DEVELOPMENT.

III. METHODOLOGY

The IoT-Based Smart Parking System helps drivers find parking spaces easily by providing real-time availability updates. It uses ultrasonic sensors installed in parking slots to detect whether a vehicle is present. The sensor data is processed by a microcontroller, which converts it into slot status information. A Wi-Fi module then sends this data to a cloud platform and mobile application. Users can check parking availability before reaching the location, saving time and fuel. The system reduces traffic congestion, minimizes manual monitoring, and improves parking management. Overall, it offers a convenient, accurate, and efficient solution that supports smart city development and better urban transportation.

1. System Design Methodology

The IoT-Based Smart Parking System is designed to automatically monitor and display parking space availability in real time. The system integrates hardware components such as ultrasonic sensors, microcontrollers, and Wi-Fi communication modules with cloud-based software platforms. The design follows a structured approach consisting of sensing, processing, communication, and user interface stages. Each parking slot is equipped with a sensor that detects vehicle presence, and the collected data flows through the microcontroller to the cloud server. The system is designed

to be scalable, reliable, and capable of reducing manual monitoring. It focuses on improving parking efficiency, minimizing congestion, and providing users with instant access to parking availability through mobile applications.

2. Hardware Methodology

The hardware implementation involves several electronic components that work together to detect and transmit parking data. Ultrasonic sensors are installed in each parking slot to measure the distance between the sensor and any vehicle present. These sensors are connected to a microcontroller such as the Atmega328P or NodeMCU, which processes the sensor data. The ESP8266 Wi-Fi module is used for wireless communication, enabling data transmission to cloud servers or mobile applications. Additional hardware components such as LEDs, display boards, and DC motors can be used for visual indicators and automatic gate control. The hardware setup ensures continuous monitoring of parking slots and provides accurate detection of vehicle presence.


3. Software Methodology

The software part of the system is responsible for data processing, communication, and user interaction. The microcontroller is programmed using the Arduino IDE, where the logic for detecting vehicle presence and updating parking status is developed. The program reads sensor data, converts it into digital values, and sends it to the Wi-Fi module for transmission. The ESP8266 connects the system to an IoT platform such as Blynk, where data is stored and displayed. The Blynk mobile application provides a graphical interface that shows parking slot status in real time. The software also supports additional features such as notifications, automated control, and data visualization, improving overall system performance and user convenience.


4. Working Methodology

The system monitors parking slots using ultrasonic sensors to detect vehicle presence. Sensor data is processed by a microcontroller and sent through the ESP8266 Wi-Fi module to a cloud platform. Users view parking availability through the Blynk app, while LEDs or automatic gates help manage parking efficiently and reduce manual effort.


Block Diagram :



APP Screenshot :-




FLOWCHART:-



IV. EXPERIMENTAL RESULTS

The experimental results showed that the IoT-based Smart Parking System accurately detected vehicle presence and updated parking availability in real time. The system successfully transmitted data through the Wi-Fi module to the mobile application. It reduced manual monitoring, improved parking efficiency, minimized congestion, and demonstrated reliable performance under normal operating conditions.



V. CONCLUSION

The IoT-Based Smart Parking System provides an efficient solution to modern parking challenges by using sensors, microcontrollers, and cloud technology to monitor parking spaces in real time. The system helps drivers easily locate available slots, reducing traffic congestion, fuel consumption, and pollution. It also minimizes manual monitoring and improves parking management accuracy. The integration of mobile applications enhances user convenience and accessibility. The project demonstrates how IoT can support smart city development by improving transportation infrastructure. With future enhancements such as automated payment systems and advanced data analysis, the system can become more reliable, scalable, and widely useful in urban and commercial parking areas.

REFERENCES

1. Yi Geng and Christos G. Cassandras., “New “Smart Parking” System Based on Optimal Resource Allocation and Reservations” — IEEE Transactions on Intelligent Transportation Systems (2012) <https://ieeexplore.ieee.org/document/6188720>
2. Faheem, S. A., Mahmud, G. M., Rahman, M. H., & Zafar, H., “A Survey of Intelligent Car Parking System” — Journal of Applied Research and Technology (Elsevier). <https://www.sciencedirect.com/science/article/pii/S1665642316300153>
3. M. Y. Daraghmi, C. C. Yuan, and S. M. Yuan., “Real-Time Parking Space Reservation System Based on Wireless Sensor Networks” — IEEE Conference on Embedded and Ubiquitous Computing <https://ieeexplore.ieee.org/document/5332169>
4. Tsung-Yu Lin, Hervé Rivano, and Frédéric Le Mouél., “A Survey of Smart Parking Solutions” — IEEE Transactions on Intelligent Transportation Systems (2017). <https://ieeexplore.ieee.org/document/7877139>



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details