

Real-Time Driver Drowsiness Detection System using Python

Shaikh Sohail Sameer, Vijapure Naveed Asif, Momin Maruf Iqbal, Atnurkar A.B

U.G. Student, Department of Computer Science and Engineering, Bhagwant Institute of Technology, Barshi, Dist.
Solapur, Maharashtra, India

U.G. Student, Department of Computer Science and Engineering, Bhagwant Institute of Technology, Barshi, Dist.
Solapur, Maharashtra, India

U.G. Student, Department of Computer Science and Engineering, Bhagwant Institute of Technology, Barshi, Dist.
Solapur, Maharashtra, India

Associate Professor, Department of Computer Science and Engineering, Bhagwant Institute of Technology, Barshi,
Dist. Solapur, Maharashtra, India

ABSTRACT: Driver drowsiness is a major cause of road accidents. This project presents a real-time drowsiness detection system using Python and computer vision. The system uses a webcam to monitor eye movements and detects fatigue based on eye closure using OpenCV and Dlib. When drowsiness is detected, an audio alert is generated to warn the driver. The system is cost-effective, works on basic hardware, and helps improve road safety by preventing accidents caused by driver fatigue. Image

KEYWORDS: Driver Drowsiness Detection, Computer Vision, Python, OpenCV, Dlib, Eye Aspect Ratio (EAR), Real-time Monitoring, Road Safety, Fatigue Detection, Webcam System

I. INTRODUCTION

Road accidents caused by driver fatigue and drowsiness are a serious global concern. In many cases, drivers feel sleepy during long journeys or late-night driving, which reduces their attention and reaction time, often resulting in accidents. To reduce such risks, an automated system for detecting driver drowsiness is highly important.

This project focuses on developing a real-time Driver Drowsiness Detection System using Python and computer vision techniques. The system continuously monitors the driver's face through a webcam and analyzes eye movements to identify signs of fatigue. By using libraries such as OpenCV and Dlib, facial landmarks are detected and the Eye Aspect Ratio (EAR) is calculated to determine whether the driver's eyes are open or closed for an extended period.

When drowsiness is detected, the system triggers an alert using an audio warning to immediately notify the driver. This helps in preventing potential accidents by increasing driver awareness.

The proposed system is lightweight, cost-effective, and can run on a basic computer with a webcam, making it suitable for real-world applications without requiring specialized hardware.

II. LITERATURE SURVEY

Several studies have been conducted in the field of driver drowsiness detection using different techniques such as image processing, machine learning, and deep learning. The main objective of these systems is to improve road safety by identifying fatigue at an early stage and alerting the driver. Traditional approaches mainly focused on vehicle behavior analysis, such as steering patterns, lane deviation, and speed variation. However, these methods are less reliable as they depend on external driving conditions and vehicle type.

Recent research has shifted towards vision-based systems, which analyze the driver's facial features using cameras. Techniques like eye blink detection, yawning detection, and head pose estimation are widely used. Many studies utilize OpenCV and Dlib libraries for facial landmark detection and Eye Aspect Ratio (EAR) calculation to identify drowsiness more accurately in real time.

Some advanced systems also integrate machine learning and deep learning models such as CNN (Convolutional Neural Networks) to improve detection accuracy under varying lighting conditions and different facial orientations. However, these approaches often require high computational power and advanced hardware.

In comparison, lightweight Python-based systems using OpenCV and Dlib provide a balance between accuracy and efficiency. These systems are cost-effective and can run on basic hardware like a laptop with a webcam, making them more suitable for practical implementation.

III. METHODOLOGY

The proposed of real time Driver Drowsiness Detection System is developed using a vision-based approach with Python programming and computer vision libraries. The system works in real time by capturing live video input through a webcam and analyzing the driver's facial features to detect signs of fatigue.

First, the webcam continuously captures frames of the driver's face. These frames are processed using OpenCV to detect and extract the facial region. After face detection, Dlib's pre-trained facial landmark predictor is used to identify key points around the eyes.

Next, the Eye Aspect Ratio (EAR) is calculated from the eye landmarks. This ratio helps determine whether the eyes are open or closed. If the EAR value drops below a predefined threshold for a specific number of consecutive frames, the system identifies it as a sign of drowsiness.

Once drowsiness is detected, an audio alert is triggered using the Playsound library to warn the driver immediately. This real-time feedback helps prevent potential accidents caused by fatigue.

The system is designed to be lightweight and efficient, requiring only a basic laptop and a webcam. It works on both Windows and Linux operating systems, making it flexible and easy to deploy in real-world environments.

IV. EXPERIMENTAL RESULTS

The proposed Driver Drowsiness Detection System was tested in real-time using a standard laptop equipped with a webcam. The system was evaluated under different conditions such as normal lighting, low lighting, and varying head positions to check its reliability and performance.

During testing, the system successfully detected eye closure and fatigue patterns using the Eye Aspect Ratio (EAR) method. When the driver's eyes remained closed for a longer duration than the defined threshold, the system generated an immediate audio alert using the Playsound library. This ensured timely warning to the user.

The system performed effectively under normal lighting conditions with good accuracy in detecting drowsiness. However, slight variations in performance were observed in low-light conditions and when the face was partially covered or turned away from the camera.

Overall, the results demonstrate that the system is capable of real-time monitoring and provides reliable drowsiness detection using a simple and cost-effective setup. It proves suitable for basic implementation in safety-focused applications.

V. WORKING PRINCIPLE OF REAL TIME DRIVER DROWSINESS DETECTION SYSTEM




Figure: Workflow of Real Time Driver Drowsiness Detection

The above diagram illustrates the working flow of the proposed real-time driver drowsiness detection system. The system begins with **eye landmark detection**, where key facial points around the driver’s eyes are identified using computer vision techniques. These landmarks are then used to calculate the **Eye Aspect Ratio (EAR)**, which is a key metric for determining eye openness.

The EAR value is continuously monitored and compared with a predefined threshold. If the EAR value is greater than the threshold, the driver is considered **awake**, whereas if the EAR value falls below the threshold, it indicates **drowsiness**.

When drowsiness is detected, the system triggers an **audio alert** using a sound notification module to warn the driver and prevent possible accidents. Simultaneously, the system performs **real-time monitoring of the driver’s eyes** through a webcam, ensuring continuous analysis without interruption.

Overall, the workflow ensures accurate and efficient detection of driver fatigue using real-time facial landmark analysis and immediate alert generation.

VI. FUTURE SCOPE

The “Real Time Driver Drowsiness Detection System Using Python” has strong potential for further development and real-world implementation in the automotive safety domain. In the future, the system can be improved by increasing detection accuracy using advanced deep learning techniques such as Convolutional Neural Networks (CNN) and Recurrent Neural Networks (RNN), which can better analyze facial features and driver behavior under different environmental conditions.

The system can also be enhanced by making it more robust in low-light and night driving conditions using infrared cameras or improved image preprocessing techniques. Integration with real-time vehicle systems can help in automatically controlling vehicle speed or triggering emergency braking when severe drowsiness is detected.

Another important improvement can be the development of a mobile and cloud-based alert system that sends notifications to family members or emergency contacts when the driver shows continuous signs of fatigue. Additionally, the system can be extended to detect multiple risk factors such as distraction, yawning frequency, and head position tracking to improve overall road safety.

In the future, this system can be implemented on embedded hardware platforms like Raspberry Pi or Arduino-based vision systems to make it more compact and suitable for real-time deployment in vehicles.

Overall, with advancements in artificial intelligence, computer vision, and IoT technologies, this project can be transformed into a highly efficient intelligent driver assistance system that contributes significantly to reducing road accidents caused by drowsy driving.

VII. CONCLUSION

The “Real Time Driver Drowsiness Detection System Using Python” has been successfully developed to detect signs of drowsiness in drivers using computer vision techniques. The system utilizes Python along with libraries such as OpenCV, Dlib, Imutils, and Playsound to monitor eye movements in real time and generate an alert when signs of fatigue are detected.

The main objective of the project is to improve road safety by reducing accidents caused due to driver sleepiness. The system works efficiently by continuously capturing facial features through a webcam and analyzing eye blink patterns to identify drowsiness at an early stage.

The implemented solution is cost-effective, easy to use, and can run on basic hardware, making it suitable for real-world applications. Although the current system performs well under normal conditions, there is still scope for improvement in terms of accuracy and performance in different lighting and driving environments.

Overall, this project demonstrates how Python-based computer vision techniques can be effectively used to build a practical safety system that can contribute to reducing road accidents and saving lives.

REFERENCES

1. G. Bradski, “The OpenCV Library,” *Dr. Dobb’s Journal of Software Tools*, 2000.
2. D. E. King, “Dlib-ml: A Machine Learning Toolkit,” *Journal of Machine Learning Research*, 2009.
3. Python Software Foundation, “Python 3 Documentation,” Available: <https://www.python.org>
4. OpenCV Documentation, “Open Source Computer Vision Library,” Available: <https://docs.opencv.org>
5. NumPy Developers, “NumPy Documentation,” Available: <https://numpy.org/doc>
6. SciPy Community, “SciPy User Guide,” Available: <https://docs.scipy.org>
7. A.Geitgey, “Face Recognition and Facial Landmark Detection using Dlib,” 2017.
8. Imutils Library Documentation, Available: <https://pypi.org/project/imutils>
9. Playsound Library Documentation, Available: <https://pypi.org/project/playsound>



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details